DISTRICT COURT - CSRBA Fifth Judicial District County of Twin Falls - State of Idaho IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DIST STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS NOV 0 8 2019 In Re CSRBA PARTIAL DECREE PURSUANT TO I.R.C.P. 54(b) FOR Case No. 49576 By Water Right 95-16482 Clerk Deputy Clerk

NAME AND ADDRESS:

CASEY E CASON JANET L CASON MORIAH CASON

7633 W COUGAR GULCH RD COEUR D ALENE, ID 83814

SOURCE:

GROUND WATER

QUANTITY:

0.06 CFS

The quantity of water under this right shall not exceed 13,000

gallons per day.

PRIORITY DATE:

09/09/1986

POINT OF DIVERSION:

T50N R04W S30

NESE

Within Kootenai County

PURPOSE AND

PERIOD OF USE:

PURPOSE OF USE

PERIOD OF USE

QUANTITY

Stockwater Domestic

01-01 TO 12-31 01-01 TO 12-31 0.02 CFS

0.04 CFS

Domestic use is for 1 home.

PLACE OF USE:

Stockwater T50N R04W S30

NESE

Within Kootenai County

Domestic

T50N R04W S30

NESE

Within Kootenai County

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

The quantity of water decreed for this water right is not a determination of historical beneficial use.

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE ENTRY OF A FINAL UNIFIED DECREE. I.C. SECTION 42-1412(6).

RULE 54(b) CERTIFICATE

With respect to the issues determined by the above judgment or order, it is hereby CERTIFIED, in accordance with Rule 54(b), I.R.C.P., that the court has determined that there is no just reason for delay of the entry of a final judgment and that the court has and does hereby direct that the above judgment 🏃 shall be a final judgment upon which execution may issue and an appeal may be taken as provided $oldsymbol{\mathfrak{b}}$ Appellate Rules.

Eric J. Wordman

Presiding Judge of the

Coeur d'Alene-Spokane River Adjudication

RECEIVED

NOV 2 2 2019

DEPARTMENT OF WATER RESOURCES