IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re CSRBA)
Case No. 49576)

PARTIAL DECREE PURSUANT TO I.R.C.P. 54(b) FOR

Water Right 95-16269

DISTRICT COURT - CSRBA
Fifth Judicial District
County of Twin Falls - State of Idaho

NOV - 8 2019

By

Clerk

Deputy Clerk

RECEIVED

NOV 2 2 2019

DEPARTMENT OF WATER RESOURCES

NAME AND ADDRESS:

JANET FERRARO RONALD FERRARO PO BOX 654 ATHOL, ID 83801

SOURCE:

GROUND WATER

QUANTITY:

0.06 CFS

The quantity of water under this right shall not exceed 13,000

gallons per day.

PRIORITY DATE:

POINT OF DIVERSION:

10/04/1999

T54N R03W S26

N

NWSE Within Bonner County

PURPOSE AND

PERIOD OF USE:

PURPOSE OF USE

PERIOD OF USE 01-01 TO 12-31 QUANTITY

Stockwater Domestic

01-01 TO 12-31 01-01 TO 12-31 0.02 CFS 0.04 CFS

Domestic use is for 1 home.

PLACE OF USE:

Stockwater

T54N R03W S26 NWSE

Within Bonner County

SWSE

Domestic

T54N R03W S26

NWSE

Within Bonner County

SWSE

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

The quantity of water decreed for this water right is not a determination of historical beneficial use.

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE ENTRY OF A FINAL UNIFIED DECREE. I.C. SECTION 42-1412(6).

RULE 54(b) CERTIFICATE

With respect to the issues determined by the above judgment or order, it is hereby CERTIFIED, in accordance with Rule 54(b), I.R.C.P., that the court has determined that there is no just reason for delay of the entry of a final judgment and that the court has and does hereby direct that the above judgment or order shall be a final judgment upon which execution may issue and an appeal may be taken as provided by the Maho Appellate Rules.

Eric J. Jidman Presiding Judge of the

Coeur d'Alene-Spokane River Adjudication