IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re CSRBA)
Case No. 49576)

PARTIAL DECREE PURSUANT TO I.R.C.P. 54(b) FOR

Water Right 95-14776

NOV - 8 2019

DISTRICT COURT - CSRBA

Fifth Judicial District

County of Twin Falls - State of Idaho

NAME AND ADDRESS:

KATIE MORE MICHAEL MORE 6562 W HARBOR DR

COEUR D ALENE, ID 83814-7683

SOURCE:

GROUND WATER

QUANTITY:

0.04 CFS

The quantity of water under this right shall not exceed 13,000

gallons per day.

DEPARTMENT OF WATER RESOURCES

NOV 2 2 2019

Deputy Clerk

Clerk

PRIORITY DATE:

12/31/1988

POINT OF DIVERSION:

T50N R04W S07 LOT 6 (SENE) Within Kootenai County

PURPOSE AND

PERIOD OF USE:

PURPOSE OF USE

PERIOD OF USE

QUANTITY

By

01-01 TO 12-31

0.04 CFS

Domestic use is for 1 home.

PLACE OF USE:

Domestic

Domestic

Within Kootenai County

T50N R04W S07 LOT 6 (SENE)

SOS LOT 8 (SWNW)

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

The quantity of water decreed for this water right is not a determination of historical beneficial use.

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE ENTRY OF A FINAL UNIFIED DECREE. I.C. SECTION 42-1412(6).

RULE 54(b) CERTIFICATE

With respect to the issues determined by the above judgment or order, it is hereby CERTIFIED, in accordance with Rule 54(b), I.R.C.P., that the court has determined that there is no just reason for delay of the entry of a final judgment and that the court has and does hereby direct that the above judgment or order shall be a final judgment upon which execution may issue and an appeal may be taken as provided by the loans appellate Rules.

Eric J. W. Jaman Presiding Judge of the

Coeur d'Alene-Spokane River Adjudication

CSRBA -PARTIAL DECREE PURSUANT TO I.R.C.P. 54(b) Water Right 95-14776