State of Idaho Department of Water Resources

Permit to Appropriate Water

No. 63-34819

Priority: November 13, 2019

Maximum Diversion Rate: 0.13 CFS

This is to certify that

PATRICK SWEENEY 1805 E OVERLAND RD APT 4423 MERIDIAN ID 83642-7084 AND RACHEL SWEENEY 1805 E OVERLAND RD APT 4423 MERIDIAN ID 83642-7084

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

Beneficial Use Period of Use Rate of Diversion

IRRIGATION 03/01 to 11/15 0.09 CFS DOMESTIC 01/01 to 12/31 0.04 CFS

Location of Point(s) of Diversion

GROUND WATER NE1/4 NW1/4, Sec. 26, Twp 02N, Rge 01E, B.M. ADA County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE			NW				SW			SE				Totals		
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
02N	01E	26					4.5	h 1	de V	451		M. Till							4.5

Total Acres: 4.5

Place of Use: DOMESTIC

Twp Rng	Sec	NE				NW			SW			SE				Totals		
I WP IXIIG		NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
02N 01E	26			i i		Х							i i			i i		

Conditions of Approval

- 1. Proof of application of water to beneficial use shall be submitted on or before **January 01, 2022.**
- 2. Subject to all prior water rights.
- 3. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.
- 4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the place of use.
- 5. Any well used as a point of diversion for this water right shall contain a dedicated sounding tube extending from above ground level to near the top of the pump bowls to facilitate measurement of ground water levels. Unless specifically notified by the Director to do so, the right holder is not responsible for measuring water levels but shall allow access to the well(s) by the Idaho Department of Water Resources or its representative to collect data as needed.
- 6. Right holder shall comply with the drilling permit requirements of Idaho Code § 42-235 and applicable Well Construction Rules of the Department.

State of Idaho Department of Water Resources

Permit to Appropriate Water

No. 63-34819

- 7. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
- 8. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows if needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary, if needed for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.

This permit is issued pursuant to the provisions of Idaho Code § 42-204.

Signed this 13^D day of January, 2020.

NICK MILLER

Western Regional Manager

State of Idaho **Department of Water Resources**


Attachment to Permit to Appropriate Water 63-34819

This map depicts the place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0.035

0.07





0.14 Miles



State of Idaho DEPARTMENT OF WATER RESOURCES

Western Region • 2735 W AIRPORT WAY • BOISE, ID 83705-5082 Phone: (208)334-2190 • Fax: (208)334-2348 • Website: www.idwr.idaho.gov

> Gary Spackman Director

January 13, 2020

RACHEL SWEENEY PATRICK SWEENEY 1805 E OVERLAND RD APT 4423 MERIDIAN ID 83642-7084

RE: Permit No. 63-34819

Permit Approval Notice

Dear Permit Holders:

The Department of Water Resources Western has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review all the conditions of approval listed on your permit. The conditions include requirements that you must accomplish, such as timely submittal of proof of beneficial use or installation of a measuring device, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district. Failure to comply with the conditions of approval may result in your permit lapsing or being canceled.

The permit is a PRELIMINARY ORDER issued pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

The final step in the water right process is issuance of a water right license. To receive a water right license, you must first commence the excavation or construction of your diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is complete. In addition, you must divert and use water to the full extent intended and submit a *Statement of Completion for Submitting Proof of Beneficial Use* by the date shown in condition no. 1 of your permit. The Department will send you a *Proof Due Notice* approximately 60 days prior to the date listed in condition no. 1 of your permit.

You may also require approvals from other Department programs, such as Ground Water Protection, Safety of Dams, or Stream Channel Protection, to accomplish your

proposed development. Please call or visit any Department office or see the Department's website at idwr.idaho.gov for more information about these programs.

Also, please note that permit holders are required to report any change of ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Forms to assign ownership or update your address are available from any office of the Department or on the Department's website.

If you have any questions concerning the enclosed information, please contact me at (208) 334-2190.

Sincerely,

Kensie Thorneycroft Administrative Assistant

Enclosure(s)

CERTIFICATE OF SERVICE

I hereby certify that on January 13, 2020, I served a true and correct copy of Permit to Appropriate Water No. 63-34819 by U.S. Mail, postage prepaid, to the following:

RACHEL SWEENEY PATRICK SWEENEY 1805 E OVERLAND RD APT 4423 MERIDIAN ID 83642-7084

Kensie Thorneycroft

Administrative Assistant 1

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was not held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. Note: the petition must be <u>received</u> by the department within this fourteen (14) day period. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.



RECEIVED

DEC 1 6 2019

WATER RESOURCES WESTERN REGION

AFFIDAVIT OF PUBLICATION

Account #	Ad Number	Identification	PO	Amount	Cols	Depth
263982	0004478759	The following application has been filed to approp	Legal Notice	\$98.38	1	5.33 In

Attention: Kensie Thorneycroft

IDAHO DEPT OF WATER RESOURCES / SOUTH 2735 W AIRPORT WAY BOISE, ID 83705

The following application has been filed to appropriate the public waters of the State of Idaho: 63-34819 PATRICK SWEENEY RACHEL SWEENEY 1805 E OVERLAND RD APT MERIDIAN, ID 83642-7084
Point of Diversion NENW S26
T02N R01E ADA County Source **GROUND WATER** DOMESTIC 01/01 to 12/31 0.04 CFS Use: IRRIGATION Use: IRRIGATION 03/01 to 11/15 0.09 CFS
Total Diversion: 0.13 CFS
Date Filed: 11/13/2019Place Of Use: IRRIGATION, DOMESTIC TO2N RO1E S26 NENW Total Acres: 4.5 Water bearing zone to be appro-priated is from 200 to 350 ft Permits will be subject to all prior water rights. For additional inforwater rights. For additional infor-mation concerning the property location, contact Western Region office at (208) 334-2190; or for a full description of the right(s), please see www.idwr.idaho.gov. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of the application(s) must be filed with the Director, Dept. of Water Re-sources, Western Region, 2735 sources, Western Region, 2735
Airport Way, Boise ID 83705 together with a protest fee of
\$25.00 for each application on
or before 12/23/2019. The
protestant must also send a
copy of the protest to the appli-

GARY SPACKMAN, Director Published on 12/5/2019 and 12/12/2019 0004478759-01

cant.

VICTORIA RODELA, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein, and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto: that said notice was published in The Idaho Statesman, in conformity with Section 60-108, Idaho Code, as amended, for:

Insertions

Beginning issue of: 12/05/2019

Ending issue of: <u>12/12/2019</u>

On this 12th day of December in the year of 2019 before me, a Notary Public, personally appeared before me Victoria Rodela known or identified to me to be the person whose name subscribed to the within instrument, and being by first duly swom, declared that the statements therein are true, and acknowledged to me that she executed the same.

Notary Public in and for the state of Texas, residing in Dallas County

AMBAR LIZARRAGA My Notary ID # 132031291 Expires May 30, 2023 THE PROPERTY OF THE PROPERTY OF THE OWNER, THE

Extra charge for lost or duplicate affidavits. Legal document please do not destroy!