

2004

Form 42-222A
12/99Ident. No. TC-22-11

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TEMPORARY CHANGE APPLICATION

RECEIVED

AUG 24 2004

(To change point of diversion, place of use or purpose of use)

Department of Water Resources
Eastern Region

Name of Applicant Teton Pipeline Assoc. Phone 456-2801
Post Office Address % Mark Ricks, President, P.O. Box 272, Teton, ID 83452

A. PURPOSE OF TRANSFER

1. ☐ Change point of diversion ☐ Add diversion point(s) ☒ Change place of use
☐ Change purpose of use ☐ Other

2. Describe the proposed change(s) and the reason(s) thereof Injecting well water into the Teton River to flow down the Henry's Fork, will will be reddiverted by Fremont-Madison Irrigation District at their discretion throughout the District

B. DESCRIPTION OF RIGHT(S) OR PORTION THEREOF, AFTER THE REQUESTED CHANGE see attached sheet

1. Right Number	Priority	Amount (cfs/ac-ft)	Nature of Use	Period of Use
				<u>8-1-04</u> to <u>11-1-04</u>
				to
				to
				to

2. Total amount of water being transferred 52.46 cubic feet per second and/or _____ acre-feet per annum.

3. Source of water Groundwater tributary to _____

4. Point(s) of Diversion:

Ident No.	Lot	1/4	1/4	1/4	Sec	Twp	Rge	County	Local name for diversion
			NW	NE	11	6N	40E	Madison	Two Exchange Wells #55316/55318
			SW	SW	15	6N	40E	Madison	Two Exchange Wells #55324/55326
			SE	SE	25	7N	40E	Madison	Two Exchange Wells #55198/55199

5. Lands irrigated or place of use: Lands under Fremont-Madison Irrigation District

Twp	Rge	Sec	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

Total Acres _____

TC-22-11

6. General Information:

- a. Who owns the water right to be changed? Applicant
- b. Describe the arrangement allowing use of the right District meeting held on August 4, 2004
agreed to this transfer
- c. Describe the affect on the land now irrigated if the change is approved pursuant to this application:
These lands are now dried up
- d. Has the water right sought to be transferred been used this year? yes If yes, explain. used on
Teton Pipeline Assoc. lands.
- e. Absent the changes, how would the right be used for the remainder of the year? Irrigation would
continue.
- f. Describe other water rights used for the same purpose.
Surface water rights in Teton Pipeline will be used on remaining acres
- g. Remarks: The amount of water being transferred shall not
exceed 52.46 cfs

I hereby assume all risk in accordance with Section 42-222A, Idaho Code, and assert that no one will be injured by such change and that the change does not constitute an enlargement in use of the original right. The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in voiding its approval.

Mark R. Parks Pres.
(Signature of applicant)

FOR DEPARTMENT USE ONLY

Received by Kaw Date 8/24/04 Fee 50⁰⁰
 Receipted _____ # E030171 Recommend: ☒ approve _____ deny _____
 Watermaster recommendation OK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Temporary Change Application No. TC-22-11
 And said application is hereby Approved, subject to the following limitations and conditions:

Witness my hand this 27th day of August, 2004:

[Signature]
For the Director

**BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO**

IN THE MATTER OF APPLICATION FOR)
TEMPORARY CHANGE OF A)
WATER RIGHT 22-7208, 22-7209)
22-7211/7221/7259 22-7216/7223/7235)
22-7360 22-7375 22-7504)

**ORDER AUTHORIZING
TEMPORARY CHANGE**

TC-22-11

WHEREAS, a drought emergency has been declared for Madison County to allow administrative actions to lessen the severe impacts of the drought conditions in the county; and

WHEREAS, section 42-222A, Idaho Code, provides that upon declaration of a drought emergency, the director of the Department of Water Resources ("Department") is authorized to allow temporary changes in the point of diversion, the place of use, and the purpose of use for valid existing water rights or temporary exchanges of water authorized under water rights when the director determines that such changes can be accomplished in accordance with the provisions of section 42-222A, *Idaho Code*; and

WHEREAS, on August 24, 2004, Teton Pipeline Association submitted the attached Temporary Change Application TC-22-11 to the Department; and

WHEREAS, the Department has reviewed the application and has determined the application can be approved with certain conditions;

ORDER

IT IS HEREBY ORDERED that the application is **APPROVED** subject to the following conditions:


1. Diversion and use of right no(s). 22-7208/7209/7211/7221/7295/7216
22-7223/7235/7360/7375/7504 is authorized only at the point of diversion and place of use described on the application.
2. This temporary Change approval does not authorize construction of a new well as a new point of diversion.
3. The applicant assumes all risk of curtailment or mitigation should the diversion and use of water under the temporary change approval cause injury to other water rights, constitute an enlargement in use of the original right, be inconsistent with the conservation of water resources within the state of Idaho, or not be in the local public interest.
4. This temporary change approval may only be used to provide a replacement water supply to lands or other uses that normally have a full water supply, except for the drought condition. This temporary change approval may not be used to provide water for new development or to allow expansion of the use of water under existing water rights.

ORDER AUTHORIZING
TEMPORARY CHANGE

TC-22-11

5. Right(s) 22. 7375/7504
22-7208/7209/7211/7221/7295/7216/7223/7235/7340 are limited to the irrigation
of a total of 8688.4 acres in a single irrigation season
6. This temporary approval does not authorize the use of diversion works or a delivery system owned by or managed by a corporation or an irrigation district without the written consent of such corporation or irrigation district.
7. The applicants agree to hold the director and the state of Idaho harmless from all liability on account of the diversion and use of water under this temporary change approval.
8. This temporary change approval does not grant any right-of-way or easement to use the diversion works or conveyance works of another person or entity.
9. The applicant is subject to all conditions and limitations listed on the application under the section titled "ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES"
10. The applicant shall measure the amount of water diverted and shall report the amount of water diverted under this approval.
11. The Water master of Water District No. 01 is authorized to administer the temporary change approval.
12. This Temporary change approval expires on October 31, 2004 unless rescinded or extended by the director. Thereafter, the water right shall revert to the point of diversion, place of use, and nature of use existing prior to the temporary change approval.

DATED this 27th day of August, 2004.


Ronald D. Carlson
Eastern Regional Manager

**TETON PIPELINE ASSOCIATION
EXCHANGE WELL WATER RIGHTS**

TC - 22-11

<u>Basin</u>	<u>Sequence</u>	<u>Basis</u>	<u>Priority Date</u>	<u>Diversion Rate</u>	<u>Combined</u>	<u>Cumulative</u>
22	7208	License	2/10/1977	9.00	9.00	9.00
22	7209	License	2/10/1977	9.00	9.00	18.00
22	7211	License	2/22/1977	6.00		
22	7221	License	4/14/1989	3.44		
22	7295	License	7/12/1979	3.36	10.07	28.07
22	7216	License	3/4/1977	4.00		
22	7223	License	4/5/1977	7.00		
22	7235	License	6/7/1977	6.00		
22	7360	License	4/14/1981	2.00	11.95	40.02
22	7375	License	8/17/1981	12.44		
22	7504	License	7/1/1985	6.30	12.44	52.46
					Total	<u>52.46</u>

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 22-7208

WATER RIGHT NUMBER: 22-7208

Owner Type Name and Address
 Current Owner TETON PIPELINE ASSN INC

Priority Date: 02/10/1977

Basis: License

Status: Active

Source Tributary
 GROUND WATER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	4/15 to 10/15	9.000 CFS	3,284.70 AF
<u>Total Diversion:</u>		9.000 CFS	3,284.70 AF

Location of Point(s) of Diversion

GROUND WATER	SE1/4SE1/4	Sec. 25,Twp 07N,Rge 40E, B.M.	FREMONT County
GROUND WATER	NE1/4NE1/4	Sec. 11,Twp 06N,Rge 40E, B.M.	MADISON County
GROUND WATER	NW1/4SE1/4	Sec. 3,Twp 06N,Rge 44E, B.M.	TETON County (Rediversion)
GROUND WATER	SE1/4SE1/4	Sec. 15,Twp 06N,Rge 44E, B.M.	TETON County (Rediversion)

Place of Use IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
06N 44E 3		5.0 L 2	35.0				40.0	40.0	12.0	12.0				4.4			148.4
06N 44E 4		28.0 L 2	40.0	40.0	20.0 L 3			18.0	8.0				12.0	12.0			178.0
06N 44E 5							30.0			35.0							65.0
06N 44E 7			31.0				28.0		21.0			19.0	13.0	36.0	40.0	16.0	204.0
06N 44E 8						8.0	25.0	13.0	40.0	40.0	40.0	40.0					206.0
07N 43E 33	40.0	34.0	34.0	40.0									40.0	34.0	34.0	40.0	296.0
07N 43E 34	33.0	33.0	33.0	33.0	33.0	40.0	40.0	33.0					19.0	33.0	35.0	39.0	404.0
07N 43E 35									12.0	23.0	35.0	26.0					96.0
07N 44E 28										6.0	30.0	1.0					37.0
07N 44E 29									30.0	29.0	38.0	39.0	27.0	40.0	39.0	36.0	278.0

Total Acres: 1912.4

Remarks:

1. General No demand on upstream prior rights or existing prior exchanges can be made and no interference with prior rights located between the rediversion pumps and the exchange well will be allowed even if the exchange well is pumping water into the Teton River. Totalizing measuring devices shall be maintained at the exchange well and rediversion pumps from the Teton River. The exchange well must inject water into the Teton River whenever water is being diverted from the river under this license, and the injection must continue after the diversion from the Teton River ceases until the water not diverted reaches the point of injection. The power supply to the exchange well cannot be contracted under the power company's interruptable rules unless the power company agrees to notify the right holder at least 24 hours prior to the time the power service is terminated. The rate of rediversion from the Teton River shall not exceed the rate of injection into the Teton River from the exchange well. Unperforated well casing shall be retained above the first confining layer to prevent interference with shallow wells and recharge to the river. Water is rediverted from the South Pipe and Clementsville (North 1 and 2) Projects of the Teton Pipeline irrigation system.

Comments:

1. PSKAGGS 8/19/1998 TRANSFER 5200

Comment: Transfer 5200 changes the place of use under Rights 22-07120 & 22-07208.

Dates and Other Information:

Licensed Date: 9/16/1997

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 22-7209

WATER RIGHT NUMBER: 22-7209

Owner Type Name and Address
 Current Owner TETON PIPELINE ASSN INC

Priority Date: 02/10/1977

Basis: License

Status: Active

Source Tributary
 GROUND WATER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	4/15 to 10/15	9.000 CFS	3,284.70 AF
<u>Total Diversion:</u>		9.000 CFS	3,284.70 AF

Location of Point(s) of Diversion

GROUND WATER	SE1/4SE1/4	Sec. 25,Twp 07N,Rge 40E, B.M.	FREMONT County
GROUND WATER	NE1/4NE1/4	Sec. 11,Twp 06N,Rge 40E, B.M.	MADISON County
GROUND WATER	SE1/4SE1/4	Sec. 15,Twp 06N,Rge 44E, B.M.	TETON County (Rediversion)
GROUND WATER	SE1/4NW1/4	Sec. 10,Twp 06N,Rge 44E, B.M.	TETON County (Rediversion)

Place of Use IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
06N 44E 3									18.0	26.0	40.0	36.0					120.0
06N 44E 4									17.0			31.0	26.0	26.0	40.0	40.0	180.0
06N 44E 9	40.0	40.0	40.0	40.0	32.0			34.0	33.0				33.0	33.0			325.0
06N 44E 10					16.0	40.0	40.0		38.0								134.0
06N 44E 16				35.0	10.0	35.0	39.0	30.0	20.0	37.0	28.0	20.0	37.0	5.0			296.0
06N 44E 17														26.0	40.0		66.0
06N 44E 19				38.0													38.0
06N 44E 20	40.0	26.0	29.0	40.0	38.0	33.0	39.0	36.0	30.0	40.0	40.0	32.0	33.0	38.0	40.0	33.0	567.0
06N 44E 21	22.0	40.0			33.0	26.0	17.0										138.0
06N 44E 22					40.0												40.0
06N 44E 29	25.0	40.0			30.0	40.0	32.0	18.0									185.0

Total Acres: 2089

Remarks:

1. General No demand on upstream prior rights or existing prior exchanges can be made and no interference with prior rights located between the rediversion pumps and the exchange well will be allowed even if the exchange well is pumping water into the Teton River. Totalizing measuring devices shall be maintained at the exchange well and rediversion pumps from the Teton River. The exchange well must inject water into the Teton River whenever water is being diverted from the river under this license, and the injection must continue after the diversion from the Teton River ceases until the water not diverted reaches the point of injection. The power supply to the exchange well cannot be contracted under the power company's interruptable rules unless the power company agrees to notify the right holder at least 24 hours prior to the time the power service is terminated. The rate of rediversion from the Teton River shall not exceed the rate of injection into the Teton River from the exchange well. Unperforated well casing shall be retained above the first confining layer to prevent interference with shallow wells and recharge to the river. Water is rediverted from the Central Project of the Teton Pipeline irrigation system for irrigation of lands in Sections 3, 4, 9 and 10; water is rediverted from the South Pipe Project of the Teton Pipeline system for irrigation of the remaining lands listed above.

Dates and Other Information:

Licensed Date: 9/16/1997

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 22-7211

WATER RIGHT NUMBER: 22-7211

Owner Type

Current Owner

Name and Address

TETON PIPELINE ASSN INC

Priority Date: 02/22/1977

Basis: License

Status: Active

Source

GROUND WATER

TributaryBeneficial Use

IRRIGATION

From To

4/15 to 10/15

Diversion Rate

6.000 CFS

Annual Volume

2,189.80 AF

Total Diversion:

6.000 CFS

2,189.80 AF

Location of Point(s) of Diversion

GROUND WATER NW1/4SE1/4

Sec. 3, Twp 06N, Rge 44E, B.M.

TETON County (Rediversion)

GROUND WATER SE1/4SE1/4

Sec. 25, Twp 07N, Rge 40E, B.M.

FREMONT County

Place of Use

IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
06N 43E 2		13.0 L 2	3.0		28.0 L 3	33.0 L 4	38.0	32.0	18.0	1.0							166.0
06N 43E 3	33.0 L 1	32.0 L 2	29.0	37.0	32.0 L 3	25.0 L 4	16.0	25.0	33.0	18.0	40.0	40.0	33.0	40.0	38.0	5.0	476.0
07N 43E 34									39.0	40.0	40.0	39.0					158.0

Total Acres: 800

Remarks:

1. General No demand on upstream prior rights or existing prior exchanges can be made and no interference with prior rights located between the rediversion pumps and the exchange well will be allowed even if the exchange well is pumping water into the Teton River. Totalizing measuring devices shall be maintained at the exchange well and rediversion pumps from the Teton River. The exchange well must inject water into the Teton River whenever water is being diverted from the river under this license, and the injection must continue after the diversion from the Teton River ceases until the water not diverted reaches the point of injection. The power supply to the exchange well cannot be contracted under the power company's interruptable rules unless the power company agrees to notify the right holder at least 24 hours prior to the time the power service is terminated. The rate of rediversion from the Teton River shall not exceed the rate of injection into the Teton River from the exchange well. Unperforated well casing shall be retained above the first confining layer to prevent interference with shallow wells and recharge to the river. Water is rediverted from the Clementsville (North 1) Project of the Teton Pipeline irrigation system.

Dates and Other Information:

Licensed Date: 9/16/1997

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 22-7221

WATER RIGHT NUMBER: 22-7221

Owner TypeName and Address

Current Owner

TETON PIPELINE ASSN INC

Priority Date: 04/14/1989

Basis: License

Status: Active

SourceTributary

GROUND WATER

Beneficial UseFrom ToDiversion RateAnnual Volume

IRRIGATION

4/15 to 10/15

3.440 CFS

1,255.50 AF

Total Diversion:

3.440 CFS

1,255.50 AF

Location of Point(s) of Diversion

GROUND WATER SE1/4SE1/4

Sec. 25, Twp 07N, Rge 40E, B.M.

FREMONT County

GROUND WATER NW1/4SE1/4

Sec. 3, Twp 06N, Rge 44E, B.M.

TETON County (Rediversion)

Place of Use

IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
07N 44E 32		39.0	39.0		39.0	39.0	39.0	40.0	40.0	38.0	37.0	39.0		39.0	38.0		466.0

Total Acres: 466

Remarks:

1. General No demand on upstream prior rights or existing prior exchanges can be made and no interference with prior rights located between the rediversion pumps and the exchange well will be allowed even if the exchange well is pumping water into the Teton River. Totalizing measuring devices shall be maintained at the exchange well and rediversion pumps from the Teton River. The exchange well must inject water into the Teton River whenever water is being diverted from the river under this license, and the injection must continue after the diversion from the Teton River ceases until the water not diverted reaches the point of injection. The power supply to the exchange well cannot be contracted under the power company's interruptable rules unless the power company agrees to notify the right holder at least 24 hours prior to the time the power service is terminated. The rate of rediversion from the Teton River shall not exceed the rate of injection into the Teton River from the exchange well. Unperforated well casing shall be retained above the first confining layer to prevent interference with shallow wells and recharge to the river. The combined rate of diversion under this right and Right Nos. 22-07211 and 22-07295 shall not exceed 10.07 cfs. Water is rediverted from the Clementsville (North 1) Project of the Teton Pipeline irrigation system.

Dates and Other Information:

Licensed Date: 9/16/1997

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 22-7295

WATER RIGHT NUMBER: 22-7295

Owner Type Name and Address
 Current Owner TETON PIPELINE ASSN INC

Priority Date: 06/12/1979

Basis: License

Status: Active

Source Tributary
 GROUND WATER

Beneficial Use From To Diversion Rate Annual Volume
 IRRIGATION 4/15 to 10/15 3.360 CFS

Total Diversion: 3.360 CFSLocation of Point(s) of Diversion

GROUND WATER NW1/4SE1/4 Sec. 3,Twp 06N,Rge 44E, B.M. TETON County (Rediversion)
 GROUND WATER SE1/4SE1/4 Sec. 25,Twp 07N,Rge 40E, B.M. FREMONT County

Place of Use IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
06N	43E	2		13.0	3.0		28.0	33.0	38.0	32.0		18.0	1.0						166.0
				L 2			L 3	L 4											
06N	43E	3	33.0	32.0	29.0	37.0	32.0	25.0	16.0	25.0	33.0	18.0	40.0	40.0	33.0	40.0	38.0	5.0	476.0
			L 1	L 2			L 3	L 4											
07N	43E	34									39.0	40.0	40.0	39.0					158.0

Total Acres: 800

Remarks:

1. General No demand on upstream prior rights or existing prior exchanges can be made and no interference with prior rights located between the rediversion pumps and the exchange well will be allowed even if the exchange well is pumping water into the Teton River. Totalizing measuring devices shall be maintained at the exchange well and rediversion pumps from the Teton River. The exchange well must inject water into the Teton River whenever water is being diverted from the river under this license, and the injection must continue after the diversion from the Teton River ceases until the water not diverted reaches the point of injection. The power supply to the exchange well cannot be contracted under the power company's interruptable rules unless the power company agrees to notify the right holder at least 24 hours prior to the time the power service is terminated. The rate of rediversion from the Teton River shall not exceed the rate of injection into the Teton River from the exchange well. Unperforated well casing shall be retained above the first confining layer to prevent interference with shallow wells and recharge to the river. **The combined annual volume of water under this right and Right No. 22-07211 shall not exceed 2800.0 acre feet.** Water is rediverted from the Clementsville (North 1) Project of the Teton Pipeline irrigation system.

Dates and Other Information:

Licensed Date: 9/16/1997

Water District Number: 01

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 22-7216

WATER RIGHT NUMBER: 22-7216

Owner Type Name and Address
 Current Owner TETON PIPELINE ASSN INC

Priority Date: 03/04/1977

Basis: License

Status: Active

Source Tributary

GROUND WATER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	4/15 to 10/15	4.000 CFS	1,459.90 AF
	<u>Total Diversion:</u>	4.000 CFS	1,459.90 AF

Location of Point(s) of Diversion

GROUND WATER	SW1/4SW1/4	Sec. 15,Twp 06N,Rge 40E, B.M.	MADISON County
GROUND WATER	NW1/4SE1/4	Sec. 3,Twp 06N,Rge 44E, B.M.	TETON County (Rediversion)

Place of Use IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
07N 43E 25									33.0	40.0	37.0	33.0					143.0
07N 43E 26	33.0	33.0	39.0	40.0	16.0	25.0	38.0	36.0	40.0	39.0	18.0	40.0	40.0	40.0	40.0	39.0	556.0
07N 43E 27				3.0									23.0			12.0	38.0
07N 43E 35					37.0	35.0	39.0	35.0									146.0

Total Acres: 883

Remarks:

1. General No demand on upstream prior rights or existing prior exchanges can be made and no interference with prior rights located between the rediversion pumps and the exchange well will be allowed even if the exchange well is pumping water into the Teton River. Totalizing measuring devices shall be maintained at the exchange well and rediversion pumps from the Teton River. The exchange well must inject water into the Teton River whenever water is being diverted from the river under this license, and the injection must continue after the diversion from the Teton River ceases until the water not diverted reaches the point of injection. The power supply to the exchange well cannot be contracted under the power company's interruptable rules unless the power company agrees to notify the right holder at least 24 hours prior to the time the power service is terminated. The rate of rediversion from the Teton River shall not exceed the rate of injection into the Teton River from the exchange well. Unperforated well casing shall be retained to a depth of 150 feet to prevent interference with shallow wells and recharge to the river. Water is rediverted from the Clementsville (North 1) Project of the Teton Pipeline irrigation system.

Comments:Dates and Other Information:

Licensed Date: 9/16/1997
 Water District Number: 01

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 22-7223

WATER RIGHT NUMBER: 22-7223

Owner Type Name and Address
 Current Owner TETON PIPELINE ASSN INC

Priority Date: 04/05/1977

Basis: License

Status: Active

Source Tributary
 GROUND WATER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	4/15 to 10/15	7.000 CFS	2,520.00 AF
<u>Total Diversion:</u>		7.000 CFS	2,520.00 AF

Location of Point(s) of Diversion

GROUND WATER	SW1/4SW1/4	Sec. 15,Twp 06N,Rge 40E, B.M.	MADISON County
GROUND WATER	NW1/4SE1/4	Sec. 3,Twp 06N,Rge 44E, B.M.	TETON County (Rediversion)

Place of Use IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
06N 44E 5						36.0	38.0										74.0
						L 4											
06N 44E 6	24.0	34.0		7.0													65.0
	L 1	L 2															
07N 44E 30	35.0	35.0	35.0	35.0									35.0	35.0	35.0	35.0	280.0
07N 44E 31	39.0	32.0	37.0	34.0									39.0	40.0	40.0	40.0	301.0

Total Acres: 720

Remarks:

1. General No demand on upstream prior rights or existing prior exchanges can be made and no interference with prior rights located between the rediversion pumps and the exchange well will be allowed even if the exchange well is pumping water into the Teton River. Totalizing measuring devices shall be maintained at the exchange well and rediversion pumps from the Teton River. The exchange well must inject water into the Teton River whenever water is being diverted from the river under this license, and the injection must continue after the diversion from the Teton River ceases until the water not diverted reaches the point of injection. The power supply to the exchange well cannot be contracted under the power company's interruptable rules unless the power company agrees to notify the right holder at least 24 hours prior to the time the power service is terminated. The rate of rediversion from the Teton River shall not exceed the rate of injection into the Teton River from the exchange well. Unperforated well casing shall be retained above the first confining layer to prevent interference with shallow wells and recharge to the river. Water is rediverted from the Clementsville (North 1 and 2) Project of the Teton Pipeline irrigation system.

Dates and Other Information:

Licensed Date: 9/16/1997
 Water District Number: 01

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 22-7235

WATER RIGHT NUMBER: 22-7235

Owner Type Name and Address
 Current Owner TETON PIPELINE ASSN INC

Priority Date: 06/07/1977

Basis: License

Status: Active

Source Tributary
 GROUND WATER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	4/15 to 10/15	6.000 CFS	2,189.80 AF
<u>Total Diversion:</u>		6.000 CFS	2,189.80 AF

Location of Point(s) of Diversion

GROUND WATER	SE1/4SE1/4	Sec. 15,Twp 06N,Rge 44E, B.M.	TETON County (Rediversion)
GROUND WATER	SW1/4SW1/4	Sec. 15,Twp 06N,Rge 40E, B.M.	MADISON County

Place of Use IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
06N 44E 6									2.0	30.0	15.0						47.0
06N 44E 7					38.0	15.0			L 6	L 7							53.0
06N 44E 8			38.0	36.0									34.0	25.0	23.0	25.0	181.0
06N 44E 17	20.0	40.0	32.0	28.0					40.0	35.0	36.0	40.0	36.0	22.0			329.0
06N 44E 18													40.0	38.0	18.0	30.0	126.0

Total Acres: 736

Remarks:

1. General No demand on upstream prior rights or existing prior exchanges can be made and no interference with prior rights located between the rediversion pumps and the exchange well will be allowed even if the exchange well is pumping water into the Teton River. Totalizing measuring devices shall be maintained at the exchange well and rediversion pumps from the Teton River. The exchange well must inject water into the Teton River whenever water is being diverted from the river under this license, and the injection must continue after the diversion from the Teton River ceases until the water not diverted reaches the point of injection. The power supply to the exchange well cannot be contracted under the power company's interruptable rules unless the power company agrees to notify the right holder at least 24 hours prior to the time the power service is terminated. The rate of rediversion from the Teton River shall not exceed the rate of injection into the Teton River from the exchange well. Unperforated well casing shall be retained to a depth of 150 feet to prevent interference with shallow wells and recharge to the river. The maximum combined rate of diversion under this right and Right Nos. 22-07216, 22-07223 and 22-07360 shall not exceed 11.95 cfs. Water is rediverted from the South Pipe Project of the Teton Pipeline irrigation system.

Dates and Other Information:

Licensed Date: 9/16/1997
 Water District Number: 01

IDAHO DEPARTMENT OF WATER RESOURCES
Water Right Report 22-7360

WATER RIGHT NUMBER: 22-7360

Owner Type Name and Address
Current Owner TETON PIPELINE ASSN INC

Priority Date: 04/14/1981 Basis: License Status: Active

Source Tributary
GROUND WATER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	4/15 to 10/15	2.000 CFS	729.90 AF

Total Diversion: 2.000 CFS 729.90 AF

Location of Point(s) of Diversion

GROUND WATER	SW1/4SW1/4	Sec. 15, Twp 06N, Rge 40E, B.M.	MADISON County
GROUND WATER	NW1/4SE1/4	Sec. 3, Twp 06N, Rge 44E, B.M.	TETON County (Rediversion)

Place of Use IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
07N 43E 25									33.0	40.0	37.0	33.0					143.0
07N 43E 26	33.0	33.0	39.0	40.0	16.0	25.0	38.0	36.0	40.0	39.0	18.0	40.0	40.0	40.0	40.0	39.0	556.0
07N 43E 27				3.0									23.0			12.0	38.0
07N 43E 35					37.0	35.0	39.0	35.0									146.0

Total Acres: 883

Remarks:

1. General No demand on upstream prior rights or existing prior exchanges can be made and no interference with prior rights located between the rediversion pumps and the exchange well will be allowed even if the exchange well is pumping water into the Teton River. Totalizing measuring devices shall be maintained at the exchange well and rediversion pumps from the Teton River. The exchange well must inject water into the Teton River whenever water is being diverted from the river under this license, and the injection must continue after the diversion from the Teton River ceases until the water not diverted reaches the point of injection. The power supply to the exchange well cannot be contracted under the power company's interruptable rules unless the power company agrees to notify the right holder at least 24 hours prior to the time the power service is terminated. The rate of rediversion from the Teton River shall not exceed the rate of injection into the Teton River from the exchange well. Unperforated well casing shall be retained to a depth of 150 feet to prevent interference with shallow wells and recharge to the river. The maximum combined rate of diversion under this right and Right Nos. 22-07216, 22-07223 and 22-07235 shall not exceed 11.95 cfs. Water is rediverted from the Clementsville (North 1) Project of the Teton Pipeline irrigation system.

Dates and Other Information:

Licensed Date: 9/16/1997
Water District Number: 01

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 22-7375

WATER RIGHT NUMBER: 22-7375

Owner Type Name and Address
 Current Owner TETON PIPELINE ASSN INC

Priority Date: 08/17/1981

Basis: License

Status: Active

Source Tributary
 GROUND WATER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	4/15 to 10/15	12.440 CFS	2,684.50 AF

<u>Total Diversion:</u>	12.440 CFS	2,684.50 AF
-------------------------	------------	-------------

Location of Point(s) of Diversion

GROUND WATER	NE1/4NE1/4	Sec. 11,Twp 06N,Rge 40E, B.M.	MADISON County
GROUND WATER	NW1/4SE1/4	Sec. 3,Twp 06N,Rge 44E, B.M.	TETON County (Rediversion)
GROUND WATER	SE1/4NW1/4	Sec. 10,Twp 06N,Rge 44E, B.M.	TETON County (Rediversion)

Place of Use IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
06N 44E 4					35.0	38.0			37.0	36.0							146.0
					L 4												
06N 44E 5	36.0	36.0	40.0	40.0	36.0	1.0	2.0	40.0	40.0	4.0	4.0	40.0	40.0	40.0	40.0	40.0	479.0
	L 1 L 2				L 3 L 4												
06N 44E 8	40.0	39.0			27.0	2.0											108.0
06N 44E 9					34.0												34.0

Total Acres: 767

Remarks:

1. General No demand on upstream prior rights or existing prior exchanges can be made and no interference with prior rights located between the rediversion pumps and the exchange well will be allowed even if the exchange well is pumping water into the Teton River. Totalizing measuring devices shall be maintained at the exchange well and rediversion pumps from the Teton River. The exchange well must inject water into the Teton River whenever water is being diverted from the river under this license, and the injection must continue after the diversion from the Teton River ceases until the water not diverted reaches the point of injection. The power supply to the exchange well cannot be contracted under the power company's interruptable rules unless the power company agrees to notify the right holder at least 24 hours prior to the time the power service is terminated. The rate of rediversion from the Teton River shall not exceed the rate of injection into the Teton River from the exchange well. Unperforated well casing shall be retained to a depth of 150 feet to prevent interference with shallow wells and recharge to the river. Water is rediverted from the Central and Clementsville (North 1 and 2) Projects of the Teton Pipeline irrigation system.

Dates and Other Information:

Licensed Date: 9/16/1997

Water District Number: 01

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 22-7504

WATER RIGHT NUMBER: 22-7504

Owner Type Name and Address
 Current Owner TETON PIPELINE ASSN INC

Priority Date: 07/01/1985 Basis: License Status: Active

Source Tributary
 GROUND WATER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	4/15 to 10/15	6.300 CFS	1,102.50 AF
	<u>Total Diversion:</u>	6.300 CFS	1,102.50 AF

Location of Point(s) of Diversion

GROUND WATER	NW1/4SE1/4	Sec. 3,Twp 06N,Rge 44E, B.M.	TETON County (Rediversion)
GROUND WATER	NE1/4NE1/4	Sec. 11,Twp 06N,Rge 40E, B.M.	MADISON County

Place of Use IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
07N 43E 27									39.0	39.0	39.0	40.0					157.0
07N 43E 28													40.0	39.0	40.0	39.0	158.0

Total Acres: 315

Remarks:

1. General No demand on upstream prior rights or existing prior exchanges can be made and no interference with prior rights located between the rediversion pumps and the exchange well will be allowed even if the exchange well is pumping water into the Teton River. A totalizing measuring device shall be maintained at the exchange well and rediversion pumps from the Teton River. The exchange well must inject water into the Teton River whenever water is being diverted from the river under this right, and the injection must continue after the diversion from the Teton River ceases until the water not diverted reaches the point of injection. The power supply to the exchange well cannot be contracted under the power company's interruptable rules unless the power company agrees to notify the right holder at least 24 hours prior to the time the power service is terminated. The rate of rediversion from the Teton River shall not exceed the rate of injection into the Teton River from the exchange well. Unperforated well casing shall be retained above the first confining layer to prevent interference with shallow wells and recharge to the river. **The rate of diversion under this right in combination with all other water rights from the Clementsville (North 1) Project of the Teton Pipeline irrigation system shall not exceed 28.7 cfs. The maximum combined rate of diversion under this right and Right No. 22-07375 shall not exceed 12.44 cfs.**

Dates and Other Information:

Licensed Date: 9/16/1997
 Water District Number: 01