

RECEIVED

DEC 06 2019

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Ident. No.

65-23858

RECEIVED

NOV 22 2019

WATER RESOURCES
WESTERN REGION

1. Name of applicant(s) Shaun David Hoover Phone 530-949-4665
 Name connector (check one): ☐ and ☐ or ☐ and/or
 Mailing address 3666 Hacienda Road City Cottonwood
 State CA ZIP 96022 Email Silverbuck15@gmail.com
2. Name of representative, if any _____ Phone _____
 Mailing address _____ City _____
 State _____ ZIP _____ Email _____
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☐ Send original correspondence to the applicant and copies to the representative.
- b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply Ground Water; Personal well which is a tributary of N/A
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
10N	4E	23		SW	SW		Boise	Ground water	RP001010010180

5. Water will be used for the following purposes:
- Amount 3 acre feet for Aesthetic Storage purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
- Amount .04 CFS for Diversion to Storages purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) .04 cubic feet per second (cfs) and/or (b) 3 acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. Well -Franklin 1.5 HP variable speed pump (see attached)
- b. Height of storage dam No dam feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate [Application for Construction or Enlargement of a New or Existing Dam](#). Application required? ☐ Yes ☐ No
- c. Proposed well diameter is 6" inches; proposed depth of well is 160 feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
- e. If well is already drilled, when? No; drilling firm Adamson Pump and Drilling Inc.
 well was drilled for (well owner) Shaun Hoover; Drilling Permit No. Pending

For Department Use

Received by KT Date 11/12/2019 Time 11:06 a.m. Preliminary check by AK
 Fee \$ 100.00 Received by KT Receipt No. W047870 Date 11/12/2019

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in kW. _____
 - Stockwatering; list number and kind of livestock. _____
 - Municipal; must complete and attach the [Municipal Water Right Application Checklist](#).
 - Domestic; show number of households _____
 - Other; describe fully, Aesthetic _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10N	4E	23			X				X										

Total number of acres to be irrigated: 0

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? _____
11. a. Who owns the property at the point of diversion? Self
- b. Who owns the land to be irrigated or place of use? Self
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____
12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. We would like to build a small aesthetic pond that is approximately 55 ft long, by 45 ft wide, and 8 ft deep at the deepest point. It would have a bentonite liner to prevent water seepage. I plan on filling pond with natural water run off, rain water and well. I would maintain the water level naturally and additional well water if necessary, much like the 3 other ponds in my subdivision and ponds in Boise, Meridian and Eagle subdivisions.
13. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).
14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.


 Signature of Applicant
 Shaun David Hoover
 Print Name (and title, if applicable)


 Signature of Applicant

 Print Name (and title, if applicable)


* Draw & Label Proposed Well & Pond on map. Return w/ Application *




Not To Scale



Plot Plan for Lot 18 Block 1
River Ranch Road
Parcel RP001010010180



POND
55 FT X 45 FT
8 FT DEEP



Adamson Pump & Drilling, Inc.

Pumps • *Dave Adamson* • Wells

1320 Smith Avenue • Nampa, ID 83651

208-466-6439 • Fax 208-466-0008

Date: 9/24/19

Name: Roger - Travco Construction

Address: Hoover Residence - Lot 18 Blk 1 - Crouch

Phone: 208-941-2571

Email: travcoconstruction@yahoo.com

Legal Description: T: 10N R: 4E S: 23 NESW

Fax:

Water Well:

Mobilization & Demobilization - \$500 if completed depth is less than 60'
Feet 250 @ \$ 40.00 Drill & drive 6" casing

Drive Shoe

Stainless Steel Screen: 10'

Well Cap:

Bentonite Surface Seal

Bentonite Deep Seal

Drill Permit

Misc. Supplies

Total Water Well

Estimated

\$	1,500.00
\$	10,000.00
\$	75.00
\$	1,600.00
\$	75.00
\$	1,500.00
\$	500.00
\$	100.00
\$	100.00
\$	15,450.00

Total Water Well:

Pump: Franklin 25SDQP-1.5HP QuickPAK

Fire Suppression: None

Motor: Franklin

Warranty: 5 Years - Pump/Motor

Controller: Variable Speed

3 Years - Controls

G.P.M. 25 approx.

H.P. 1.5

Underwater Splice

Drop Pipe 100 \$ 1.70 1-1/4" Schedule 120 PVC

Water Line* 100 \$ 1.10 1-1/4" #160 Poly

Pump Cable 110 \$ 1.70 # 10-3 w/ground

Underground Cable 120 \$ 2.90 # 10-3 w/ground in conduit

Pitless Adaptor 1-1/4" Brass

Pressure Tank H2PL22 - 22 Gallon Pressure Tank

Fittings With Sprinkler Hook-up

Bury Hydrant Boshart Lead Free

Casing Size: 6"

Well Depth: 250'

Static Water:

* Excludes trenching for water line

Notes:

Please ask about our Water Right Treatment Systems. We take a water sample (no charge) and customize a water treatment system based on your water analysis. If you would like your water tested for bacteria there will be an additional charge.

Parts (taxable)

Labor

Winch Truck

Mileage

Plumbing Permit

Electrical Permit

Misc. Supplies

\$	4,655.50
\$	2,000.00
\$	65.00
\$	250.00
\$	65.00
\$	65.00
\$	274.83

Total Pump System:

\$ 7,375.33

Well & Pump Total:

\$ 22,825.33

Estimate good for 30 days

Due to yearly price increase pump/motor price void after 12/31/19 - call for new quote.

Please Note: Well depth and material quantities are estimated. Billing will reflect actual quantities installed.

COPY

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

Ident. No. 65-23858
RECEIVED
NOV 22 2019

WATER RESOURCES
WESTERN REGION

1. Name of applicant(s) Shaun David Hoover Phone 530-949-4665
Name connector (check one): ☐ and ☐ or ☐ and/or
Mailing address 3666 Hacienda Road City Cottonwood
State CA ZIP 96022 Email Silverbuck15@gmail.com
2. Name of representative, if any _____ Phone _____
Mailing address _____ City _____
State _____ ZIP _____ Email _____
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☐ Send original correspondence to the applicant and copies to the representative.
- b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply Ground Water; Personal well which is a tributary of N/A
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
10N	4E	23		SW	SW		Boise	Ground water	RP001010010180

5. Water will be used for the following purposes:
- Amount 3 acre feet for Aesthetic Storage purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
- Amount .04 CFS for Diversion to Storages purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) .04 cubic feet per second (cfs) and/or (b) 3 acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. Well - Franklin 1.5 HP variable speed pump
(see attached)
- b. Height of storage dam No dam feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate [Application for Construction or Enlargement of a New or Existing Dam](#). Application required? ☐ Yes ☐ No
- c. Proposed well diameter is 6" inches; proposed depth of well is 160 feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
- e. If well is already drilled, when? No; drilling firm Adamson Pump and Drilling Inc.;
well was drilled for (well owner) Shaun Hoover; Drilling Permit No. Pending

For Department Use

Received by KT Date 11/12/2019 Time 11:06 a.m. Preliminary check by AK
Fee \$ 100.00 Receipted by KT Receipt No. W047870 Date 11/12/2019

*Superseded by Application Received 12/6/2019

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in kW. _____
 - Stockwatering; list number and kind of livestock. _____
 - Municipal; must complete and attach the [Municipal Water Right Application Checklist](#).
 - Domestic; show number of households _____
 - Other; describe fully. Aesthetic
9. Description of place of use:
- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 - If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10N	4E	23			J				J										

Total number of acres to be irrigated: 0

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic use, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or land? _____

11. a. Who owns the property at the point of diversion? Self
- b. Who owns the land to be irrigated or place of use? Self
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. We would like to build a small aesthetic pond that is approximately 55 ft long, by 45 ft wide, and 8 ft deep at the deepest point. It would have a bentonite liner to prevent water seepage. I plan on filling pond with natural water run off, rain water and well. I would maintain the water level naturally and additional well water if necessary, much like the 3 other ponds in my subdivision and ponds in Boise, Meridian and Eagle subdivisions.

13. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).

14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.



 Signature of Applicant
 Shaun David Hoover
 Print Name (and title, if applicable)

 Signature of Applicant

 Print Name (and title, if applicable)

RECEIVED
INCOMPLETE
NOV 12 2019

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

Ident. No. _____

WATER RESOURCES
WESTERN REGION

1. Name of applicant(s) Shaun David Hoover Phone 530-949-4665
Name connector (check one): ☐ and ☐ or ☐ and/or
Mailing address 3666 Hacienda Road City Cottonwood
State CA ZIP 96022 Email Silverbuck15@gmail.com
2. Name of representative, if any _____ Phone _____
Mailing address _____ City _____
State _____ ZIP _____ Email _____
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☐ Send original correspondence to the applicant and copies to the representative.
- b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply Ground Water; Personal well which is a tributary of N/A
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
10N	4E	23					Boise	Ground water	RP001010010180

5. Water will be used for the following purposes:
- Amount 3 acre feet for Aesthetic purposes from year to round (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) .04 cubic feet per second (cfs) and/or (b) 3 acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. Well -Franklin 1.5 HP variable speed pump (see attached)
- b. Height of storage dam No dam feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate [Application for Construction or Enlargement of a New or Existing Dam](#). Application required? ☐ Yes ☐ No
- c. Proposed well diameter is 6" inches; proposed depth of well is 160 feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
- e. If well is already drilled, when? No; drilling firm Adamson Pump and Drilling Inc.;
well was drilled for (well owner) Shaun Hoover; Drilling Permit No. Pending

For Department Use

Received by KT Date 11/12/19 Time 11:06 am Preliminary check by _____
Fee \$ 100 Received by KT Receipt No. W047870 Date 11/12/2019

*Superseded by Application Received 11/22/2019

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in kW. _____
 - Stockwatering; list number and kind of livestock. _____
 - Municipal; must complete and attach the [Municipal Water Right Application Checklist](#).
 - Domestic; show number of households _____
 - Other; describe fully. Aesthetic
9. Description of place of use:
- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 - If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10N	4E	23						J											

Total number of acres to be irrigated: 0

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? _____
11. a. Who owns the property at the point of diversion? Self
- b. Who owns the land to be irrigated or place of use? Self
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____
12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. We would like to build a small aesthetic pond that is approximately 55 ft long, by 45 ft wide, and 8 ft deep at the deepest point. It would have a bentonite liner to prevent water seepage. I plan on filling pond with natural water run off, rain water and well. I would maintain the water level naturally and additional well water if necessary, much like the 3 other ponds in my subdivision and ponds in Boise, Meridian and Eagle subdivisions.
13. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).
14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.


 Signature of Applicant
 Shaun David Hoover
 Print Name (and title, if applicable)

 Signature of Applicant

 Print Name (and title, if applicable)



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region • 2735 W AIRPORT WAY • BOISE, ID 83705-5082

Phone: (208)334-2190 • Fax: (208)334-2348 • Website: www.idwr.idaho.gov

Brad Little
Governor

Gary Spackman
Director

December 11, 2019

SHAUN D HOOVER
3666 HACIENDA RD
COTTONWOOD, CA 96022-9765

Application For Permit No. 65-23858

Dear Applicant:

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the IDAHO WORLD on 12/18/2019 and 12/25/2019. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Kensie Thorneycroft', written over a horizontal line.

Kensie Thorneycroft
Administrative Assistant

Thorneycroft, Kensie

From: Thorneycroft, Kensie
Sent: Wednesday, December 11, 2019 10:44 AM
To: 'editor@idahoworld.com'
Subject: Boise Legal Notice
Attachments: Cover Letter.docx; Legal Notice.docx

Follow Up Flag: Follow up
Flag Status: Flagged

Good Morning Legal Clerk,

My name is Kensie. I am sending you the new legal notices, please send confirmation to my email.

Please see the attached ad for publication on 12/18/2019 & 12/25/2019.

Please confirm these are okay to publish as shown.

Kensie Thorneycroft
Administrative Assistant 1
Idaho Dept. of Water Resources
208-334-2190

December 11, 2019

LEGAL NOTICE DEPARTMENT

IDAHO WORLD
PO BOX 50248
BOISE, ID 83705

RE: Application For Permit No.: 65-23858

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 1/6/2020. Your cooperation is appreciated.

Sincerely,

Kensie Thorneycroft
Administrative Assistant

Enclosure(s)

The following application have been filed to appropriate the public waters of the State of Idaho:

65-23858

SHAUN D HOOVER

3666 HACIENDA RD

COTTONWOOD, CA 96022-9765

Point of Diversion SWSW S23 T10N R04E BOISE County Source GROUND WATER

Use: AESTHETIC STORAGE 01/01 to 12/31 3 AF

Use: DIVERSION TO STORAGE 01/01 to 12/31 0.04 CFS

Total Diversion: 0.04 CFS 3 AF

Date Filed: 11/22/2019

Place Of Use: AESTHETIC STORAGE, DIVERSION TO STORAGE

T10N R04E S23 NESW NWSW

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Western Region office at (208) 334-2190; or for a full description of the right, please see www.idwr.idaho.gov. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of the application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 01/06/2020. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 12/18/2019 and 12/25/2019

Seepage Loss Calculations *Generated by IDWR

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total annual seepage losses from a pond.

FILE NUMBER	65-23858
REVIEWER	Anna Kaiser
DATE	12/10/2019

User Input
Calculated value
Formula Explanations

INPUTS

Pond Surface Area (AC.)	0.06	AC.
-------------------------	------	-----

Pond Surface Area (SQ. FT.)	2614	SQ. FT.
-----------------------------	------	---------

I used the following method to obtain my Soil Classification information:	NRCS Web Soil Survey	
My Soil Classification is	SC	
Suggested Seepage Rate (FT./DAY)	0.0070	FT./DAY

Formula: (Surface Area X Seepage Rate) X 7.48 = Gallons Per Day Loss
--

Convert to GPD	137	GPD
----------------	-----	-----

Total Seepage Loss (AFA)	0.2	AFA
--------------------------	-----	-----

Though sand and gravel seepage rates may actually be higher, the maximum allowable rate is 0.2 ft/day, pursuant to Administrative Memo "Seepage Loss Standards for Ponds and Reservoirs."

Suggested Seepage Rates for Different Soil Types:
GW, GP, GM, GC, SW, SP and SM (silty sand, sand silt mixtures and gravel mixtures) = 0.2 ft per day
OL and ML (inorganic silts - very fine sands, silty, or clayey fine sands) = 0.02 ft per day
SC (clayey sands, sand clay mixtures) = 0.007 ft per day
CL (Low to medium plasticity clays) = 0.003 ft per day
MH, OH, PT and CH (high plasticity clays) = 0.0003 ft per day
LINED PONDS (liners can be chemical, fabric, or bentonite) = 0 ft per day
Ponds Intercepting Groundwater (excavated ponds filled by ground water) = 0 ft per day

PLEASE NOTE: The initial basis for the Suggested Seepage Rates in the table above is found on Page 16 of Seepage from Fish Ponds, Bulletin 599, August 1989 Alabama Agricultural experiment Station, Auburn University, Auburn University Alabama. If you don't know the soil type, please refer to the map provided at the NRCS Web Soil Survey (Tab #1), an ArcMap Soil Classification Map (Tab #1.1), or published NRCS Soil Survey (Tab #1.2). Use "0" if the pond fill relies on the water table.

Evaporation Loss Calculations *Generated by IDWR

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the annual evaporation losses from a pond.

FILE NUMBER	65-23858
REVIEWER	Anna Kaiser
DATE	12/10/2019

User Input
Calculated value
Formula Explanations

The acronyms used on the Kimberly Research Center website are defined below:

P = Precipitation
ET= Evapotranspiration
P _d = Precipitation deficit
P _d =ET-P

USING THIS SPREADSHEET

Use the link below to access the Kimberly Research Center website. This website provides the Precipitation Deficit for a station most representative of the pond under examination. The Precipitation Deficit is the total amount of free water surface evaporation minus the precipitation for a given area, which gives the total amount of evaporative losses incurred by the pond. There are several weather sites that are used throughout the state. IDWR staff can find the nearest site using Arc Map. The shape file containing the sites can be found at X:/Spatial/Climate/ETIdahostations.shp.

Instructions:

1. Use the link below to navigate to ET Idaho 2012.
2. Select the station which is most representative to your pond location.
3. Click Submit Query.
4. Under "Land Covers with Evapotranspiration Estimates," select "Open Water - Shallow Systems (ponds, streams)" or "Open Water - small stock ponds" depending on the pond size.
5. Click the link to "Precipitation Deficit."
6. Reference and copy (ctrl + C) the first subheading "Mean" values.
7. Click the "Paste Values from ET Idaho" button. The table will automatically enter a zero (0) for any negative precipitation deficit values.

Found at: <http://data.kimberly.uidaho.edu/ETIdaho/>

Precipitation Deficit

Station: Garden Valley RS (NWS -- USC00103448)

Month	mm/day ¹	Days per month	mm/Month
Jan	-2.78	31	0.00
Feb	-1.31	28	0.00
March	-0.44	31	0.00
April	1.22	30	36.60
May	2.28	31	70.68
June	3.59	30	107.70
July	5.18	31	160.58
August	4.55	31	141.05
September	2.81	30	84.30
October	0.67	31	20.77
November	-2.22	30	0.00
December	-3.42	31	0.00

PLEASE NOTE:

The seasonal average for precipitation deficit should not be used for calculations because precipitation often exceeds evaporation during wetter months of the year. If the pond is kept full, excess precipitation during wetter months does not serve to refill the pond during drier months.

For example, see Sandpoint KSPT (NWS -- 108137), the annual precipitation deficit is -106 mm. However, April through September have positive precipitation deficit values. To properly estimate the annual volume of water necessary to refill a pond due to evaporation losses, the table will automatically enter a zero (0) for each month that the precipitation value is reported as a negative value.

As described above, precipitation offsets evaporation in winter months, so the net effect is that wintertime precipitation deficit is usually zero.

Total mm/year = **621.68**

$[(\text{mm/yr}) \div (\text{convert to feet})] \times (\text{Surface area of pond, in acres}) = \text{Evaporation Loss in Acre Feet}$

$$\left(\frac{621.68}{304.8} \right) \times 0.06 = 0.1 \text{ AFA}$$

Total Storage Calculations

*Generated by IDWR

FILE NUMBER	65-2385B
REVIEWER	Anna Kalsner
DATE	12/10/2019

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

User Input
Calculated value
Formula Explanations

Surface Area (AC.)	0.06	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	3.2	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	0.192	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	0	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	0.2	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	0.1	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	0.5	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

Flow Rate into Pond (CFS)	1.00	The "Flow Rate into Pond" depicts the actual flow, either measured or estimated, into the pond. For offstream facilities, this will be equivalent to "diversion to storage" rate.
Highest Daily Evaporation Rate From Evaporation Tab. (mm/Day)	5.18	This number is carried over from the "Evaporation Loss" sheet. It is the highest recorded number in the "Precipitation Deficit Table".
Required Daily Maintenance Volume (AF/Day)	0.00	"Required Daily Maintenance Volume" is the maximum volume of water needed on any given day during the year to maintain pond volume. It is calculated by adding the highest daily evaporation loss to the average daily seepage loss in acre feet. The average daily seepage loss is calculated by dividing the "Estimated Seepage Loss" by 365 days. This is acceptable, since the seepage rate shouldn't vary throughout the season unless the pond completely freezes over during the winter months. The highest daily evaporation loss is calculated by dividing the Highest Daily Evaporation Rate by the 304.8 conversion factor and multiplying this number by the pond surface area to attain a combined daily acre feet requirement.
Minimum Maintenance Flow (CFS)	0.00	The "Minimum Maintenance Flow" is the minimum amount of flow required to maintain the level of the pond. This number is determined by dividing the "Maximum Required Daily Maintenance Volume" by 1.9835. This flow can be used to determine if the flow rate into the pond is adequate to maintain the pond level.
Days Required to Fill the Pond	0	The "Days Required to Fill the Pond" is calculated by dividing the "Pond Capacity" by the "Flow Rate" minus "Minimum Maintenance Flow" multiplied by 1.9835. This section will assist you in determining if the flow rate being diverted to the pond is adequate to fill the pond while maintaining the pond level. The length of time to fill the pond will help determine if the flow rate is adequate for the size of pond being proposed. <i>If this number is approximately 6 months (180 days) or more, the reviewer should have a discussion with the applicant to make sure he/she understands that it will take a significant length of time to fill the pond.</i>
Days Required to Fill the Pond at 13,000 Gallons per Day	5	Some water users may want to fill a pond under the 13,000 gallons per day domestic exemption. The "Days Required to Fill the Pond at 13,000 Gallons per Day" is calculated by converting the "Pond Capacity" and the "Required Daily Maintenance Volume" to gallons. The "Pond Capacity" is then divided by 13,000 gallons minus the "Required Daily Maintenance Volume" in gallons to determine the number of days to fill pond. <i>If this number is approximately 6 months (180 days) or more, the reviewer should have a discussion with the applicant to make sure he/she understands that it will take a significant length of time to fill the pond.</i> Negative values indicate that the supply of 13,000 gallons per day is not enough volume to overcome the required daily maintenance volume; the pond will never fill.



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region • 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Website: www.idwr.idaho.gov

BRAD LITTLE

Governor

November 22, 2019

GARY SPACKMAN

Director

SHAUN DAVID HOOVER
3666 HACIENDA RD
COTTONWOOD CA 96022

COPY

Re: Water Right Application Additional Information Request

Dear Applicant:

Thank you for your timely response. This office received your revised application on November 22, 2019. Section 4 & 5 are now correct and complete. Section 9 requires the following correction before the department can continue processing your application:

- 9b. – Description of place of use
 - The place of use description in section 9b is incorrect. The legal description you provided in the table describes the proposed place of use as T0N R4E Sec23 SWNW & SWNE. The map you provided correctly places the proposed pond in T10N R4E Sec23 NWSW and/or NESW.
 - I enclosed the first two pages of your most recently submitted application and flagged the correct boxes in the 9b table.
 - Please initial & date the flagged boxes and return the application to this office at your earliest possible convenience.

You may seek additional time to provide the information by making a written request to interrupt processing for up to six months. The application will be voided without a timely written reply within the next thirty (30) days. Refunds are not issued for voided applications.

Please do not hesitate to contact me at 208-334-2190 if you have any questions about the necessary information.

Sincerely,

Anna Kaiser

Enclosure: Original Application

Greetings,

Please find the revised application, along with map and additional information request form. I apologize for the errors. I have never filled one of these applications out before, so it is a little difficult. I would like to personally thank Remington and Sandy for the additional help in filling this out. I hope you find that it is now properly filled out. If not, I will fix any issues in a timely manner.

Sincerely,

Shaun Hoover

RECEIVED

NOV 22 2019

**WATER RESOURCES
WESTERN REGION**



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region • 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Website: www.idwr.idaho.gov

BRAD LITTLE

Governor

November 14, 2019

GARY SPACKMAN

Director

SHAUN DAVID HOOVER
3666 HACIENDA RD
COTTONWOOD CA 96022

Re: Water Right Application Additional Information Request

Dear Applicant:

This office received your application on November 12, 2019. Idaho Department of Water Resources cannot complete processing your application until the following items are addressed:

- 4. – Location of point(s) of diversion.
 - The point of diversion listed on your application is missing a quarter-quarter description. Based on your included map, the point of diversion appears to be located in the **SW quarter of the SW quarter (SWSW)**.
 - For your reference, I included a map outlining your property showing the local quarter-quarter sections. Please review the included map and mark approximately where your proposed well is located and return with application.
 - Please list the accurate quarter-quarter description under item 4 on your application.
- 5. – Water will be used for the following purposes.
 - Information included under section 5 of the application is incorrect and/or incomplete. Based on your proposed diverting works (item 7) and your proposal narrative (item 12) it is recommended you correct section 5 as follows:
 - Please change “Aesthetic” purposes to “Aesthetic Storage” purposes. (line 1)
 - Please add: .04 cfs for Diversion to Storages purposes from 1/1 to 12/31 (line 2)
- 9b. – Description of place of use
 - The place of use description in section 9b is incorrect. The legal description you provided in the table describes the proposed place of use as T0N R4E Sec32 NWNW. The map you provided suggests the proposed pond is actually located in T10N R4E Sec32 **NWSW and/or NESW**. ACTUALLY 23
 - Please review the included, above referenced map and mark approximately where your proposed pond is located.
 - Please correct the “1/4 1/4” section of the table to accurately reflect the proposed pond’s true location under item 9b on your application.

Please submit the requested information for the application to be processed. You may seek additional time to provide the information by making a written request to interrupt processing for up to six months. The application will be voided without a timely written reply within the next thirty (30) days. Refunds are not issued for voided applications.

Please consult the IDWR website or contact this office at 208-334-2190 and ask for the “office day person” if you have any questions about the necessary information.

Sincerely,
Western Region Water Rights Staff

Enclosure: Original Application
Aerial map outlining applicant’s property



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region • 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Website: www.idwr.idaho.gov

BRAD LITTLE
Governor

November 14, 2019



GARY SPACKMAN
Director

SHAUN DAVID HOOVER
3666 HACIENDA RD
COTTONWOOD CA 96022

Re: Water Right Application Additional Information Request

Dear Applicant:

This office received your application on November 12, 2019. Idaho Department of Water Resources cannot complete processing your application until the following items are addressed:

- 4. – Location of point(s) of diversion.
 - The point of diversion listed on your application is missing a quarter-quarter description. Based on your included map, the point of diversion appears to be located in the **SW quarter of the SW quarter (SWSW)**.
 - For your reference, I included a map outlining your property showing the local quarter-quarter sections. Please review the included map and mark approximately where your proposed well is located and return with application.
 - Please list the accurate quarter-quarter description under item 4 on your application.
- 5. – Water will be used for the following purposes.
 - Information included under section 5 of the application is incorrect and/or incomplete. Based on your proposed diverting works (item 7) and your proposal narrative (item 12) it is recommended you correct section 5 as follows:
 - Please change “Aesthetic” purposes to “Aesthetic Storage” purposes. (line 1)
 - Please add: .04 cfs for Diversion to Storages purposes from 1/1 to 12/31 (line 2)
- 9b. – Description of place of use
 - The place of use description in section 9b is incorrect. The legal description you provided in the table describes the proposed place of use as T0N R4E Sec32 NWNW. The map you provided suggests the proposed pond is actually located in T10N R4E Sec32 **NWSW and/or NESW**.
 - Please review the included, above referenced map and mark approximately where your proposed pond is located.
 - Please correct the “¼ ¼” section of the table to accurately reflect the proposed pond’s true location under item 9b on your application.

Please submit the requested information for the application to be processed. You may seek additional time to provide the information by making a written request to interrupt processing for up to six months. The application will be voided without a timely written reply within the next thirty (30) days. Refunds are not issued for voided applications.

Please consult the IDWR website or contact this office at 208-334-2190 and ask for the “office day person” if you have any questions about the necessary information.

Sincerely,
Western Region Water Rights Staff

Enclosure: Original Application
 Arial map outlining applicant’s property

* Draw & Label Proposed Well & Pond on Map. Return w/ Application *

