

OCT 28 2019

Department of Water Resources  
Eastern Region

Page 1

State of Idaho  
Department of Water Resources  
**Application for Amendment**  
(For Licensing Purposes)  
**Water Right No. 25-14167**

**Priority:** April 12, 2005**Maximum Diversion Rate:** 0.21 CFS**Maximum Diversion Volume:** 13.2 AF

The owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 25-14167

COMORE LOMA WATER CORP PO BOX 1863 IDAHO FALLS ID 83403-1863

requests the permit be changed as follows:

**Source :** GROUND WATER**Source :** GROUND WATER**Beneficial Use**

DOMESTIC

**Period of Use**

01/01 to 12/31

**Rate of Diversion**

0.21 CFS

**Annual Volume**

13.2 AF

**Location of Point(s) of Diversion**

GROUND WATER NW¼ NE¼, Sec. 12, Twp 01N, Rge 38E, B.M. BONNEVILLE County  
 GROUND WATER SE¼ SE¼, Sec. 6, Twp 01N, Rge 39E, B.M. BONNEVILLE County  
 GROUND WATER NW¼ SE¼, Sec. 1, Twp 01N, Rge 38E, B.M. BONNEVILLE County  
 GROUND WATER L4 ( NW¼ NW¼), Sec. 6, Twp 01N, Rge 39E, B.M. BONNEVILLE County  
 GROUND WATER L1 ( NE¼ NE¼), Sec. 1, Twp 01N, Rge 38E, B.M. BONNEVILLE County  
 GROUND WATER NE¼ SE¼, Sec. 1, Twp 01N, Rge 38E, B.M. BONNEVILLE County

**Place of Use: DOMESTIC**

| Twp | Rng | Sec | NE |    |    |    | NW |    |    |    | SW |    |    |    | SE |    |    |    | No QQ | Totals |
|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-------|--------|
|     |     |     | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |       |        |
| 01N | 38E | 1   |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  | X  |       |        |
| 01N | 39E | 5   |    |    |    |    |    | X  | X  |    |    | X  | X  |    |    |    |    |    |       |        |
|     |     |     |    |    |    |    |    | L4 |    |    |    |    |    |    |    |    |    |    |       |        |
| 01N | 39E | 6   |    |    |    | X  |    |    |    |    |    |    |    |    | X  |    |    | X  |       |        |

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed this 23<sup>RD</sup> day of OCTOBER, 2019.

  
(Signature)

State of Idaho  
Department of Water Resources  
**Application for Amendment**  
(For Licensing Purposes)  
**Water Right No. 25-14167**

FOR DEPARTMENT USE ONLY

Preliminary check by \_\_\_\_\_ Fee = \$100 Received by CA # E045418 Date 10/28

**ACTION OF THE DEPARTMENT OF WATER RESOURCES**

The Idaho Department of Water Resources hereby approves the above Application for Amendment for Permit No. 25-14167 with the following:

**Conditions of Approval**

1. Points of diversion and place of use is located within Comore Loma Subdivision.
2. Domestic use is for the in-house use of 22 homes. Irrigation of lawn, garden and landscaping associated with the homes is authorized under water right 25-14240.
3. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
4. Prior to the diversion and use of water under this right, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion and in accordance with Department specifications, or shall obtain an approved variance from the Department to employ an alternative method to determine and record the amount of water diverted.

This amendment is issued pursuant to the provisions of Idaho Code § 42-211.


Signed this 30<sup>th</sup> day of October, 2019.



JAMES CEFALO  
Eastern Regional Manager

State of Idaho  
Department of Water Resources  
**Water Right License**  
25-14167

Water Service Area Boundary for Comore Loma Water Corp



-  Point of Diversion
-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters

0 0.225 0.45 0.9 Miles

