

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 25-14166

RECEIVED
OCT 28 2019
Department of Water Resources
Eastern Region

Priority: March 28, 2005

Maximum Diversion Rate: 0.58 CFS

Maximum Diversion Volume: 120.0 AF

The owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 25-14166

COMORE LOMA WATER CORP PO BOX 1863 IDAHO FALLS ID 83403-1863

requests the permit be changed as follows:

Source : GROUND WATER

Source : GROUND WATER

Beneficial Use

DOMESTIC

Period of Use

01/01 to 12/31

Rate of Diversion

0.58 CFS

Annual Volume

120.0 AF

Location of Point(s) of Diversion

GROUND WATER NW¼ NE¼, Sec. 12, Twp 01N, Rge 38E, B.M. BONNEVILLE County
GROUND WATER SE¼ SE¼, Sec. 6, Twp 01N, Rge 39E, B.M. BONNEVILLE County
GROUND WATER NW¼ SE¼, Sec. 1, Twp 01N, Rge 38E, B.M. BONNEVILLE County
GROUND WATER L4 (NW¼ NW¼), Sec. 6, Twp 01N, Rge 39E, B.M. BONNEVILLE County
GROUND WATER L1 (NE¼ NE¼), Sec. 1, Twp 01N, Rge 38E, B.M. BONNEVILLE County
GROUND WATER NE¼ SE¼, Sec. 1, Twp 01N, Rge 38E, B.M. BONNEVILLE County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				No QQ	Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
01N	38E	1				X									X					
01N	38E	12													X	X	X			
01N	39E	5						X L4	X		X	X	X	X						
01N	39E	6	X L1	X L2	X	X	X L3	X L4	X L5	X	X	X L6		X	X	X	X	X		
01N	39E	7	X	X			X			X										

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed this 23rd day of OCTOBER, 20 19.


(Signature)

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 25-14166

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$100 Received by CA # E045418 Date 10/28/19

ACTION OF THE DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources hereby approves the above Application for Amendment for Permit No. 25-14166 with the following:

Conditions of Approval

1. Points of diversion and place of use is located within Comore Loma Subdivision.
2. Domestic use is for the in-house use of 200 homes. Irrigation of lawn, garden and landscaping associated with the homes is authorized under water rights 25-14240, 25-14242, 25-14243 and 25-14340.
3. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
4. Prior to the diversion and use of water under this right, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion and in accordance with Department specifications, or shall obtain an approved variance from the Department to employ an alternative method to determine and record the amount of water diverted.

This amendment is issued pursuant to the provisions of Idaho Code § 42-211.


Signed this 30th day of October, 2019.



JAMES CEFALO
Eastern Regional Manager

State of Idaho
Department of Water Resources
Water Right License
25-14166

Water Service Area Boundary for Comore Loma Water Corp



- Point of Diversion
- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters

0 0.35 0.7 1.4 Miles

