



STATE OF IDAHO
DEPARTMENT OF
ENVIRONMENTAL QUALITY

RECEIVED

SEP 17 2019

IDWR / NORTH

1118 F Street • Lewiston, Idaho 83501 • (208) 799-4370
www.deq.idaho.gov

Governor Brad Little
Director John H. Tippetts

September 12, 2019

Mr. Adam Frederick
Idaho Department of Water Resources
7600 North Mineral Drive, Suite 100
Coeur d'Alene, Idaho 83815

Subject: Water Appropriation, #87-11602

Dear Mr. Frederick:

We received a request for comment along with a copy of an application for a permit to appropriate 0.14 cubic feet per second of water from an existing well. The water will be used for domestic use and irrigation.

The well is located at Township 38N, Range 05W, and Section 7 on the applicant's property in Latah County, Idaho. The appropriated water will be used from January 1st to December 31st. Assuming all federal, state and local permits have been obtained, regulations met, and reviews completed, we offer the following comments.

Because we assume any water of the State which occurs beneath the surface of the earth in a saturated geological formation of rock or soil to be ground water (Idaho Code 58.01.02.010.45), we assume there to be hydrologic gradient connectivity to surface waters of the State. It is the policy of the State of Idaho Ground Water Management Plan that existing and projected beneficial uses of ground water and interconnected surface water be maintained and protected and degradation that would impair beneficial uses of ground water and interconnected surface water not be allowed.

Thank you for the opportunity to comment on your application. If you have any questions regarding the Idaho Water Quality Standards, please call us at (208) 983-0808, or by email at Daniel.Stewart@deq.idaho.gov

Sincerely,

A handwritten signature in black ink, appearing to read "Daniel D. Stewart".

Daniel D. Stewart
Water Quality Analyst

c: William and Michelle Reynolds, Moscow, ID
Sujata Connell, DEQ
EDMS