

IDAHO DEPARTMENT OF WATER RESOURCES
Water Right 63-34098

9/6/2019

3. S39 The use of water for irrigation under this right may begin as early as March 1, provided other elements of the right are not exceeded. The use of water before March 15 under this remark is subordinate to all water rights having no subordinated early or late irrigation use and a priority date earlier than the date a partial decree is entered for this right.

Comments:

1. bserrano 6/25/2015 Split
WR no. 63-31425 has been split by ownership change creating new WR no. 63-34098 for new owners.
2. bserrano 7/17/2015 POU
Updated Shape
3. bserrano 8/21/2015 POD
Updated Shape
4. jhersley 9/6/2019 corrected volume
The volume was corrected to reflect the proportionate amount from a previous ownership change.

Dates and Other Information

Decreed Date: 4/29/2009
Civil Case Number: 39576
Judicial District: FIFTH
State or Federal: S
Owner Name Connector: OR
Water District Number: TBD
Mitigation Plan: False

Combined Use Limits

N/A

SubCase:

N/A

Water Supply Bank:

N/A



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 E Front Street, Suite 648 • PO Box 83720 • Boise ID 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700

Website: idwr.idaho.gov • Email: idwrinfo@idwr.idaho.gov

BRAD LITTLE
Governor

GARY SPACKMAN
Director

September 6, 2019

JENNIFER NEEDS
RORY NEEDS
8344 PARTRIDGE DR
NAMPA ID 83686

RE: Correction of Volume and Conditions for water right 63-34098

Dear Water Right Owners:

In February, 2015, you submitted an ownership change to split water right 63-31425. The Department split the water right into water right 63-34098. While reviewing another ownership change for water right 63-31425, the Department determined that the diversion volume on water right 63-34098 was incorrect.

The original gave your water right 3.7 af. The proportionate amount is actually 16.7 af. The Department modified its records to reflect the proportionate diversion volume. Condition E51 (Right Nos. 63-31425 and 63-34098 are limited to a total combined diversion rate of .555 cfs for irrigation use) was also removed. The two water rights should not have combined conditions. Enclosed is computer-generated report showing the correction for your records.

Please feel free to contact me at (208) 287-4942 if you have any questions concerning the enclosed information or this letter.

Sincerely,

Jean Hersley
Technical Records Specialist II

Enclosure