

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 82-12283

Priority: May 15, 2019

Maximum Diversion Rate: 0.02 CFS

This is to certify that

PAMELA S WREN 197 SEARS CREEK RD HARPSTER ID 83552-5077

has applied for a permit to appropriate water from:

Source : SPRING

Tributary: SINKS

and a permit is APPROVED for development of water as follows:

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>
IRRIGATION	03/15 to 11/15	0.02 CFS

Location of Point(s) of Diversion

SPRING SE¼, SE¼, SE¼, Sec. 33, Twp 31N, Rge 04E, B.M., IDAHO County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				No QQ	Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
31N	04E	33																0.4		0.4

Total Acres: 0.4

Conditions of Approval

1. Proof of application of water to beneficial use shall be submitted on or before **September 01, 2020**.
2. Subject to all prior water rights.
3. This right does not grant any right-of-way or easement across the land of another.
4. This right when combined with all other rights shall provide no more than 0.03 Cubic Feet per Second (CFS) per acre nor more than 3.0 Acre Feet per Acre (AFA) at the field headgate for irrigation of the place of use.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.

Signed, this 26 day of August, 2019.



DOUGLAS JONES
Northern Regional Manager

State of Idaho
Department of Water Resources

Attachment to Permit to Appropriate Water

82-12283

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



- Point of Diversion
- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters
- Taxlots

0 0.02 0.04 0.08 Miles



Tax parcel information provided by Idaho County.



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region • 7600 N MINERAL DR STE 100 • COEUR D'ALENE, ID 83815-7763
Phone: (208)762-2800 • Fax: (208)769-2819 • Website: www.idwr.idaho.gov

Brad Little
Governor

Gary Spackman
Director

August 27, 2019

PAMELA S WREN
197 SEARS CREEK RD
HARPSTER ID 83552-5077

RE: Permit No. 82-12283

Permit Approval Notice

Dear Permit Holder(s):

The Department of Water Resources ("Department") has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review all the conditions of approval listed on your permit. The conditions include requirements that you must accomplish, such as timely submittal of proof of beneficial use or installation of a measuring device, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district. Failure to comply with the conditions of approval may result in your permit lapsing or being canceled.

The permit is a PRELIMINARY ORDER issued pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

The final step in the water right process is issuance of a water right license. To receive a water right license, you must divert and use water to the full extent intended and submit a *Statement of Completion for Submitting Proof of Beneficial Use* ("Proof") by the date shown in condition no. 1 of your permit. The Department will send you a *Proof Due Notice* approximately 60 days prior to the date listed in condition no. 1 of your permit. If you have already diverted and used water to the full extent intended, you may complete and submit the enclosed Proof form immediately.

You may also require approvals from other Department programs, such as Ground Water Protection, Safety of Dams, or Stream Channel Protection, to accomplish your proposed development. Please call or visit any Department office or see the Department's website at idwr.idaho.gov for more information about these programs.

Also, please note that permit holders are required to report any change of ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Forms to assign ownership or update your address are available from any office of the Department or on the Department's website.

If you have any questions concerning the enclosed information, please contact the Northern Region Office at (208) 762-2800.

Sincerely,

A handwritten signature in blue ink, appearing to read "Douglas Jones", with a stylized flourish at the end.


Douglas Jones
Northern Regional Manager

Enclosure(s)

CERTIFICATE OF SERVICE

I hereby certify that on August 27, 2019, I served a true and correct copy of Permit to Appropriate Water No. 82-12283 by U.S. Mail, postage prepaid, to the following:

PAMELA S WREN (Current Owner)
197 SEARS CREEK RD
HARPSTER ID 83552-5077



Tammy Alleman
Administrative Assistant 1

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

82-12283

PAMELA S WREN

197 SEARS CREEK RD

HARPSTER, ID 83552-5077

Point of Diversion SESESE

S33 T31N R04E

IDAHO County

Source SPRING

Tributary SINKS

Use: IRRIGATION

03/15 to 11/15 0.02 CFS

Total Diversion: 0.02 CFS

Date Filed: 5/15/2019

Place Of Use: IRRIGATION

T31N R04E S33 SESE

Total Acres: 0.4

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Northern Region office at (208) 762-2800. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D'ALENE ID 83815-7763 together with a protest fee of \$25.00 for each application on or before 7/8/2019. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on


6/19/2019 and 6/26/2019

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO

County of Idaho - ss.

Sarah S. Klement, being first duly sworn, says she is the Publisher of the IDAHO COUNTY FREE PRESS, a weekly newspaper published and issued weekly at Grangeville, Idaho County, State of Idaho, and is of general circulation in said county and state, that the said legal notice, of which the one hereto attached is a true copy, was published in said paper for two weeks, being published two times, the first publication being on the 19th day of June, 2019; and the last publication on the 26th day of June, 2019; and that the said legal notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of seventy-eight consecutive weeks prior to the publication of said legal notice of advertisement.



STATE OF IDAHO)

COUNTY OF IDAHO)

On this 26th day of June in the year of 2019, before me a Notary Public personally appeared Sarah S. Klement, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.




Notary Public for Idaho
Residing at Grangeville, ID
My commission expires: 1-24-25

RECEIVED
JUN 28 2019
IDWR / A



STATE OF IDAHO
DEPARTMENT OF
ENVIRONMENTAL QUALITY

1118 F Street • Lewiston, Idaho 83501 • (208) 799-4370
www.deq.idaho.gov

Governor Brad Little
Director John H. Tippetts

June 18, 2019

RECEIVED

JUN 19 2019

IDWR / NORTH

Mr. Adam Frederick
Idaho Department of Water Resources
7600 North Mineral Drive, Suite 100
Coeur d'Alene, Idaho 83815

Subject: Water Appropriation, # 82-12283

Dear Mr. Frederick:

We received a request for comment along with a copy of an application for a permit to appropriate 0.02 cubic feet per second of water from a spring located on private property located near Harpster, Idaho. The applicant intends to use a 1 horsepower water pump with a water line for irrigation.

The spring is located in Township 31N, Range 04E, and Section 33. The appropriated water will be used for irrigation from March 15 to November 15. Assuming all federal, state and local permits have been obtained, regulations met, and reviews completed, we offer the following comments.

Because we assume any water of the State which occurs beneath the surface of the earth in a saturated geological formation of rock or soil to be ground water (Idaho Code 58.01.02.010.45), we assume there to be hydrologic gradient connectivity to surface waters of the State. It is the policy of the State of Idaho Ground Water Management Plan that existing and projected beneficial uses of ground water and interconnected surface water be maintained and protected and degradation that would impair beneficial uses of ground water and interconnected surface water not be allowed.

Thank you for the opportunity to comment on your application. If you have any questions regarding the Idaho Water Quality Standards, please call us at (208) 983-0808, or by email at Daniel.Stewart@deq.idaho.gov

Sincerely,

A handwritten signature in black ink, appearing to read "Daniel D. Stewart".

Daniel D. Stewart
Water Quality Analyst

c: Pamela, Wren, Harpster, ID
Sujata Connell, DEQ
EDMS