

6. GENERAL INFORMATION

- a. Describe the complete diversion system, including how you will accommodate a measuring device and lockable controlling works should they be required now or in the future:

Well 75-91-E-017 was drilled in 1991 for applicant. The well log shows an incorrect location in SWSW Sec 31.

This application seeks to confirm pod for 10546, change the pod for 7112, and add a second pod for both.

- b. Who owns the property at the point(s) of diversion? applicant

If other than the applicant, describe the arrangement enabling the applicant to access the property for the diversion system:

- c. To your knowledge, has/is any portion of the water right(s) proposed to be changed:

Yes No

- ☐ ☒ undergone a period of five or more consecutive years of non-use,
☐ ☒ currently used in a mitigation plan limiting the use of water under the right(s), or
☐ ☒ currently enrolled in a Federal set-aside program limiting the use of water under the right(s)?

If yes, describe:

- d. Is any portion of the water right(s) proposed to be changed currently leased to the Water Supply Bank? ☐ Yes ☒ No

- ☐ If yes and there are multiple owners, attach a Lessor Designation form.
☐ If yes, the individual owner or designated lessor must complete, sign and attach an IRS Form W-9.
(Disregard if these items are on file and ownership has not changed.)

7. **MAP** - ☐ Attach a map of the diversion, measurement, control and distribution system. Include the place of use if a split of the water right occurred. Clearly label the map with township, range, section and $\frac{1}{4}$ $\frac{1}{4}$ of section information. The *Map Tool*, available at maps.idwr.idaho.gov/TransferApplicationLayouts/ provides a satisfactory template for creating the required map.

8. **SIGNATURE** - The information in this application is true to the best of my knowledge. I understand any willful misrepresentations in this application may result in rejection of the application or cancellation of an approval.

Robert L. Blackadar
Signature of applicant or authorized agent

Robert L. Blackadar
Print name and title if applicable

3-19-19
Date

Signature of applicant or authorized agent

Print name and title if applicable

Date

9. **FEE** - ☐ previously submitted The application filing fee provided in Section 42-221, Idaho Code, must be submitted with the application for transfer. The Application fee is based on the total amount of water proposed for transfer in Item 4: the larger fee for either cubic feet per second (diversion rate) or acre-feet per annum (storage volume). The Fee Schedule is available at www.idwr.idaho.gov, *Water Right Transfers*, Step 4 and in the Application for Transfer Instructions.

FOR DEPARTMENT USE ONLY

Transfer includes _____ pages of attachments. Received by _____ Date 2/4/2019
Fee paid _____ Date _____ Received by _____ Receipt # C106219
Preliminary review by _____ Date _____ Active in the Water Supply Bank? Yes ☐ No ☐
W-9 received? Yes ☐ No ☐ Name on W-9 _____ W-9 forwarded to fiscal? Yes ☐ No ☐

(Do NOT scan the W-9 – confidential information is held by fiscal only)



RECEIVED
42-222 POD - 09/14
FEB 15 2019

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
FEB 04 2019
DEPARTMENT OF
WATER RESOURCES

DEPARTMENT OF
WATER RESOURCES

APPLICATION FOR TRANSFER OF WATER RIGHT – POINT(S) OF DIVERSION

This form may be used to apply to change and/or add points of diversion for existing water rights and to report an ownership change for a water right(s) in connection with the proposed point of diversion change(s). Do not use this form to apply for changes to other elements of a water right. See the [Application for Transfer Instructions](#) for help completing this form and for mailing addresses of Department offices where your application can be submitted.

Check all that apply:

- ☐ Change diversion point(s) ☒ Add diversion point(s) ☐ Ownership change ☐ Ownership split

1. APPLICANT(S) ROBERT L BLACKADAR Phone 208.756.4967
2. MAILING ADDRESS 10 N CHEROKEE RD City SALMON
State ID Zip 83467 Email bobblackadar@gmail.com

- ☐ If the applicant is not an individual and not registered to do business in the State of Idaho, attach documentation identifying officers authorized to sign for the applicant.
☐ If the applicant is not the current water right(s) owner, attach documentation of authority to file the application.
☐ If the application includes a change in ownership of water right(s), attach a copy of the conveyance document, such as a warranty deed, court decree, contract of sale, etc. The conveyance document must include a legal description of the property conveyed or description of the water right if no land is conveyed. Additional fee(s) are required for water right ownership changes; see Item 9 for the [fee schedule](#).

If the ownership change resulted in the water right(s) being split, how did the division occur? Mark one:

- ☐ The water rights or claims were divided as specifically identified in a deed, contract, or other conveyance document.
☐ The water rights or claims were divided proportionately based on the portion of their place(s) of use acquired by the new owner.
☐ If the application is not signed by the applicant, attach a Power of Attorney or other documentation providing authority to sign for the applicant.

3. LIST WATER RIGHT NUMBER(S) 75-10546

- ☐ Attach a copy of the water right(s) as recorded, available at www.idwr.idaho.gov, *Water Right Transfers, Step 1*, or by contacting any Department office.

4. TOTAL AMOUNT OF WATER transferred is 0.03 cubic feet per second and/or _____ acre-feet per annum.
(diversion rate) (storage volume)

5. POINT OF DIVERSION – Describe all the point(s) of diversion to be included on the water right(s) after the proposed change.

- ☐ Attach Eastern Snake Plain Aquifer (ESPA) analysis if this transfer proposes to change a point of diversion affecting the ESPA. ESPA analysis information is available at www.idwr.idaho.gov, *Water Right Transfers, Online Resources*.

New?	Lot	¼	¼	¼	Sec	Twp	Rge	County	Source	Local name or tag #
			SE	SW	31	22N	22E	LEMIHI	GROUND WATER	
X			SE	SW	31	22N	22E	LEMIH	GROUND WATER	75-91-E-017

6. GENERAL INFORMATION

- a. Describe the complete diversion system, including how you will accommodate a measuring device and lockable controlling works should they be required now or in the future:

A well was drilled in 1991 to provide better drinking water for the home. The old well may still be used for irrigation. Property address is 13 N Fairmont Rd, Salmon ID.

- b. Who owns the property at the point(s) of diversion? APPLICANT

If other than the applicant, describe the arrangement enabling the applicant to access the property for the diversion system:

- c. To your knowledge, has/is any portion of the water right(s) proposed to be changed:

Yes No

- ☐ ☒ undergone a period of five or more consecutive years of non-use,
☐ ☒ currently used in a mitigation plan limiting the use of water under the right(s), or
☐ ☒ currently enrolled in a Federal set-aside program limiting the use of water under the right(s)?

If yes, describe:

- d. Is any portion of the water right(s) proposed to be changed currently leased to the Water Supply Bank? ☐ Yes ☒ No

- ☐ If yes and there are multiple owners, attach a Lessor Designation form.
☐ If yes, the individual owner or designated lessor must complete, sign and attach an IRS Form W-9.
(Disregard if these items are on file and ownership has not changed.)

7. **MAP** - ☐ Attach a map of the diversion, measurement, control and distribution system. Include the place of use if a split of the water right occurred. Clearly label the map with township, range, section and $\frac{1}{4}$ $\frac{1}{4}$ of section information. The *Map Tool*, available at maps.idwr.idaho.gov/TransferApplicationLayouts/ provides a satisfactory template for creating the required map.

8. **SIGNATURE** - The information in this application is true to the best of my knowledge. I understand any willful misrepresentations in this application may result in rejection of the application or cancellation of an approval.

Robert L. Blackadar

Signature of applicant or authorized agent

Robert L. Blackadar

Print name and title if applicable

2-11-19

Date

Signature of applicant or authorized agent

Print name and title if applicable

Date

9. **FEE** - ☐ The application filing fee provided in Section 42-221, Idaho Code, must be submitted with the application for transfer. The Application fee is based on the total amount of water proposed for transfer in Item 4: the larger fee for either cubic feet per second (diversion rate) or acre-feet per annum (storage volume). The Fee Schedule is available at www.idwr.idaho.gov, *Water Right Transfers, Step 4* and in the Application for Transfer Instructions.

FOR DEPARTMENT USE ONLY

Transfer includes _____ pages of attachments.

Received by AW

Date 2/4/19

Fee paid 200 Date 2/4/19

Received by AW

Receipt # C 106219

Preliminary review by _____

Date _____

Active in the Water Supply Bank? Yes ☐ No ☐

W-9 received? Yes ☐ No ☒

Name on W-9 _____

W-9 forwarded to fiscal? Yes ☐ No ☐

(Do NOT scan the W-9 – confidential information is held by fiscal only)

Close

IDAHO DEPARTMENT OF WATER RESOURCES
Water Right Report

9/24/2018

WATER RIGHT NO. 75-10546

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	ROBERT L BLACKADAR 10 N CHEROKEE RD SALMON, ID 83467 2087564625

Priority Date: 07/07/1930

Basis: Decreed

Status: Active

<u>Source</u>	<u>Tributary</u>
GROUND WATER	

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
IRRIGATION	4/01	11/01	0.01 CFS	
DOMESTIC	1/01	12/31	0.02 CFS	
Total Diversion			0.03 CFS	

Location of Point(s) of Diversion:

GROUND WATER|SESW|Sec. 31|Township 22N|Range 22E|LEMHI County

Place(s) of use:

Place of Use Legal Description: IRRIGATION LEMHI County

31

22N22E

Fairmont

83018

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

RECEIVED

JUN 13 1991

1. WELL OWNER

Name Robert L. + Janice J. Blackadar
Address 801 Fairmont, Salmon 83467
Drilling Permit No. 75-91-E-017
Water Right Permit No. _____

7. WATER LEVEL

Eastern District Office

Static water level 60 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 52 °F, Quality GOOD
Describe artesian or temperature zones below.

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Baller ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>25</u>	<u>380</u>	<u>4</u>

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

9. LITHOLOGIC LOG

080210

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
6	0	1	TOP SOIL		
	1	25	BOULDERS		
	25	40	HARD BOULDERS		
	40	85	BIG HARD BOULDERS		
	85	85	GOLD CONGLOMERATE		
	85	90	BOULDERS		
	90	115	GOLD GRANITE		
	115	170	GREY SOFT GRANITE		
	170	175	BROWN SANDSTONE		
	175	191	GREY GRANITE		
	190	195	GOLD GRANITE		
	195	220	DARK GREY		
	220	221	GOLD		
	221	240	GREY GRANITE		
	240	245	BROWN HARD		
	245	285	GREY GRANITE		
	285	285	BROWN HARD		
	295	305	GREY GRANITE		
	305	315	FRAGILE GRANITE GREY		
	315	320	GREY CLAY		

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness 250 inches Diameter 6 inches + 1 inch From 98 feet To 320 feet
PVC inches 4 1/2 inches 80 feet 320 feet
inches inches feet feet
inches inches feet feet
inches inches feet feet
Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? PVC ☒ Yes ☐ No SAW
How perforated? ☐ Factory ☐ Knife ☐ Torch SAW
Size of perforation 1/8 inches by 4 inches SAW
500 Number 80 From 320 To 320 feet
perforations feet feet
perforations feet feet
perforations feet feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 18 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Pudding clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld
☐ Cemented between strata
Describe access port sanitary well seal


RECEIVED

JUN 11 1991

Department of Water Resources

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name JUL 08 1992

Lot No. _____ Block No. _____

County Lemhi

SE 1/4 SW 1/4 Sec. 31, T. 22 N. R. 22 E.

10.

Work started 5/7/91 finished 5/14/91

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name HARBER DRILLING COMPANY Firm No. 430
Post Office Box 194
Carmen Creek Road

Address CARMEN, IDAHO 83462-0194 Date 5/14/91

Signed by (Firm Official) Alan Harber

and
(Operator) _____

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

83018



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 E Front Street, Suite 648 • PO Box 83720 • Boise ID 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700

Website: idwr.idaho.gov • Email: idwrinfo@idwr.idaho.gov

BRAD LITTLE
Governor

GARY SPACKMAN
Director

June 27, 2019

IDAHO DEPT FISH AND GAME
ATTN: JEFF RICHARDS
99 HWY 93 N
SALMON ID 83467

RE: Application for Permit No. 74-16188 & 75-14950
Application for Transfer No. 83018 Water Rights 75-7112A & 75-10546

Dear Interested Party:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced water right applications. You can find a copy of the application at:

<http://www.idwr.idaho.gov/apps/ExtSearch/WRAJSearch/WRADJSearch.aspx>.

This office can publish notice of the applications as soon as the initial review is completed; therefore, your prompt response to this request is appreciated. If your agency desires to formally protest the approval of this application, you may do so after the notice is published by filing a written protest along with a \$25.00 filing fee within 10 days after final publication.

Please note that Application for Transfer No. 83018 is not being published in the county newspaper. The Department is seeking comments for this transfer that is adding a point of diversion for water right 75-10546 and moving a point of diversion for water right 75-7112A. The source for the points of diversion are groundwater.

Please contact this office if you have any questions regarding the applications.

Sincerely,

Jean Hersley
Technical Records Specialist II

Hersley, Jean

From: Hersley, Jean
Sent: Thursday, June 27, 2019 9:33 AM
To: Jeff Richards
Subject: Comment Letter to IDFG - Salmon
Attachments: Comment Letter to IDFG - Salmon.docx

See attached letter for two applications for permit being advertised and an application for transfer that we are seeking comments on. The transfer application will not be advertised. Please let me know if you have any questions. Thank you.

*Jean Hersley
Idaho Dept Water Resources
Technical Records Specialist II
208-287-4942*

Hersley, Jean

From: Hersley, Jean
Sent: Thursday, June 27, 2019 9:33 AM
To: Yenter, Cindy; Clark, Cynthia Bridge; Cassel, Amy; Golden, Kala
Subject: applications for permit and application for transfer

Application for permit 74-16188 and 75-14950 are being advertised on July 4th and 11th with the protest end date of July 22, 2019. Application for transfer 83018, water rights 75-7112a and 75-10546 is not being advertised. The applicant is seeking to move a point of diversion and add a POD. We are asking for comments for the transfer. Documents will be scanned by the end of the day. Please let me know if you have any questions. Thank you.

*Jean Hersley
Idaho Dept Water Resources
Technical Records Specialist II
208-287-4942*

MEMORANDUM

Date: June 7, 2019
To: Transfer 83018
From: Alex Dalgleish
Re: Review & Evaluation of Sufficiency of Information

Purpose: On February 4, 2019 Robert Blackadar submitted an application for transfer to the Department. An amended application was received February 15, 2019. The transfer proposed adding a point of diversion (POD) for water right 75-10546. The address listed on the application is 10 N Cherokee Rd Salmon, ID. This is not the address of the proposed transfer. That address is 13 N Fairmont Rd Salmon, ID.

Another amended application was received on March 21, 2019. On the application, the legal description of the proposed additional well did not match Department records. This amendment also requested changes to water right 75-7112 in addition to 75-10546. Cindy Yenter, at IDWR Salmon office, helped Mr. Blackadar with the amended transfer before sending it to the State Office.

On June 7, 2019 the Department discovered an inconsistency with water right 75-7112. Department records indicated the right was decreed as 75-7112A. Mr. Blackadar listed right 75-7112 on the application. The transfer was updated to reflect changes to right 75-7112A not 75-7112

POUs: For right 75-10546, the domestic and irrigation place of use (POU) are the SESW T22N, R22E, Section 31. The POU for right 75-7112A has the same legal description. The POU's for both rights will not change with this transfer.

According to Department records, rights 75-10546 and 75-7112A have an overlapping POU. Irrigation right 75-19H also overlaps at the POU and right 75-113C overlaps with right 75-10546. Rights 75-19H and 75-113C are sourced from Jesse Creek and have a combined limit of 76.8 acers of irrigation. Combined limits will be added to the transfer since overlap occurs with irrigation rights 75-113C and 75-19H. No injury is anticipated.

PODs: The transfer proposes adding a POD to right 75-10546. This additional POD corresponds to a correction to the location of a well. Department records show the well was drilled by Harber Drilling Co. in 1991 and has permit ID 740955, well ID 287113 and drilling permit number 75-91-E-017. This well is currently located in the SWSW quarter-quarter of Sec. 31, Twp. 22N, Rge 22E. The application proposes adjusting this location of the well to the SESW quarter-quarter, same Section, Township and Range. This proposed location is on property owned by Robert Blackadar (parcel no. RP22N22E314808).

The transfer application also proposes moving the POD for right 75-7112A and adding a POD to this right. The change would move the POD to the current diversion point for right 75-10546, located in parcel no.

RP22N22E316604. The additional POD for right 75-7112A would be located at the proposed location correction for well ID 287113, in the SESW QQ.

If approved, this transfer will condition the new well to have measuring devices and lockable controlling works installed.

Authority to File: Application was signed by Robert L Blackadar. According to Department records, Robert L Blackadar owns the parcels at proposed additional POD and the changed POD. There are no ownership concerns.

Water Right Validity: Water right 75-10546 was partially decreed in the SRBA on Oct. 29, 2008 with groundwater as the source for .03 cfs diversion rate. In 1990, Robert L Blackadar acquired right 75-10546 from adjudication civil case number 39576. Right 75-7112A was partially decreed on Nov. 17, 2008 with .27cfs from groundwater for domestic and irrigation uses. Review of aerial imagery indicates probable beneficial use in the last 5 years. There are no concerns of forfeiture.

Injury to Other Water Rights: After the transfer, the water right record will more accurately reflect irrigation use. The water rights are located in an area with no water district. The proposed POD and current POD are on property owned by Robert Blackadar. There will not be an increase in irrigated acres.

Enlargement of Use: There will not be an increase in acres. The transfer will use an additional POD but will not change the amount of water currently being diverted from the above mentioned rights. All water rights using this POD are owned by Robert Blackadar.

Local Public interest: There are no apparent issues with local public interest. Comments will be requested from IDWR Eastern Region.

Beneficial Use/Conservation of Water Resources: This transfer appears to be consistent with the conservation of water resources in Idaho.

Effect on Economy the Local Area: No adverse impacts are anticipated.

Effect on Agricultural Base of the Local Area: The transfer shows no negative impacts on the local agriculture.

MEMORANDUM

Date: April 24, 2019
To: Transfer 83018
From: Alex Dalglish
Re: Legal Notice Remarks

Legal Notice Not Required
4/24/19

Pursuant to Section 42-222, Idaho Code, the Department has discretion to provide public notice as deemed appropriate. The water right changes proposed through this transfer application do not appear to change the effect on the original or hydraulically connected water source or affect other water rights. Therefore, staff review of the transfer application found no cause to require public notice. This application will continue processing without advertisement and be forwarded for approval consideration.

Dalglish, Alex

From: Yenter, Cindy
Sent: Tuesday, March 19, 2019 10:27 AM
To: Dalglish, Alex
Subject: RE: Blackadar Transfer

Thanks Alex. Amendment will be on its way. Hopefully we did a better job of explaining the situation this time! Plus I had totally missed that other right.

From: Dalglish, Alex
Sent: Tuesday, March 19, 2019 10:03 AM
To: Yenter, Cindy <Cindy.Yenter@idwr.idaho.gov>
Subject: Blackadar Transfer

Cindy,

I have attached the map and page 2 of the application. I'll look out for the amended transfer application later this week.

Thanks,

Alex Dalglish
Water Resource Agent
Phone (208) 287-4913
alex.dalglish@idwr.idaho.gov



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 E Front Street, Suite 648 • PO Box 83720 • Boise ID 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700

Website: idwr.idaho.gov • Email: idwrinfo@idwr.idaho.gov

BRAD LITTLE
Governor

GARY SPACKMAN
Director

March 4, 2019

ROBERT BLACKADAR
10 N CHEROKEE RD
SALMON ID 83467

RE: Applications for Transfer

Dear Applicant:

Preliminary review of the application indicates that clarification is needed regarding the added point of diversion. We are holding your application for 30 days to allow you to complete the necessary items. If the requested information is not received within 30 days, the department will return your application unprocessed.

- Clarification is needed for item # 5, description of point(s) of diversion. You describe the new point of diversion in the SESW, T22N, R22E, Section 31 with a tag number 75-91-E-017. According to the Dept. records, this well is actually located in Govt. Lot 4 SWSW T22N, R22E, Section 31. This legal description does not match the well drillers report. Please provide this correct description on the application of the new well location.
- The well is located on a parcel owned by Lois Blackadar. Provide an agreement or easement from Lois Blackadar granting use of the well on her land.

Return the completed application for transfer to the address above. When the requested information is received, the Department can begin reviewing and processing your application.

If you have any questions concerning this letter please contact me at (208) 287-4913.

Sincerely,

Alex Dagleish

Water Resource Agent

Enclosure: Receipt, Application, Map Showing Well Location



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 E Front Street, Suite 648 • PO Box 83720 • Boise ID 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700

Website: idwr.idaho.gov • Email: idwrinfo@idwr.idaho.gov

BRAD LITTLE
Governor

GARY SPACKMAN
Director

February 4, 2019

ROBERT L BLACKADAR
10 N CHEROKEE RD
SALMON, ID 83467

Re: Application for Transfer of Water Right(s)

Dear Applicant(s):

The Department of Water Resources has received your Application for Transfer. Preliminary review of the application indicates that it is incomplete and cannot be accepted for processing. We are returning your application. The required information is described below.

- Item #6c- please answer the questions by checking a yes or no box.
- The application was not signed. Please sign and date.

Please return the completed application within 30 days or your application will be returned unprocessed and a refund will be requested.

Please contact me at (208) 287-4942 if you have any questions regarding this matter. Thank you.

Sincerely,

Jean Hersley
Technical Records Specialist II
Enclosure