

RECEIVED

DEC 22 2017

Department of Water Resources
Eastern RegionSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Notice of Change in Water Right Ownership

1. List the numbers of all water rights and/or adjudication claim records to be changed. If you only acquired a portion of the water right or adjudication claim, check "Yes" in the "Split?" column. If the water right is leased to the Water Supply Bank, check "Yes". If you are not sure if the water right is leased to the Water Supply Bank, see #6 of the instructions.

Water Right/Claim No.	Split?	Leased to Water Supply Bank?	Water Right/Claim No.	Split?	Leased to Water Supply Bank?
29-14053 <i>OK</i>	Yes ☐	Yes ☐		Yes ☐	Yes ☐
29-14052 <i>OK</i>	Yes ☐	Yes ☐		Yes ☐	Yes ☐
29-7980 <i>Split?</i>	Yes ☐	Yes ☐		Yes ☐	Yes ☐
	Yes ☐	Yes ☐		Yes ☐	Yes ☐
	Yes ☐	Yes ☐		Yes ☐	Yes ☐

2. Previous Owner's Name: Howard Armstrong
Name of current water right holder/claimant
3. New Owner(s)/Claimant(s): Mike Ennis
New owner(s) as listed on the conveyance document Name connector ☐ and ☐ or ☐ and/or
- Po Box 6147 Pocatello ID 83205
Mailing address City State ZIP
- home: (208)221-1806 work: (208)530-3705 ennis12@gmail.com
Telephone Email
4. If the water rights and/or adjudication claims were split, how did the division occur?
☐ The water rights or claims were divided as specifically identified in a deed, contract, or other conveyance document.
☐ The water rights or claims were divided proportionately based on the portion of their place(s) of use acquired by the new owner.
5. Date you acquired the water rights and/or claims listed above: _____
6. If the water right is leased to the Water Supply Bank changing ownership of a water right will reassign to the new owner any Water Supply Bank leases associated with the water right. Payment of revenue generated from any rental of a leased water right requires a completed IRS Form W-9 for payment to be issued to an owner. A new owner for a water right under lease shall supply a W-9. Water rights with multiple owners must specify a designated lessor, using a completed Lessor Designation form. Beginning in the calendar year following an acknowledged change in water right ownership, compensation for any rental will go to the new owner(s).
7. This form must be signed and submitted with the following **REQUIRED** items:
☒ A copy of the conveyance document – warranty deed, quitclaim deed, court decree, contract of sale, etc. The conveyance document must include a legal description of the property or description of the water right(s) if no land is conveyed.
☒ Plat map, survey map or aerial photograph which clearly shows the place of use and point of diversion for each water right and/or claim listed above (if necessary to clarify division of water rights or complex property descriptions).
☒ Filing fee (see instructions for further explanation):
 o \$25 per *undivided* water right.
 o \$100 per *split* water right.
 o No fee is required for pending adjudication claims.
☐ If water right(s) are leased to the Water Supply Bank AND there are multiple owners, a Lessor Designation form is required.
☐ If water right(s) are leased to the Water Supply Bank, the individual owner or designated lessor must complete, sign and submit an IRS Form W-9.

8. Signature: Mike Ennis Owner 12-22-2017
 Signature of new owner/claimant Title, if applicable Date

Signature: _____ _____ _____
 Signature of new owner/claimant Title, if applicable Date

For IDWR Office Use Only:

Received by JB Date 12/22/2017 Receipt No. E043626 Receipt Amt. \$75 -

Active in the Water Supply Bank? Yes ☐ No ☐ If yes, forward to the State Office for processing W-9 received? Yes ☐ No ☐

Name on W-9 _____ Approved by JB Processed by JB Date 6/20/2019

WARRANTY DEED

Alliance Title & Escrow Corp. Order No.:362646

FOR VALUE RECEIVED

**Howard L. Armstrong and Marilyn H. Armstrong, husband and wife and
Howard L. Armstrong & Sons, LLC, formerly known as Howard L. Armstrong & Sons,
Inc., an Idaho corporation and
Howard L. Armstrong and Marilyn H. Armstrong, Trustees, of the Howard L. and
Marilyn H. Armstrong Revocable Trust, being a trust created under instrument dated
January 18, 2012**

the grantor(s), do(es) hereby grant, bargain, sell and convey unto

Mike Ennis, an unmarried man

whose current address is

**PO Box 6147
Pocatello, ID 83205**




the grantee(s), the following described premises, in Bannock County, Idaho, TO WIT:

See attached Exhibit 'A'

TO HAVE AND TO HOLD the said premises, with their appurtenances unto the said Grantee, heirs and assigns forever. And the said Grantor does hereby covenant to and with the said Grantee(s), that (s)he is/are the owner(s) in fee simple of said premises; that they are free from all encumbrances Except: Current Year Taxes, conditions, covenants, restrictions, reservations, easements, rights and rights of way, apparent or of record.


And that (s)he will warrant and defend the same from all lawful claims whatsoever.

Dated: 9-19-17



Howard L. Armstrong



Marilyn H. Armstrong

Howard L. Armstrong & Sons, LLC


Howard L. Armstrong, Manager


The Howard L. and Marilyn H. Armstrong Revocable Trust, being a trust created under instrument dated January 18, 2012



Howard L. Armstrong, Trustee


Marilyn H. Armstrong, Trustee

State of Idaho } ss
County of Bannock }

On this 19 day of September, 2017, before me, B. S. Cook, a Notary Public in and for said state, personally appeared Howard L. Armstrong and Marilyn H. Armstrong, known or identified to me to be the person(s) whose name(s) is/are subscribed to the within Instrument and acknowledged to me that he/she/they executed same. IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year in this certificate first above written.


B. S. Cook
Notary Public for the State of Idaho
Residing at: Pocatello, ID
Commission Expires: 04-21-21




State of ID } ss
County of Bannock }

On this 19 day of September, in the year 2017, before me, B. S. Cook a Notary Public in and for said state, personally appeared Howard L. Armstrong known or identified to me to be the Manager in the Limited Liability Company known as Howard L. Armstrong & Sons, LLC who executed the foregoing instrument, and acknowledged to me that he/she executed the same in said LLC name.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year in this certificate first above written.



Notary Public for the State of ID
Residing at: Pocatello, ID
Commission Expires: 04-21-21




State of ID } ss
County of Bannock }

On this 19 day of September, 2017 before me, B. S. Cook a Notary Public in and for said state, personally appeared Howard L. Armstrong and Marilyn H. Armstrong known or identified to me to be the person whose name is subscribed to the foregoing instrument as trustee of the Howard L. Armstrong and Marilyn H. Armstrong Revocable Trust, and acknowledged to me that they executed the same as Trustee.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year in this certificate first above written.


Notary Public for the State of ID
Residing at: Pocatello, ID
Commission Expires: 4-21-21



File No. 362646

Exhibit 'A'**Parcel 1:**

A tract of land in Section 28 and in the Northeast Quarter Northwest Quarter of Section 33, Township 6 South, Range 34 East of the Boise Meridian, Bannock County, Idaho, described as follows:

Beginning at the Northwest corner of the Southeast Quarter Northwest Quarter of said Section 28, said point being marked with a 5/8" rebar and aluminum cap stamped PLS 843;

Thence South 89°43'09" East, along the North line of said Southeast Quarter Northwest Quarter, a distance of 1313.01 feet to the Northeast corner of said Southeast Quarter Northwest Quarter, said point also being the Northwest corner of a parcel of land recorded in Warranty Deed Instrument No. 267346 and marked with a 5/8" rebar and aluminum cap stamped PLS 843;

Thence South 00°40'05" West, along the West line of Warranty Deed Instrument No. 237346, a distance of 520.00 feet to a 5/8" rebar and aluminum cap stamped PLS 843;

Thence South 89°19'55" East, along the South line of said Warranty Deed, 416.00 feet to a 5/8" rebar and aluminum cap stamped PLS 843;

Thence North 00°40'05" East, along the East line of said Warranty Deed, 522.98 feet to a point on the North line of the Southwest Quarter Northeast Quarter of said Section, said point being marked with a 5/8" rebar and aluminum cap stamped PLS 843;

Thence South 89°44'31" East, along the North line of said Southwest Quarter Northeast Quarter and the Southeast Quarter Northeast Quarter a distance of 1444.95 feet to the Northwest corner of a parcel described in Warranty Deed Instrument,

No. 484329 and marked with a 5/8" rebar and aluminum cap stamped PLS 843;

Thence South 00°43'44" West, along the West line of said Warranty Deed Instrument No. 484329, a distance of 200.00 feet to a 5/8" rebar and aluminum cap stamped PLS 843;

Thence South 89°44'31" East, along the South line of said Warranty Deed Instrument No. 484329, a distance of 714.82 feet to a 5/8" rebar and aluminum cap stamped PLS 843;

Thence South 32°22'52" West 193.52 feet to a 1/2" rebar and plastic cap stamped PLS 843;

Thence South 07°30'05" East 183.80 feet to a 1/2" rebar and plastic cap stamped PLS 843;

Thence South 14°54'56" East 316.37 feet to a 1/2" rebar and plastic cap stamped PLS 843;

Thence South 38°59'43" East 126.44 feet to a 1/2" rebar and plastic cap stamped PLS 843;

Thence North 45°45'50" East 94.63 feet to a point on the Southerly line of a parcel shown on Warranty Deed Instrument No. 20106189 and marked with a 1/2" rebar and plastic cap stamped PLS 977;

Thence North 58°37'17" East along said Southerly line, 184.70 feet to a point on the Southwesterly boundary line of the Revised plat of a portion of the West Pocatello Townsite, said point being marked with a 1/2" rebar and plastic cap stamped PLS 977;

Thence South 35°01'54" East along said Southwesterly boundary line of said Plat, 1032.85 feet to a point which intersects the centerline of Trail Creek Road;

Thence South 55°25'04" West, along said road centerline, 375.12 feet;

Thence continuing along said road centerline, along a curve to the right having a radius of 968.00 feet, through a central angle of 11°12'50" for an arc length of 189.46 feet;

Thence, South 66°37'54" West, continuing along said centerline, 595.81 feet; Thence continuing along said road centerline, along a curve to the left, having a radius of 286.49 feet through a central angle of 30°35'00" for an arc length of 152.92 feet;

Thence, South 36°02'53" West, continuing along said road centerline, 25.20 feet;

Thence continuing along said road centerline, along a curve to the right, having a radius of 572.95 feet, through a central angle of 21°00'00", for an arc length of 210.00 feet;

Thence, South 57°02'55" West, continuing along said road centerline, 59.70 feet;

Thence continuing along said road centerline, along a curve to the left, having a radius of 572.93 feet through a central angle of 16°00'00", for an arc length of 159.99 feet;

Thence South 41°02'10" West, continuing along said road centerline, 112.70 feet;

Thence continuing along said road centerline, along a curve to the right, having a radius of 190.99 feet, through a central angle of 45°00'00" for an arc length of 150.00 feet;
 Thence South 86°02'56" West continuing along said road centerline, 43.21 feet; Thence continuing along said road centerline, along a curve to the left, having a radius of 280.29 feet, through a central angle of 41°19'13", for an arc length of 202.14 feet;
 Thence North 45°16'20" West, leaving said road centerline, 33.00 feet to a point on the Northwestern right of way line of said Trail Creek Road, said point being marked with a 5/8" rebar and aluminum cap stamped PLS 843;
 Thence, North 66°21'34" West, 177.85 feet to a 5/8" rebar and aluminum cap stamped PLS 843;
 Thence, North 27°47'21" West 143.45 feet to a 5/8" rebar and aluminum cap stamped PLS 843;
 Thence North 55°57'58" West, 138.58 feet to a 5/8" rebar and aluminum cap stamped PLS 843, said point being on the Easterly right of way of an access easement described in Warranty Deed Instrument No. 93016997;
 Thence North 89°52'25" West 1377.90 feet to a 5/8" rebar and aluminum cap stamped PLS 843;
 Thence, South 00°40'05" West, 1086.24 feet to a 5/8" rebar and aluminum cap stamped PLS 843;
 Thence North 89°55'09" West 206.50 feet to a 5/8" rebar and aluminum cap stamped PLS 843;
 Thence South 00°38'37" West, 661.12 feet to a 5/8" rebar and aluminum cap stamped PLS 843, said point being on the North line of a parcel shown on Warranty Deed Instrument No. 20008237;
 Thence South 89°56'03" West, along the North line of Warranty Deed Instrument No. 20008237 and the North line of Warranty Deed Instrument No. 20325691, a distance of 959.34 feet to the Northwest corner of Warranty Deed Instrument No. 20325691, said point also being on the West line of the Northeast Quarter Northwest Quarter of Section 33, said point being marked with a 5/8" rebar and aluminum cap stamped PLS 843;
 Thence North 00°45'16" East, along said West line, 327.84 feet to the Southwest corner of the Southeast Quarter Southwest Quarter of Section 28, said point being marked with a 5/8" rebar and aluminum cap stamped PLS 843;
 Thence North 00°38'37" East, along the West line of the Southeast Quarter Southwest Quarter and the Northeast Quarter Southwest Quarter, a distance of 2629.11 feet to the Northwest corner of said Northeast Quarter Southwest Quarter, said point being marked with a 5/8" rebar and aluminum cap stamped PLS 843;
 Thence North 00°42'00" East along the West line of the Southeast Quarter Northwest Quarter, a distance of 1312.37 feet to the Point of Beginning.

Also, all that part of the East half of the Southwest Quarter of Section 28, Township 6 South, Range 34 East of the Boise Meridian, Bannock County, Idaho not lying within the above described tract.

Subject to a 33.00 foot road easement being Northwesternly of and contiguous with the center line of Trail Creek Road.

Excepting Therefrom any portion of the above described property lying with the following 10 Exceptions:

1. Excepting therefrom a one acre parcel and access easement described in Warranty Deed Instrument No. 93016997
2. Also excepting therefrom all that property described in Quitclaim Deed Instrument No. 21512414 .
3. Also excepting therefrom:

A parcel of land in the North half Southeast Quarter of Section 28 described as follows:

Beginning at the Northwest corner of Warranty Deed Instrument No. 93016997 said point being a 1/2" rebar and plastic cap stamped PLS 977;
 Thence North 68°39'40" East 205.05 feet to a 1/2" rebar and plastic cap stamped PLS 843;

Thence South 08°58'41" East 436.34 feet to a ½" rebar and plastic cap stamped PLS 843;
 Thence South 68°40'53" West 610.16 feet to a point on the Westerly right of way of an access easement described in Warranty Deed Instrument No. 93016997, said point being marked with a ½" rebar and plastic cap stamped PLS 843;
 Thence North 22°33'40" West 401.76 feet to a ½" rebar and plastic cap stamped PLS 843;
 Thence North 43°13'54" East 143.75 feet to a ½" rebar and plastic cap stamped PLS 843;
 Thence South 89°31'28" East 173.02 feet to a ½" rebar and plastic cap stamped PLS 843;
 Thence North 61°38'56" East 217.90 feet to a ½" rebar and plastic cap stamped PLS 977, said point being the Northwest corner of Warranty Deed Instrument No. 93016997;
 Thence South 02°14'31" East, along the Westerly boundary line of said parcel 301.99 feet;
 Thence North 76°00'31" East along the Southerly boundary line of said parcel 147.33 feet;
 Thence North 02°14'31" West along the Easterly boundary line of said parcel 301.99 feet;
 Thence South 76°00'31" West along the Northerly boundary line of said parcel 147.33 feet to the Point of Beginning.

4. Also excepting therefrom:

A tract of land in the East half East half of Section 28 and the West half West half of Section 27, Township 6 South, Range 34 East of the Boise Meridian, Bannock County, Idaho, described as follows:

Commencing at the Northwest corner of the Southeast Quarter Northwest Quarter of said Section 28, said point being marked with a 5/8" rebar and aluminum cap stamped PLS 843;
 Thence South 89°43'09" East, along the North line of said Southeast Quarter Northwest Quarter, a distance of 1313.01 feet to the Northeast corner of said Southeast Quarter Northwest Quarter, said point also being the Northwest corner of a parcel of land recorded in Warranty Deed Instrument No. 267346 and marked with a 5/8" rebar and aluminum cap stamped PLS 843;
 Thence South 00°40'05" West, along the West line of Warranty Deed Instrument No. 267346, a distance of 520.00 feet to a 5/8" rebar and aluminum cap stamped PLS 843;
 Thence South 89°19'55" East, along the South line of said Warranty Deed, 416.00 feet to a 5/8" rebar and aluminum cap stamped PLS 843;
 Thence North 00°40'05" East, along the East line of said Warranty Deed, 522.98 feet to a point on the North line of the Southwest Quarter Northeast Quarter of said Section, said point being marked with a 5/8" rebar and aluminum cap stamped PLS 843;
 Thence South 89°44'31" East, along the North line of said Southwest Quarter Northeast Quarter and the Southeast Quarter Northeast Quarter a distance of 1444.95 feet to the Northwest corner of a parcel described in Warranty Deed Instrument No. 484329 and marked with a 5/8" rebar and aluminum cap stamped PLS 843;
 Thence South 00°43'44" West, along the West line of said Warranty Deed Instrument No. 484329, a distance of 200.00 feet to a 5/8" rebar and aluminum cap stamped PLS 843; the True Point of Beginning;
 Thence, South 89°44'31" East, along the South line of said Warranty Deed Instrument No. 484329, a distance of 714.82 feet to a 5/8" rebar and aluminum cap stamped PLS 843;
 Thence South 32°22'52" West, 193.52 feet to a ½" rebar and plastic cap stamped PLS 843;
 Thence South 0°30'05" East, 183.80 feet to a ½" rebar and plastic cap stamped PLS 843;
 Thence South 14°54'56" East, 316.37 feet to a ½" rebar and plastic cap stamped PLS 843;
 Thence South 38°59'43" East, 126.44 feet to a ½" rebar and plastic cap stamped PLS 843;
 Thence, North 45°45'50" East, 94.63 feet to a point on the Southerly line of a parcel shown on Warranty Deed Instrument No. 20106189 and marked with a ½" rebar and plastic cap stamped PLS 977;

Thence, North 58°37'17" East, along said Southerly line, 184.70 feet to a point on the Southwesterly boundary line of the revised plat of a portion of the West Pocatello Townsite, said point being marked with a ½" rebar and plastic cap stamped PLS 977;
 Thence South 35°01'54" East, along said Southwesterly boundary line of said plat, 1032.85 feet to a point which intersects the centerline of Trail Creek Road;
 Thence, South 55°25'04" West, along said road centerline, 375.12 feet;
 Thence continuing along said road centerline, along a curve to the right, having a radius of 968.00 feet, through a central angle of 11°12'50" for an arc length of 189.46 feet;
 Thence South 66°37'54" West, continuing along said centerline, 595.81 feet;
 Thence continuing along said road centerline, along a curve to the left, having a radius of 286.49 feet, through a central angle of 30°35'00" for an arc length of 152.92 feet;
 Thence, South 36°02'53" West, continuing along said road centerline, 25.20 feet;
 Thence continuing along said road centerline, along a curve to the right, having a radius of 572.95 feet, through a central angle of 21°00'00" for an arc length of 210.00 feet;
 Thence South 57°02'55" West, continuing along said road centerline 59.70 feet;
 Thence continuing along said road centerline, along a curve to the left having a radius of 572.93 feet, through a central angle of 16°00'00" for an arc length of 159.99 feet;
 Thence, South 41°02'50" West, continuing along said road centerline 112.70 feet;
 Thence continuing along said road centerline, along a curve to the right, having a radius of 190.99 feet, through a central angle of 45°00'00" for an arc length of 150.00;
 Thence, South 86°02'56" West, continuing along said road centerline, 43.21 feet
 Thence continuing along said road centerline, along a curve to the left, having a radius of 280.29 feet, through a central angle of 41°19'13", for an arc length of 202.14 feet;
 Thence North 45°16'20" West, leaving said road centerline, 33.00 feet to a point on the Northwesterly right of way line of said Trail Creek Road, said point being marked with a 5/8" rebar and aluminum cap stamped PLS 843;
 Thence North 13°45'28" East, 959.98 to a ½" rebar and plastic cap stamped PLS 843;
 Thence North 08°58'41" West, 436.04 to a ½" rebar and plastic cap stamped PLS 843;
 Thence North 07°07'24" East, 1231.27 to the True Point of Beginning.

5. Also excepting therefrom:

A parcel of land located in Section 28, Township 6 South, Range 34 East, Boise Meridian, Bannock County, Idaho, described as follows:

Commencing at the Southeast corner of Section 28, Township 6 South, Range 34 East, Boise Meridian, being marked by a City of Pocatello 2 inch Alum. Cap, as described in corner Perpetuation and Filing Record Instrument No. 20715537;
 Thence North 00°49'18" East (basis of bearing per Central Meridian of East Zone of the Idaho State Plane Coordinate System) along the East line of said Section 28, a distance of 1181.16 feet;
 Thence North 89°10'42" West perpendicular to said East line, a distance of 868.62 feet, to the Southwest corner of Pocatello City Limits described in Ordinance No. 2789, and recorded in the County of Bannock under Instrument No. 20614097 common with centerline Station 20+94.30 per Bannock County Trail Creek Road Survey depicted on the plan and profile sheet filed under Section 27 and 28, drawer No. 8, on file in the County, also being the Point of Beginning;
 Thence in a Southwesterly direction following said County Surveyed centerline following a 286.48 foot radius curve concave to the Southeast and whose center bears South 04°19'01" East through a central angle of 40°30'00" an arc length of 202.50 feet, to centerline Station 22+96.80 per county survey;
 Thence North 59°11'16" West leaving said County surveyed centerline, a distance of 206.16 feet
 Thence North 25°17'16" West a distance of 138.56 feet;
 Thence North 56°12'02" West a distance of 140.32 feet;
 Thence North 89°53'55" West a distance of 1465.55 feet;
 Thence North 00°00'44" West a distance of 1089.34 feet;
 Thence South 89°41'58" East a distance of 1185.01 feet;
 Thence North 00°28'08" West a distance of 341.56 feet;
 Thence North 20°34'33" East a distance of 239.77 feet;
 Thence North 74°00'03" East a distance of 279.57 feet;
 Thence North 49°27'08" East a distance of 275.65 feet,

Thence South 54°04'47" East a distance of 370.61 feet, to a point on the Pocatello City Limits line described in Ordinance No. 2789, and recorded in the County of Bannock under Instrument No.

20614097;

Thence in a Southerly direction following said City Limits line the next (5) five courses:

1. South 07°10'36" West a distance of 255.47 feet;
2. South 22°56'00" West a distance of 194.19 feet;
3. South 51°39'30" West a distance of 48.42 feet;
4. South 10°16'03" East a distance of 148.52 feet;
5. North 81°55'35" East a distance of 42.46 feet, to Northeast corner of a parcel of land described in Deed Instrument Nos. 20426187 and 20426188, being marked by a ½ inch rebar;

Thence following the Boundary line of said parcel for the next (6) six courses:

1. South 68°38'26" West a distance of 205.05 feet;
2. South 61°37'42" West a distance of 217.90 feet;
3. North 89°32'42" West a distance of 173.02 feet;
4. South 43°12'40" West a distance of 143.75 feet;
5. South 22°34'54" East a distance of 401.77 feet;
6. North 68°39'41" East a distance of 609.86 feet to the Southeast corner of said parcel, being marked by a ½ inch rebar, also being a point on said City Limits line;

Thence in a Southerly direction following said City Limits line the next (11) eleven courses:

1. South 34°28'59" East a distance of 104.22 feet;
2. South 52°15'01" West a distance of 176.12 feet;
3. South 57°34'16" East a distance of 193.73 feet;
4. South 78°34'42" East a distance of 168.51 feet;
5. South 00°21'14" West a distance of 13.84 feet, to a point of tangency with a 135.00 foot radius curve whose center bears North 89°38'46" West;
6. Following said curve in a Southwesterly direction through a central angle of 38°59'00" an arc length of 91.85 feet (the chord of said curve bears South 19°50'44" West a distance of 90.09 feet);
7. South 39°20'14" West a distance of 348.82 feet to a point of tangency with a 90.00 foot radius curve whose center bears South 50°39'46" East,
8. Following said curve in a Southwesterly direction through a central angle of 55°03'02" an arc length of 86.47 feet (the chord of said curve bears South 11°48'43" West a distance of 83.19 feet);
9. South 15°42'48" East a distance of 26.49 feet;
10. South 30°26'06" West a distance of 51.81 feet to a point on the North right-of-way line of Trail Creek Road;
11. South 04°19'01" East a distance of 33.00 feet, to the Point of Beginning.

6. Also excepting therefrom:

Part of the Southwest Quarter of Section 28 and the Northwest Quarter of Section 33, Township 6 South, Range 34 East, Boise Meridian, Bannock County, Idaho described as:

Commencing at the Southwest corner of said Section 28;

Thence South 89°55'09" East 2271.35 feet to a point on the West line of Deed

Instrument No. 20526773 and the Point of Beginning;

Thence South 00°38'37" West 325.38 feet along said West line to the North line of Deed Instrument No. 20325691;

Thence South 89°56'04" West 452.20 feet along said North line;

Thence North 34°47'19" East 805.58 feet to the Northwest corner of said Deed Instrument No. 20526773;

Thence South 00°38'37" West 335.74 feet along the West line of said Deed Instrument No. 20626773 to the Point of Beginning.

7. Also Excepting Therefrom:

A parcel of land located in the South ½ of Section 28, Township 6 South, Range 34 East, Boise Meridian, Bannock County, Idaho, described as follows:

COMMENCING at the Northeast corner of Section 28, Township 6 South, Range 34 East,
Boise Meridian;
Thence South 00°58'30" West (basis of bearing per the central Meridian of the East Zone of the Idaho State Plane Coordinate System) along the East line of said Section 28, a distance of 1316.53 feet, to the North 1/16 corner on the East line of said Section 28;
Thence continuing along the East line of said Section 28, South 00°16'41" West, a distance of 1306.14 feet, to the East ¼ corner of said Section 2;
Thence South 00°49'18" West on a line between said East ¼ corner and the Southeast corner of said Section 28, a distance of 1068.49 feet;
Thence North 89°10'42" West, perpendicular to said Section line, a distance of 2519.23 feet,
to the POINT OF BEGINNING.
Thence South 80°06'34" West a distance of 22.59 feet, to a point of tangency with a 175.00 foot radius curve whose center bears North 09°53'28" West;
Thence following said curve in a Southwesterly direction through a central angle of 10°0'00" for an arc length of 30.54 feet (the chord of said curve bears South 85°06'34" West a distance of 30.50 feet;
Thence North 89°53'26" West, a distance of 131.12 feet;
Thence North 00°00'00" East, a distance of 137.63 feet;
Thence North 90°00'00" West, a distance of 120.00 feet;
Thence North 00°00'00" East, a distance of 225.00 feet;
Thence North 90°00'00" East, a distance of 260.00 feet;
Thence South 07°00'03" East, a distance of 359.00 feet, to the POINT OF BEGINNING

8. Also excepting therefrom:

A parcel of land in the Southeast Quarter Southwest Quarter of Section 28 and the Northeast Quarter Northwest Quarter of Section 33, Township 6 South, Range 34 East of the Boise Meridian, Bannock County, Idaho, described as follows:

Commencing at a 5/8" rebar and aluminum cap stamped PLS 843 on the West line of said Northeast Quarter Northwest Quarter which point bears North 00°45'16" East, 990.30 feet from the Northwest 1/16 corner of said Section 33, which is a 1978 BLM Brass Cap monument, said point of commencement being the Northwest corner of a parcel of land described in Warranty Deed Instrument No. 20325691;
Thence, North 89°56'03" East, along the North line of said Warranty Deed and the North extension line of a parcel of land described in Warranty Deed Instrument No. 20008237 a distance of 959.34 feet to a point on the North line of said Warranty Deed Instrument No. 20008237 to a 5/8" rebar and aluminum cap stamped PLS 843 the True Point of Beginning;
Thence, North 89°56'03" East, continuing along said North line, 96.24 feet to a ½" rebar and plastic cap stamped PLS 843, said point being the Southwest corner of a parcel of land described in Warranty Deed Instrument No. 92002640;
Thence, North 29°33'29" East, along the Northwesterly boundary line of parcels of land described in Warranty Deed Instrument Nos. 92002640 and 625732, a distance of 498.67 feet to a ¾" iron bar at the Northwest corner of the parcel described in Warranty Deed 625732;
Thence, North 89°56'03" East, along the North boundary line of the parcel described in Warranty Deed Instrument No. 625732, a distance of 16.68 feet to a ½" rebar and plastic cap stamped PLS 843 on the North-South centerline of said section 28;
Thence, North 00°40'05" East, along said North-South centerline, 226.70 feet to a ½" rebar and plastic cap stamped PLS 843;
Thence, North 89°55'09" West, 333.54 feet to a 5/8" rebar and aluminum cap stamped PLS 843;
Thence, South 00°38'37" West, 661.12 feet to the True Point of Beginning.

9. Also excepting therefrom:

A parcel of land in the Northeast Quarter Northwest Quarter and Northwest Quarter of Section 33 and the Southeast Quarter Southwest Quarter; and Southwest Quarter Southeast Quarter of Section 28, all in Township 6 South, Range 34 East Boise Meridian, Bannock County, Idaho, more particularly described as follows:

Commencing at the Northwest 1/16 corner of Section 33, Township 6 South, Range 34 East Boise Meridian;
 Thence North along the West 1/16 line of said Section 33, 990.3 feet;
 Thence North 88°40' East, 1283.5 feet to a point on the Northerly right-of-way line of Trail Creek Road;
 Thence North 28°14' East along said right-of-way line 208.8 feet to the True Point of Beginning;
 Thence continuing North 28°14' East along said right-of-way line a distance of 42.8 feet to a point of tangency which is Station 42+31.6;
 Thence continuing along said Northerly right-of-way line on a curve to the right having a radius of 749.2 feet and a central angle of 18 degrees, a distance of 235.4 feet to a point of curvature which is Station 40+06.6;
 Thence North 46°14' East along said right-of-way line 44.8 feet;
 Thence South 88°40' West 297.4 feet;
 Thence South 28°14' West, 290.0 feet;
 Thence North 88°40' East, 240 feet to the True Point of Beginning.

10. Also excepting therefrom:

A parcel of land in the Southwest Quarter Southeast Quarter of Section 28, Township 6 South, Range 34 East of the Boise Meridian, Bannock County, Idaho, described as follows:

Commencing at the South Quarter corner of said Section 28, which is marked with a Bannock County Brass Cap monument;
 Thence, North 00°40'05" East, along the North-South centerline of said section, 109.05 feet to a ½" rebar and plastic cap stamped PLS 843 on the North line of a parcel of land described in Warranty Deed Instrument No. 625732, the True Point of Beginning;
 Thence, North 89°56'03" East, along said North line, 328.84 feet to a point of intersection with the centerline of Trail Creek Road;
 Thence, North 48°00'56" East along said road centerline, 137.31 feet;
 Thence continuing along said road centerline, along a curve to the left having a radius of 841.79 feet, through a central angle of 7°39'14", for an arc length of 112.45 feet;
 Thence, North 40°21'32" East, continuing along said road centerline, 136.51 feet;
 Thence continuing along said road centerline, along a curve to the right having a radius of 358.06 feet through a central angle of 16°06'23", for an arc length of 100.65 feet;
 Thence, North 33°31'56" West, leaving said road centerline, 53.12 feet to a ½" rebar and plastic cap stamped PLS 843;
 Thence, South 67°26'05" West, 298.69 feet to a ½" rebar and plastic cap stamped PLS 843;
 Thence, South 82°45'18" West, 367.89 feet to a ½" rebar and plastic cap stamped PLS 843, said point being on the North-South centerline of said section;
 Thence, South 00°40'05" West, along said North-South centerline, 226.70 feet to the True Point of Beginning.

Parcel 2:

Commencing at the Northeast corner of the Northeast ¼ of the Southeast ¼ of Section 32, Township 6 South, Range 34 East, Boise Meridian;
 Thence South 160 feet along the East boundary line of the above described property;
 Thence at right angles West parallel to the North boundary line 40 feet to the POINT OF BEGINNING

Thence in a West Southwesterly direction 134 feet, more or less, to a point that is 171 feet West of the East Boundary line and 189 feet South of the North boundary line;

Thence in a Southwesterly direction 238 feet, more or less, to a point that is 380 feet West of the East boundary line and 295 feet South of the North boundary line;

Thence in a Southwesterly direction 121 feet, more or less, to a point that is 330 feet West of the East boundary line and 400 feet South of the North boundary line;

Thence in a Northwesterly direction 330 Feet, more or less, to a point that is 40 feet West of the East boundary line and 250 feet South of the North boundary line;

Thence North at right angles 88 feet, more or less, to the POINT OF BEGINNING



State of Idaho

DEPARTMENT OF WATER RESOURCES

Eastern Region • 900 N SKYLINE DR STE A • IDAHO FALLS, ID 83402-1718

Phone: (208)525-7161 • Fax: (208)525-7177 • Website: www.idwr.idaho.gov

Brad Little
Governor

Gary Spackman
Director

June 20, 2019

MIKE ENNIS
PO BOX 6147
POCATELLO ID 83205-6147

Re: Change in Ownership for Water Right No(s): 29-14052, 29-14053 & 29-7980

Dear Water Right Holder(s):

The Department of Water Resources (Department) acknowledges the receipt of correspondence changing ownership of the above referenced water right(s) to you. The Department has modified its records and has enclosed a computer-generated report for you.

Additional information was required in order for the department to complete your request for water right 29-7980. The department recognizes that you have been working with our department to locate the required information, but it has not yet been submitted. The department does not feel it is in your best interest that we hold you application/filing fee any longer. Therefore we have completed the ownership change for water rights 29-14052 and 29-14053 but will not complete the ownership change for 29-7980. Because the ownership change for 29-7980 was not complete you are entitled to a refund of \$25.00. The refund has been initiated and should arrive from state office in a couple of weeks. If at a later date the additional required information is received you can resubmit the ownership change for 29-7980 along with a new application, evidence of ownership and filing fee.

Updating the ownership record for a water right does not reconfirm the validity of the right. When processing a Notice of Change in Water Right Ownership, the Department does not review the history of water use to determine if the right has been forfeited or deliberately abandoned through five years or more of non-use. To read more about water right forfeiture, including how to protect a water right from forfeiture, please see Idaho Code §§ 42-222 and 42-223.

Please note, water right owners are required to report any change of water right ownership and any change of mailing address to the Department within 120 days of the change. Reporting forms are available from any office of the Department, or from the Department's website.

If you have any questions concerning the enclosed information, please contact me at (208) 525-7161.

Sincerely,

Jonie Barg
Technical Records Specialist 1

Enclosure(s)

cc: Water District 29D