

IDAHO DEPARTMENT OF WATER RESOURCES
Water Permit 63-34711

4/17/2019

<u>Owner Type</u>	<u>Name and Address</u>
Attorney	WILLIAM LYMAN BELNAP C/O BELNAP LEGAL PLLC 12550 W EXPLORER DR STE 100 BOISE, ID 83713-1890 (208) 375-2100
Current Owner	RANDALL R HUSKEY 5572 E TOWER LN CALDWELL, ID 83607-8584
Current Owner	LORIE S HUSKEY 5572 E TOWER LN CALDWELL, ID 83607-8584
Original Owner	DAVID C CARTER 7145 W PETRIE ST BOISE, ID 83704 (208) 376-3387
Previous Owner	JONATHAN C CARTER 5575 E TOWER LN CALDWELL, ID 83607-8584

Priority Date: 10/2/2009
Status: Active

<u>Source</u>	<u>Tributary</u>
GROUND WATER	

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
IRRIGATION	03/01	11/15	0.200 CFS	
	<u>Total Diversion</u>		0.200 CFS	

Source and Point(s) of Diversion

GROUND WATER	SWNE	Sec. 36, Twp 06N, Rge 04W, PAYETTE County
GROUND WATER	NWSE	Sec. 36, Twp 06N, Rge 04W, PAYETTE County

Place Of Use

IRRIGATION within PAYETTE County

			NE				NW				SW				SE				Totals
Twp	Rng	Sec	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
06N	04W	36			10.0														10.0

POU Total Acres: 10.0

Conditions of Approval:

- 26A Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of

IDAHO DEPARTMENT OF WATER RESOURCES
Water Permit 63-34711

4/17/2019

- the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
2. 046 Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
 3. 004 This right does not grant any right-of-way or easement across the land of another.
 4. 01M After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
 5. R65 This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
 6. 121 The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows if needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary, if needed for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.

Comments:

1. jhersley 4/17/2019 Split Right
This right is the result of split from 63-33293.
2. jhersley 4/17/2019 POU
Updated Shape

Dates and Other Information

Permit Proof Due Date: 8/1/2020
Permit Approved Date: 8/2/2010
Water District Number: NWD
Generic Max Rate Per Acre: 0.020
Generic Max Volume Per Acre: 4.5
Mitigation Plan: False

Combined Use Limits

N/A

SubCase:

N/A

Water Supply Bank:

N/A