

RECEIVED

MAR 18 2019

DEPARTMENT OF
WATER RESOURCESSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 125Receipt No. C106402Received By [Signature]Date Received 3/18/19

The Idaho Department of Water Resources considers this form a statement by the permit holder(s) that development of a water right has been **completed** and that water has been applied to beneficial use to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner.** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, contact any Department office or visit the Department's website at idwr.idaho.gov for an Assignment of Permit form. If you wish to relinquish your permit because you have not established the authorized use of the water and are not applying for an extension, please notify the Department in writing.

1. Permit No. 63-33744 Telephone No. 208 4845489
2. Name of Permit Holder(s) Beranna Dairy
3. Mailing Address 9166 Perch Rd. City Caldwell
State ID Zip 83607 Email bernieteunissen@gmail.com
4. Source of Water GROUND If **GROUND WATER** (well), Date Drilled mo. 6 / yr. 92
Well Driller Sargent Drilling Inc Drilling Permit Number 63-92 W 174

5. Extent of use(s) completed **as authorized by the water right permit:**Domestic (No. of households) 0 Stockwater (No. and type of stock) _____Irrigation (No. of acres) 93+- Other Supplemental acreage6. Total rate of diversion or storage volume for which proof is submitted 1.3 cfs OR _____ acre-feet.

7. Compliance with a measuring device requirement, lockable controlling device requirement, and/or other conditions of permit: Refer to the approval conditions on your permit and respond accordingly.

The Department will not issue a license if permit conditions are not met.

Measuring Device	Is a measuring device required?	Yes ☒	No ☐
	If yes, has the measuring device been installed?	Yes ☒	No ☐
Lockable Controlling Device	Is a lockable device required to control the diversion?	Yes ☐	No ☒
	If yes, has the lockable device been installed?	Yes ☐	No ☒
Fish Screen	Is a fish screen required?	Yes ☐	No ☒
	If yes, has the fish screen been installed?	Yes ☐	No ☒

Other Conditions of Permit

Do the approval conditions on your permit require you to submit additional information in connection with your proof of beneficial use? If yes, list the conditions below and attach documents with the required information.

Static Water Level Monitoring Completed? Yes ☒ No ☐8. Fee Enclosed \$ 100 or not applicable ☐. See fee schedule on page 2 of the instructions.

Proof statements filed without an appropriate fee, will be considered incomplete.

9. Person to contact to accompany the Department representative during field examination of the water system

Name Bernie Teunissen Telephone Number 208 484 5489

Mailing Address 9166 Perch Rd City Caldwell

State ID Zip 83607 Email bernieteunissen@gmail.com

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to a beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Signature of Permit Holder Bernie Teunissen Date 3-15-2019
(Include your title, if on behalf of company or organization)



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street • P.O. Box 83720 • Boise, Idaho 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700 • Website: www.idwr.idaho.gov

BRAD LITTLE
Governor

GARY SPACKMAN
Director

April 05, 2019

BERANNA DAIRY
9166 PERCH RD
CALDWELL ID 83607

PROOF ACKNOWLEDGEMENT LETTER

RE: Permit No. 63-33744

Dear Permit Holder(s):

The department acknowledges receipt of the proof of beneficial use form (proof) submitted for the above referenced permit.

A \$125.00 license examination fee was also submitted with the beneficial use form. This permit authorizes a diversion rate of 0.32 cfs (cubic feet per second) requiring a license examination fee of \$100.00. The \$25.00 portion of the submitted fee in excess of the required amount will be returned to you in a separate mailing.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office or at the department's website at www.idwr.idaho.gov.

If you have any questions concerning the field examination, please contact the Western Region Office of the department located in Boise at (208) 334-2190.

Sincerely,

Darla Block
Technical Records Specialist

Enclosure(s)

Block, Darla

From: Block, Darla
Sent: Friday, April 05, 2019 9:35 AM
To: Marston, Sascha
Subject: Partial Refund Needing Issued

April 5, 2019

Re: Issuance of a refund under Receipt ID **C106402**
Water Right Permit No. 63-33744

Dear Sascha,

Please issue a refund in the amount of \$25.00 from Receipt ID **C106402**. The total amount receipted was \$125.00. This permit uses a ground water source and has a total rate of diversion of 0.32 cfs which only requires a fee of \$100.00. Please issue a refund in the amount of \$25.00 for the overpayment, and send it to the following:

BERANNA DAIRY
9166 PERCH RD
CALDWELL ID 83607

Thank You,
Darla Block

Block, Darla

From: Bernie Teunissen <bernieteunissen@gmail.com>
Sent: Monday, March 25, 2019 1:33 PM
To: Block, Darla
Subject: Water right correction

Darla
Correcting the errors on the application it should read

Acres; 15

CFS 0.32

Also, I want to concede stock water rights. Add them to irrigation if possible.

Thank you,

Bernie Teunissen Cel 208-484-5489

Idaho Dept of Water Resources. March 15, 2019

Beranna Dairy 9166 Perch Rd. Caldwell Idaho

I recently submitted an application form for beneficial use of WR
63-33744

Inadvertently, I omitted this spreadsheet recording both water use and
static levels.

Sorry for the confusion.

Bernie Teunissen. Cel. 208-484-5489

RECEIVED

MAR 25 2019

WATER RESOURCES
WESTERN REGION

RECEIVED

MAR 27 2019

DEPARTMENT OF
WATER RESOURCES

Beranna Dairy 9166 Perch Rd. Caldwell Idaho. Department of Water Resources March 15 2019

Proof of application of water to beneficial use. WR No. 63-33744. Water use. Static water levels

Water Use ; Water Meter used; Mc Crometer 15-62392-10

2015.	May 3.	June 2.	June 28.	Aug. 8.	Aug. 31.	Oct 31
Acre ft. Reading;	832.	854.	875.	950.	991.	43.
2016.	April 25.	June 1.	June 28.	August 2.	Sept. 8.	Oct. 4
Acre ft. Reading	43.	59.	84.	137.	213.	259
2017.	June 2.	July 9.	August 3.	Sept. 1.	Oct. 6	
Acre ft. Reading.	261.	273.	311.	409.	461	
2018.	May 1.	June 6.	June 28.	August 1.	August 31.	October 3
Acre ft. Reading.	465.	486.	502.	552.	595.	673

Static Water Level Reading; Reader used; ENO SCIENTIFIC Well Sounder 2010 Pro

2015.	2016.	2017.	2018
April 16, 144'.	April 25, 144'.	March 17, 149'.	May 1, 144'
Oct. 4, 153'.	Nov. 1, 155'.	Nov. 1, 152.	Oct. 25, 153

RECEIVED

MAR 25 2019

WATER RESOURCES
WESTERN REGION

Block, Darla

From: Bernie Teunissen <bernieteunissen@icloud.com>
Sent: Wednesday, March 20, 2019 1:19 PM
To: Block, Darla
Subject: WR 63-33744
Attachments: EPSON074.pdf

Darla

Attached is both water monitoring, and static water level data sheet for beneficial use of 63-33744.

I sent in application form and inadvertently omitted this sheet.

I will follow in mail as well.

Sorry for the confusion.

Bernie Teunissen
Beranna Dairy. Cel. 208 484 5489

Bernie Teunissen

Beranna Dairy 9166 Perch Rd. Caldwell Idaho. Department of Water Resources March 15 2019

Proof of application of water to beneficial use. WR No. 63-33744. Water use. Static water levels

Water Use ; Water Meter used; Mc Crometer 15-62392-10

2015.	May 3.	June 2.	June 28.	Aug. 8.	Aug. 31.	Oct 31
Acre ft. Reading;	832.	854.	875.	950.	991.	43.
2016.	April 25.	June 1.	June 28.	August 2.	Sept. 8.	Oct. 4
Acre ft. Reading	43.	59.	84.	137.	213.	259
2017.	June 2.	July 9.	August 3.	Sept. 1.	Oct. 6	
Acre ft. Reading.	261.	273.	311.	409.	461	
2018.	May 1.	June 6.	June 28.	August 1.	August 31.	October 3
Acre ft. Reading.	465.	486.	502.	552.	595.	673

Static Water Level Reading; Reader used; ENO SCIENTIFIC Well Sounder 2010 Pro

2015.	2016.	2017.	2018
April 16, 144'.	April 25, 144'.	March 17, 149'.	May 1, 144'
Oct. 4, 153'.	Nov. 1, 155'.	Nov. 1, 152.	Oct. 25, 153