

RECEIVED

FORM 202 Rev. 09/16

DEC 06 2018

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCESIdent. No. 63-34647

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant(s) RYAN HEUSER Phone (949) 922-9672
 Name connector (check one): ☐ and ☐ or ☐ and/or
 Mailing address 3072 N. SUNNY MEADOW LN City ENGLE
 State ID ZIP 83616 Email RYANHEUSER72@gmail.com
2. Name of representative, if any N/A Phone _____
 Mailing address _____ City _____
 State _____ ZIP _____ Email _____
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☒ Send original correspondence to the applicant and copies to the representative.
- b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply GROUND WATER which is a tributary of _____
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
5N	1E	32			SE	SE	ADA	Well	D0070099

5. Water will be used for the following purposes:
 Amount .11 cfs for IRRIGATION purposes from MANUAL/APPLIC to OCT (both dates inclusive)
 (cfs or acre-feet per year)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) .11 cubic feet per second (cfs) and/or (b) 80 acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. 5HP, 50 GAL SUB PUMP
- b. Height of storage dam N/A feet; active reservoir capacity N/A acre-feet; total reservoir capacity N/A acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate [Application for Construction or Enlargement of a New or Existing Dam](#). Application required? ☐ Yes ☒ No
- c. Proposed well diameter is 6IN. inches; proposed depth of well is 207 feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
- e. If well is already drilled, when? 8/6/15; drilling firm COONKEE WELL & DRILLING & PUMP CO.
 well was drilled for (well owner) RYAN HEUSER; Drilling Permit No. 970167-876224
KIMBALL CHRISTENSEN (ORIGINAL OWNERS)

For Department Use

Received by AK Date 12/12/2018 Time 9:09am Preliminary check by P. KELLY
 Fee \$ 100.00 Receipted by AK Receipt No. W047001 Date 12/12/2018

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in kW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; must complete and attach the Municipal Water Right Application Checklist.
- D Domestic; show number of households 1
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5N	1E	32																X	5

Total number of acres to be irrigated: 5

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? 63-123E, 63-18700

- Who owns the property at the point of diversion? RYAN HEUSER
- Who owns the land to be irrigated or place of use? RYAN HEUSER
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. WBZ = 200 to 500 ft.

13. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).

14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Ryan Heuser
Signature of Applicant
RYAN HEUSER
Print Name (and title, if applicable)

Signature of Applicant

Print Name (and title, if applicable)

11/16/18

To whom it may concern,

I am a homeowner at:
3072 N Sunny Meadow In
Eagle ID 83616

I live in the Honey Creek subdivision. (located Beacon Light and Eagle Rd)

I have irrigation rights/shares to the adjacent canal & am serviced by Capital View Irrigation.

That said, please find my application for new water permit. Having no prior experience with such affairs I filled out the form to the best of my ability and also have included support documentation. I'm asking that I be able to add additional water via my existing well (drilling deeper) My existing well services my residence only at this time). The reason for my request is simple, I am currently receiving inconsistent and sometimes no water flow from the canal. In addition, I've had some issues related to a broken pump house located on a nearby farm, which basically controls the flow and served first. I have no control over the scheduling of the fixes and there seems to be a lack of urgency in this matter. To date the pump house is non operational. As I look to develop my 5 acre lot I need to have the confidence that I can plant trees, pasture grass and also support livestock. As of now, I do not have the confidence to develop my own land.

I am hopeful that if I can drill deeper on my existing well (per Coorse's recommendation) I can solve this problem and bypass this rather precarious situation.

Best,

Ryan Heuser
949 922 9672
rheuser72@gmail.com



July 16, 2018

Re: Well System Report for: 3072 Sunny Meadow Lane, Eagle ID 83616

To whom it may concern:

An inspection was done on a well located at the above address. The well is a 6" well casing with well tag # D0070099 (Well Driller's Report attached). A visual and electrical inspection was done noting that the system is running on a Franklin Drive System with a 2HP Motor with an unknown pump end. The controller is functioning properly.

The pressure tank is a WX-201 (14 gallon) tank and is in good condition.

A flow test was performed by the technician and resulted in 30 gallons per minute at 60 psi.

If you have any other questions, please feel free to call us.

Thank You,

A handwritten signature in cursive script that reads "Susan Echols".


Susan Echols
Burgess Pump and Supply

63

Plat Map

Borrower/Client	NA				
Property Address	3072 N Sunny Meadow Ln				
City	Eagle	County	Ada	State	ID
Lender	Eagle Rock Properties			Zip Code	83616-2700

05 N. 01 E. Sec. 32 SE, SE



X

Well

Well Docs	More info
Well ID	442022
Metal Tag #	D0070099
Permit ID	876224
Owner	KIMBALL CHRISTENSEN
Well Address	3072 N SUNNY MEADOW LN
Well Use	Domestic-Single Residence
Production Rate	75.00
Casing Diameter	6
Static Water Level	94.00
Casing Depth	0.00

[Zoom to](#)

WE ARE THE NEW OWNERS.
RYAN & MELISSA HEUSER



Total Depth	207
Construction Date	August 6, 2015
Basin Number	63
County Name	ADA
Township	05N
Range	01E
Section	32
Quarter	SE
QQQ	
QQ	SE
GovLotNum	0
Lot	
Block	
Subdivision	

Location Source	GPS - Manually Entered
Current Status	
App Type	
Diversion Name	
Latitude	43.72
Longitude	-116.36
SpatialDataID	497187



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region • 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Website: www.idwr.idaho.gov

BRAD LITTLE
Governor

GARY SPACKMAN
Director

February 14, 2019

CAPITAL VIEW IRRIGATION DIST
PO BOX 208
EAGLE ID 83616

Re: Application for Permit No. 63-34647

Dear Interested Party:

The above referenced application may be of interest to you. I would like to inform you that the application has been submitted to the *Idaho Statesman* for advertising. I have enclosed a copy of the application for your convenience. This information is also available on our website www.idwr.idaho.gov.

If you desire to file a formal protest against approval of the application, a written protest along with the \$25.00 protest fee must be received in this office by **March 11, 2019**. A copy of the protest must also be sent to the applicant.

If you have any questions regarding the application, please contact this office at 208-334-2190.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Anna Kaiser', is written over a light blue circular stamp.

Anna Kaiser
Administrative Assistant
Western Regional Office

Enclosures



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region • 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Website: www.idwr.idaho.gov

BRAD LITTLE
Governor

GARY SPACKMAN
Director

February 13, 2019

RYAN HEUSER
3072 N SUNNY MEADOW LN
EAGLE, ID 83616

Application for Permit No. 63-34647

Dear Applicants:

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the IDAHO STATESMAN on 2/21/2019 and 2/28/2019. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Anna Kaiser
Administrative Assistant

Kaiser, Anna

From: Kaiser, Anna
Sent: Wednesday, February 13, 2019 11:40 AM
To: 'BOI Legals'
Subject: Ada Legal Ad
Attachments: Cover Letter.docx; Legal Notice.docx

Follow Up Flag: Follow up
Flag Status: Flagged

Good Morning Legal Clerk,

See the attached ad for publication on 2/21/2019 & 2/28/2019.

Please confirm these are okay to publish as shown.

Thank you,
Anna

Anna Kaiser | Administrative Assistant I
IDWR-Western Region
2735 W Airport Way, Boise ID 83705
(208).334.2190 | anna.kaiser@idwr.idaho.gov

February 13, 2019

LEGAL NOTICE DEPARTMENT
IDAHO STATESMAN
PO BOX 40
BOISE, ID 83707

RE: Application For Permit Nos: 61-12336, 63-34647, 63-34659, 63-34665

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 3/11/2019. Your cooperation is appreciated.

Sincerely,

Anna Kaiser
Administrative Assistant

Enclosures

The following applications have been filed to appropriate the public waters of the State of Idaho:

61-12336

STATE OF IDAHO
MILITARY DIVISION
C/O JAMES COLE PACKWOOD
4040 W GUARD ST BLDG 600
BOISE, ID 83705-5004
Point of Diversion NENW S36 T03S R03E ADA County Source GROUND WATER
Use: DOMESTIC 01/01 to 12/31 0.1 CFS
Total Diversion: 0.1 CFS
Date Filed: 1/30/2019
Place Of Use: DOMESTIC
T03S R03E S36 NENW

63-34647

RYAN HEUSER
3072 N SUNNY MEADOW LN
EAGLE, ID 83616
Point of Diversion SESE S32 T05N R01E ADA County Source GROUND WATER
Use: IRRIGATION 03/01 to 11/15 0.11 CFS
Total Diversion: 0.11 CFS
Date Filed: 12/6/2018
Place Of Use: IRRIGATION
T05N R01E S32 SESE
Total Acres: 5
Water bearing zone to be appropriated is from 200 to 500 feet.

63-34659

CITY OF BOISE
DEPT OF PARKS & RECREATION
1104 ROYAL BLVD
BOISE, ID 83706-2898
Point of Diversion L3(NESW) S29 T03N R03E ADA County Source GROUND WATER Tributary BOISE RIVER
Point of Diversion L4(NWSW) S29 T03N R03E ADA County Source GROUND WATER Tributary BOISE RIVER
Use: IRRIGATION 03/01 to 11/15 0.96 CFS
Total Diversion: 0.96 CFS
Date Filed: 1/14/2019
Place Of Use: IRRIGATION
T03N R03E S29 L3(NESW) L4(NWSW) SESW
Total Acres: 20
Mitigation is proposed for consumptive use.
Water bearing zone to be appropriated is from 0 to number 120.
Application proposes 16 acres of irrigation within the place of use described. The proposed irrigation is for landscaping and green space in the proposed Alta Harris Park.

63-34665

Colson Family Revocable Trust
1124 S FIVE MILE RD
BOISE, ID 83709
Point of Diversion SWNE S15 T02N R01E ADA County Source GROUND WATER
Use: DOMESTIC 01/01 to 12/31 0.06 CFS
Use: IRRIGATION 03/01 to 11/15 0.3 CFS
Total Diversion: 0.36 CFS
Date Filed: 1/22/2019
Place Of Use: DOMESTIC, IRRIGATION
T02N R01E S15 SWNE
Total Acres: 15
Water bearing zone to be appropriated is from 100 to 300 feet.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Western Region office at (208) 334-2190; or for a full description of the right(s), please see www.idwr.idaho.gov. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of the application(s) must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 3/11/2019. The protestant must also send a copy of the protest to the applicant

GARY SPACKMAN, Director

Published on 2/21/2019 and 2/28/2019



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region • 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER

Governor

December 12, 2018

GARY SPACKMAN

Director

RYAN HEUSER
3072 N SUNNY MEADOW LN
EAGLE ID 83616

COPY

RE: Application for Permit No. 63-34647

Dear Applicant(s):

The Idaho Department of Water Resources (IDWR) received your Application for Permit seeking a new water right. Your proposal involves a point of diversion within an area where new appropriations of water from the Boise River system (including ground water less than 200 ft below ground surface considered tributary to the river) are not approvable since the Boise River system is considered fully appropriated above Star Bridge. IDWR policy states that applications for consumptive use that propose diversion of water in this portion of the Boise River system will be held without further processing unless the applicant can show that the new appropriation will not injure existing users or that injury will be avoided through some mitigating practice that completely offsets the impacts (in time, location, and quantity) of the proposed use on the water supply of other users.

Based on the information above, the following are the options with regard to your application:

- a) You may provide evidence the use will not injure existing water right users.
- b) You may provide an acceptable mitigation plan to offset injury to existing water right users.
- c) For groundwater appropriations, you may agree to a condition on an approval that prohibits the use of ground water from less than 200 feet below ground surface.
- d) You may request IDWR to hold your application without further processing
- e) You may withdraw your application (form enclosed).

If you choose option b, please provide a detailed plan to mitigate the depletion expected by the proposed use. The plan should describe the expected depletion to the Boise River from the new appropriation, and should describe how that depletion will be mitigated at the appropriate quantity and time. IDWR Application Processing Memorandum #71 and #72 describe various types of mitigation and the criteria for evaluating mitigation plans (copies enclosed for your reference).

Please provide IDWR with a written response outlining which option you chose with regard to your application. You may seek additional time to provide the response by making a written request to interrupt processing for up to six months. The application will be voided without a timely written reply within the next thirty (30) days. Refunds are not issued for voided applications.

IDWR forms and other information are available on the Internet at www.idwr.idaho.gov. Please contact me at 208-334-2190 if you need more information. Thank you for your attention to these matters.

Regards,

Patrick Kelly
Water Resource Agent, Sr.

Enclosures: Memo #s 71 and 72, withdrawal form