

State of Idaho
Department of Water Resources
Amended Permit to Appropriate Water

NO. 15-07443

Priority: July 05, 2007

Maximum Diversion Rate: 0.75 CFS

This is to certify, that **DOUBLE D FARMS LLC**
2333 W 500 S
MALAD ID 83252

has applied for an amendment of a permit and the amendment is APPROVED for development of water as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.75 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 14 Twp 14S Rge 35E, B.M. ONEIDA County

PLACE OF USE: IRRIGATION

Tw	Rge	Sec	NE				NW				SW				SE				
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
14S	35E	14						40.0											40.0

Total Acres: 40

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **October 01, 2020**.
2. Subject to all prior water rights.
3. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
4. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
5. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.
6. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.

This amendment of permit is issued pursuant to the provisions of Section 42-211, Idaho Code.

Signed this 9th day of February, 2019.



JAMES CEFALO
Water Resources Program Manager

SCANNED
FEB 03 2019