

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONPermit No: 95-17436

Exam Date: 1-15/19

1. Does this qualify for an in-office field exam (IDAPA 035.02.r)? x Y N
- Irrigation of 5 acres or less
 - Storage of up to 14.6 AF for stockwater purposes only
 - Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
 - Other < >

2. Current Owner: Name: Scott T Rische & Lori A Rische
 Owner of Record Correct? x Y N
 Address of Record Correct? x Y N
 If No:

3. Fees have been paid: x Y N Receipt No: NA- ground water right

4. **SOURCE** **TRIBUTARY**

Ground Water

Method of Determination: Permit, Proof and ArcMap

Change in Source: Y x N**B. OVERLAP REVIEW**

1. Other water rights with the same place of use: 95-17435

Water Right No.	Source	Purpose of Use	Basis
95-17435	Hayden Lake	Irrigation	permit

Comments:

2. Other water rights with the same point of diversion: NA

Water Right No.	Source	Purpose of Use	Basis

Comments: < >

C. DIVERSION AND DELIVERY SYSTEM1. **LOCATION OF POINT(S) OF DIVERSION:**

Source	Govt. Lot	¼	¼	¼	Sec	Twp.	Rge.		County
Ground water	2		NW	NE	3	51N	03W	B.M.	Kootenai
								B.M.	
								B.M.	

Method of Determination: PERMIT FILE AND COUNTY RECORDS

Change in POD? Y x N Amendment Required? Y N

2. PLACE OF USE: Use: DOMESTIC

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51N	3W	3		X			X												
Total Acres =																			0

Method of Determination: PERMIT FILE & ARCMAP

Change in POU? Y X N Amendment Required? Y X N3. Delivery System Diagram Attached (required). Indicate all major components and distances between components. Indicate weir size/pipe as applicable. Aerial Photo Attached (required for irrigation of 10+ acres). Photo of Diversion and System Attached

4. Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: < >**E. FLOW CALCULATIONS** Additional Computation Sheets Attached

Measured Method:

License recommend for 0.04 CFS**F. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses: Domestic No volume will be added. Permit is limited to 13,000 gpd.

G. PURPOSE OF USEIrrigation Y N # Stock Domestic # of Homes 1

Other: < >

Change in Purpose of Use? ☐ Y ☐ N

Method of Determination: PERMIT FILE

If Yes: From Use _____ To Use _____ Amount _____ CFS _____ AFA _____

H. NARRATIVE/REMARKS/COMMENTS

DOMESTIC USE: Assessor information per: ArcMap photo (2017), Google Earth (2014) confirmed dwelling on site. Place of use in Lots 21 & 22 in the North Shore Tracts, POD is a shared well located on Lots 25, 26 in the North Shore Tracts. No well log was found for the well. There is a well agreement attached to the application. Well agreement states the well is for potable water and should not be used for irrigation, as this is considered an impairment of the system.

This right when combined with water right permit 95-17435 is limited to 0.04 cfs and the irrigation of 0.2 acres. The limits on water right permit 95-17435 are not the same (limited to 0.02 cfs and 0.2 acres).

Have conditions of permit approval been met? ☒ Yes ☐ No**I. RECOMMENDATIONS****1. Recommended Amounts**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 TO 12/31	0.04 CFS	
<u>Totals:</u>		0.04 CFS	

2. Recommended Amendments☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

Other: NONE

J. AUTHENTICATIONField Examiner's Name Jan Hestey Date 1-15-19Reviewer Dennis M. Gule Date 1-16-19

Untitled - ArcMap

File Edit View Bookmarks Insert Selection Geoprocessing Customize Windows Help

Process POU POO Wells SC WMIS Dam Safety LUC WRA Hydrologic Enforcement Tools

Editor

Identify

Identify from: Parcels

Parcels

RISCHE FAMILY TRUST

Location: 2,299,593.713 1,848,025.236 Meters

Field	Value
ID	10330451
UPDATED	9/10/2018
PDI	01620000021A
OWNER	RISCHE FAMILY TRUST
ADDRESS1	14370 N SAMHILL TRL
ADDRESS2	<null>
CITY	HAYDEN
STATE	ID
ZIPCODE	83835
P_ADDRESS	14370 N SAMHILL TRL
P_ZIPCODE	<null>
SUB_NAME	NORTH SHORE TRACTS
LEGAL1	NORTH SHORE TRACTS, TAX#17905 IN LTS 21 & 22, INT IN PVT RDS
LEGAL2	<null>
LEGAL3	<null>
LEGAL4	<null>
LEGAL5	<null>
LEGAL6	<null>
ACRES	0.2
COUNTY	Kootenai
SOURCE	<null>
YEAR_BUILT	1999

Identified 1 feature

Drawing

2299003.818 1848075.74 Meters

Untitled Map

Write a description for your map.

Legend

-  14370 N Samhill Trail
-  Andy Kemp-Realtor

14370 N Samhill Trail

Google Earth

© 2018 Google

100 ft

N

Kootenai County, Idaho

generated on 1/14/2019 1:38:58 PM CST

Parcel

Parcel Number	AIN	Situs Address	Data as of
05620000021A	141747	14370 N SAMHILL TRL, HAYDEN	1/12/2019

Owner Information

Owner Name	RISCHE FAMILY TRUST
Owner Address	14370 N SAMHILL TRL HAYDEN ID 83835
Transfer Date	12/12/2017
Document #	
Deed Book/Page	

Location / Description

Tax Authority Group	118000	Current Legal Desc.	NORTH SHORE TRACTS, TAX#17905 IN LTS 21 & 22, INT IN PVT RDS Section 03 Township 51N Range 03W
Situs Address	14370 N SAMHILL TRL, HAYDEN		
Acreage	.2431		

Parcel Type

Property Class Code	537- Imp res rural sub
Neighborhood Code	3505 HAYDEN FRONTAGE-EAST SIDE

Assessment Information

Appraisal Date	07-10-2018	Current Year	2018	Prior Year	2017
Market Value Land	\$278,895	Homeowners Eligible Amt Land	\$0	Homeowners Eligible Amt Land	\$286,930
Market Value Improvement	\$258,640	Homeowners Eligible Amt Imp	\$0	Homeowners Eligible Amt Imp	\$188,770
Total Market Value	\$537,535	Sum Homeowners Eligible Amt	\$0	Sum Homeowners Eligible Amt	\$475,700
		Homeowners Exemption Allowed	\$0	Homeowners Exemption Allowed	\$100,000
Acreage	0.2431	Total Market Value	\$537,535	Total Market Value	\$475,740
		Homeowners Exemption Allowed	\$0	Homeowners Exemption	\$100,000
		Ag/Timber Exemption	\$0	Ag/Timber Exemption	\$0
		Other Exemptions	\$0	Other Exemptions	\$0
		Net Taxable Value	\$537,535	Net Taxable Value	\$375,740

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 95-17435

Priority: January 04, 2018

Maximum Diversion Rate: 0.02 CFS

This is to certify, that LORI A RISCHE
2560 NORTHSIDE DR APT 206
SAN DIEGO CA 92108

And

SCOTT T RISCHE
2560 NORTHSIDE DR APT 206
SAN DIEGO CA 92108

has applied for a permit to appropriate water from:

Source: HAYDEN LAKE

Tributary: SINKS

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.02 CFS

LOCATION OF POINT(S) OF DIVERSION:

HAYDEN LAKE NE1/4, NW1/4, Sec. 3, Twp 51N, Rge 03W, B.M., KOOTENAI County

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51N	03W	3		.1				.1				.1							.2
				L 2				L 2											


Total Acres: 0.2

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **February 01, 2023**.
2. Subject to all prior water rights.
3. This right does not grant any right-of-way or easement across the land of another.
4. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the place of use.
5. A fish screen of 1/4 inch or smaller mesh shall be installed and maintained at the point of diversion.
6. Rights 95-17435 and 95-17436 when combined shall not exceed a total diversion rate of .02 cfs and the irrigation of 0.2 acres.
7. Use of water under this right may be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 95A.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.

Signed, this 13th day of February, 20 18.


DOUGLAS JONES, P.E., Northern Regional Manager