

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESIdent. No. 96-9710

AUG 01 2018

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

IDWR / NORTH

1. Name of applicant(s) Kevin and WENDY MORSE Phone 253-350-3195
 Mailing address 277 N. RIVER LAKE DR. City CLARK FORK
 State ID ZIP 83811 Email MORSEKEVIN1960@gmail.com
 Name connector (check one): ☒ and ☐ or ☐ and/or
2. Name of representative, if any _____ Phone _____
 Mailing address _____ City _____
 State _____ ZIP _____ Email _____
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☐ Send original correspondence to the applicant and copies to the representative.
- b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply CLARK FORK RIVER which is a tributary of LAKE PEND OREILLE
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
55N	02E	11	NA		NE	SE	BONNER	CLARK FORK RIVER	

5. Water will be used for the following purposes:
- Amount .02 for IRRIGATION purposes from 04-01 to 10-31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount .18 for FIRE PROTECTION purposes from 01-01 to 12-31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) .18 cubic feet per second (cfs) and/or (b) _____ acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. 3HP NON-SUBMERSIBLE PUMP; 35PSI @ 20ft lift @ 70% efficiency to irrigation system for 4 acres & FIRE HOSES.
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
- e. If well is already drilled, when? _____; drilling firm _____; well was drilled for (well owner) _____; Drilling Permit No. _____

For Department Use

Received by _____ Date _____ Time _____ Preliminary check by _____
 Fee \$ _____ Received by _____ Receipt No. _____ Date _____

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in kW. _____
 - Stockwatering; list number and kind of livestock. _____
 - Municipal; must complete and attach the Municipal Water Right Application Checklist.
 - Domestic; show number of households _____
 - Other; describe fully. FIRE PROTECTION - 1 1/2" x 300' FIRE HOSE w/ BRASS NOZZLE WILL BE AVAILABLE ON PLACE OF USE PROPERTY FOR FIRE FIGHTING
9. Description of place of use:
- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 - If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
55N	02E	11													.4				.4
55N	02E	11													FP				
															GL6				

Total number of acres to be irrigated: .4

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? NONE
11. a. Who owns the property at the point of diversion? IDOL - Idaho Dept. of LANDS
b. Who owns the land to be irrigated or place of use? APPLICANTS
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____
12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. Irrigation restricted to $\leq .02$, however, with irrigation shut off pump will produce .18 cfs to attached fire hose for fire suppression. Dock permit records attached for reference. IDOL states encroachment permit not required
13. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).
14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8 1/2" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Kevin Morse
Signature of Applicant
KEVIN MORSE
Print Name (and title, if applicable)


Wendy Morse
Signature of Applicant
WENDY MORSE
Print Name (and title, if applicable)

State of Idaho
Department of Water Resources
Application For Permit



- PLS Sections
- Taxlots

Tax parcel information provided by Bonner County.



- IRRIGATION
- FIRE SUPPRESSION



MAP PROVIDED BY IDWR BECAUSE ONLINE MAP NOT AVAILABLE DUE TO MAINTENANCE 7-20-18



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

October 7, 2010

Kevin & Wendy Morse
13913 136th St CT E
Orting WA 98360

RE: Joint Application for Permit No. 96-20064.

Dear Mr. & Mrs. Morse:

SPOKE W/
GREG TAYLOR ON
9/4/12 TO VERIFY
NOTHING FURTHER
NEEDED FOLLOWING
COMPLETION

This office has reviewed your above referenced application for a permit to alter the channel of the Clark Fork River and has prepared a decision as provided for in Section 42-3805, Idaho Code. Your cooperation in meeting these conditions is appreciated. If you cannot meet the conditions set forth in the permit, please contact this office for further consideration.

Your project may require a separate permit from the U.S. Army Corps of Engineers. You should contact them to obtain any required permit before you start work.

PERMIT



You may consider this letter as a permit to alter the channel of the Clark Fork River by installing three 10 inch steel piles. The project is located within Section 11, T55N, R2E, B.M Your project is subject to the following Conditions and Minimum Standards:

SPECIAL CONDITIONS:

- [1] All construction shall be completed in accordance with the descriptions & methods on the application and attachments, unless otherwise specified. Any changes must be approved by this department prior to construction.
- [2] Hazardous, toxic and/or deleterious materials must not be stored, disposed of or accumulated adjacent to a waterway, unless adequate measures and controls are provided to insure these materials will not enter the waterway as a result of high water, precipitation runoff, wind, storage facility failure, accidents in operation or unauthorized third party activities.
- [4] This permit shall expire December 31, 2011.

RECEIVED

JUL 26 2018

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Ident. No. _____

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

IDWR / NORTH

1. Name of applicant(s) KEVIN & WENDY MORSE Phone 253 350 3195
 Name connector (check one): ☒ and ☐ or ☐ and/or
 Mailing address 277 N. RIVER LAKE DR. City CLACK FORK
 State ID ZIP 83811 Email MORSEKEVIN1960@GMAIL.COM
2. Name of representative, if any _____ Phone _____
 Mailing address _____ City _____
 State _____ ZIP _____ Email _____
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☐ Send original correspondence to the applicant and copies to the representative.
- b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply CLACK FORK RIVER which is a tributary of _____
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
55N	2E	11	N/A			NE SE	BONNER	CLACK FORK RIVER	

5. Water will be used for the following purposes:
- Amount .02 for IRRIGATION/FIRE SUPP. purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) .18 cubic feet per second (cfs) and/or (b) _____ acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. 3 HP PUMP; 35 PSI @ 20 FT. @ 70% EFFICIENCY
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
- e. If well is already drilled, when? _____; drilling firm _____; well was drilled for (well owner) _____; Drilling Permit No. _____.

For Department Use

Received by 1 Date _____ Time _____ Preliminary check by _____
 Fee \$ 100.00 Received by MS Receipt No. N033619 Date 7-26-18

Original Application

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in kW. _____
 - Stockwatering; list number and kind of livestock. _____
 - Municipal; must complete and attach the Municipal Water Right Application Checklist.
 - Domestic; show number of households _____
 - Other; describe fully. FIRE SUPPRESSION
9. Description of place of use:
- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 - If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
55N	2E	11				.36													
						D													

Total number of acres to be irrigated: .36

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? NONE
11. a. Who owns the property at the point of diversion? APPLICANTS
- b. Who owns the land to be irrigated or place of use? APPLICANTS
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____
12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. IRRIGATION RESTRICTED TO ≤ 0.02 , HOWEVER WITH IRRIGATION SHUT OFF PUMP WILL PRODUCE .18 CFS TO ATTACHED FIRE HOSE FOR FIRE SUPPRESSION.
- DOCK PERMIT RECORDS ATTACHED FOR REFERENCE
13. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).
14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Kevin Morse
 Signature of Applicant
KEVIN MORSE
 Print Name (and title, if applicable)

Wendy Morse
 Signature of Applicant
WENDY MORSE
 Print Name (and title, if applicable)

State of Idaho
Department of Water Resources
Application For Permit



- PLS Sections
- Taxlots

Tax parcel information provided by Bonner County.

0 0.02 0.04 0.08 Miles

- IRRIGATION
- FIRE SUPPRESSION



MAP PROVIDED BY IDWR BECAUSE ON LINE MAP NOT AVAILABLE DUE TO MAINTENANCE 7-20-18



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

October 7, 2010

Kevin & Wendy Morse
13913 136th St CT E
Orting WA 98360

RE: Joint Application for Permit No. 96-20064.

Dear Mr. & Mrs. Morse:

This office has reviewed your above referenced application for a permit to alter the channel of the Clark Fork River and has prepared a decision as provided for in Section 42-3805, Idaho Code. Your cooperation in meeting these conditions is appreciated. If you cannot meet the conditions set forth in the permit, please contact this office for further consideration.

Your project may require a separate permit from the U.S. Army Corps of Engineers. You should contact them to obtain any required permit before you start work.

PERMIT



You may consider this letter as a permit to alter the channel of the Clark Fork River by installing three 10 inch steel piles. The project is located within Section 11, T55N, R2E, B.M Your project is subject to the following Conditions and Minimum Standards:

SPECIAL CONDITIONS:

[1] All construction shall be completed in accordance with the descriptions & methods on the application and attachments, unless otherwise specified. Any changes must be approved by this department prior to construction.

[2] Hazardous, toxic and/or deleterious materials must not be stored, disposed of or accumulated adjacent to a waterway, unless adequate measures and controls are provided to insure these materials will not enter the waterway as a result of high water, precipitation runoff, wind, storage facility failure, accidents in operation or unauthorized third party activities.

[4] This permit shall expire December 31, 2011.

SPOKE W/
GREG TAYLOR ON
9/4/12 TO VERIFY
NOTHING FURTHER
NEEDED FOLLOWING
COMPLETION



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region • 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815-7763
Phone: (208) 762-2800 • Fax: (208) 762-2819 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

July 27, 2018

****Time Sensitive Response Required****

Kevin Morse or Wendy Morse
277 N River Lake DR
Clark Fork, ID 83811

Re: Unacceptable for Filing status on Application for Permit (Rule 35 Application Requirements)

Dear Mr. or Mrs. Morse:

Idaho Department of Water Resources (IDWR) received your Application for Permit on July 26, 2018 to divert water for Irrigation or Domestic use, and Fire Protection, in Bonner County. We are contacting you because your Application is currently unacceptable for filing. The tributary is not named and the Application Map does not agree with the legal descriptions for the uses shown on Line 9 (Page 2 of Application). These errors must be corrected before IDWR can process your Application and publish required legal notices. A copy of the current Application is enclosed.

Please review the enclosed IDWR information and phone me at (208) 762.2816 for assistance to correct the Application by reviewing and correcting the following information:

- Line 3 incorrect (Lake Pend Oreille is tributary).
- Line 5 Irrigation & Fire Protection (separate CFS amounts & use periods).
- Line 8 (e) fully describe planned Fire Protection equipment.
- Line 9 incorrect Place(s) of Use information.

Please telephone me about this Application. **An Application that is acceptable for filing must be received no later than August 30, 2018.** IDWR will take steps to terminate the Application, if no response is received, in accordance with Idaho Code § 42-204.

Respectfully,

Shaun M. Maxey
Sr. Water Resource Agent
Idaho Department of Water Resources, Northern Region

Enclosures:

Copy of current Application For Permit form & map

Jones, Doug

From: Jones, Doug
Sent: Tuesday, August 28, 2018 5:25 PM
To: 'morsekevin1960@gmail.com'
Cc: Maxey, Shaun; Frederick, Adam; Carlson, Joseph
Subject: Water Right Application 97-9710, Clark Fork River

Mr and Mrs Morse,

I am reviewing your application before advertising and have some questions I hope you can clarify. I noted that the flow rate for fire protection uses (80 gallons per minute) is quite a bit larger than the irrigation component, and that the diversion description identifies a pump size that would support the full active fire suppression flow rate at all times. What design plan do you have that would cost effectively throttle that pump discharge down to 9 gallons per minute during routine irrigation use? Idaho Water Resources policy is that a water right for active fire fighting is not required and if the applicant chooses to file for fire protection then a condition is applied to the permit to restrict the diversion only to times a fire is being fought. Diverting 80 gpm for irrigation would be a violation of Idaho Law and could result in penalties. Perhaps you could consider using separate pumps for the uses so that the 3 hp is ONLY used to fight the fire and the ½ hp pump would be used for irrigating. Or, perhaps you could drop the fire protection, get a \$150 refund, and have the big pump stored nearby to roll into place and used during a fire.


Another question I have relates to the constructed ground water well on the property and how your plans for development of a house and landscaping relate to the present application. As you may know Idaho allows development of a home, water of livestock and no more than ½ acre of landscaping without requiring a water right be obtained. Would you be anticipating that no well water would be used for landscaping? *House only.*

I would be happy to visit by phone with you about these questions and how to move forward, or we can interact by email to accomplish this. If you choose to proceed without clarifications, then IDWR may approve the application in part and with conditions that may not fit your needs. I am interested in making the best water right filing for your purposes.

Thank you for your attention to this and look forward to working with you.

Douglas Jones
Northern Regional Manager

208.762.2800



Homeowner to comply with local plumbing codes pertaining to backflow protection and service line connection. The accuracy of your drawing and how well you answer all related questions will determine the accuracy of your custom design. RAIN BIRD OFFERS THIS DESIGN ONLY AS A GUIDELINE. NO GUARANTEE OF DESIGN ACCURACY, SYSTEM INSTALLATION OR OPERATION IS IMPLIED.



SPRINKLER SYSTEM DESIGN

Registered trademark of Rain Bird Corporation
 © 2009 Rain Bird Corporation

Scale: Square = 5 x 5 ft

Sheet: Circuits/Piping

Date: 5/9/2017

Design No.
 F215107

Custom Designed For:

Kevin Morse
 277 N. River Lake Dr.
 Clarkfork, ID 83811
 (253) 350-3195

Designed By:
 Rain Bird Design Service


ESO

Questions About Your Design?

Call 1-800-426-7782
 Fax to 1-800-862-4927
 Email to designservice@rainbird.com

Contact Rain Bird
 for Product Questions





Homeowner to comply with local plumbing codes pertaining to backflow protection and service line connection. The accuracy of your drawing and how well you answer all related questions will determine the accuracy of your custom design. RAIN BIRD OFFERS THIS DESIGN ONLY AS A GUIDELINE. NO GUARANTEE OF DESIGN ACCURACY. SYSTEM INSTALLATION OR OPERATION IS IMPLIED.



SPRINKLER SYSTEM DESIGN

Registered trademark of Rain Bird Corporation
© 2009 Rain Bird Corporation

Scale: Square = 5 x 5 ft

Sheet: Sprinklers/Patterns

Date: 5/9/2017

Design No.
F215107

Custom Designed For:

Kevin Morse
277 N. River Lake Dr.
Clarkfork, ID 83811
(253) 350-3195

Designed By: ESO
Rain Bird Design Service

Questions About Your Design?

Call 1-800-426-7782
Fax to 1-800-862-4927
Email to designservice@rainbird.com

Contact Rain Bird
for Product Questions



Irrigation Symbols

Qty	Symbol	Description	Part No.	Pressure
3		Rain Bird 32SA 1.0	W32001	45
6		Rain Bird 32SA 1.5	W32001	45
5		Rain Bird 42SA 1.0	W42003	45
7		Rain Bird 42SA 2.0	W42003	45
3		Rain Bird 42SA 3.0	W42003	45
2		Rain Bird CPF100 Valve	B61287	
1		Rain Bird XCZ075PRFI Valve	X10306	
1		Rain Bird SST-400in Controller	C50407	
1		New Water Source		
750.47 (ft)		Lateral - Poly 80 1 1/4" Pipe		
146.56 (ft)		Mainline - PVC Schedule 40 1 1/4" Pipe		
51.9 (ft)		1/2" Blank Tubing	A50904B	
97.51 (ft)		1/2" Emitter Tubing, 18" emitter spc. 2' row spc.	A50924	

Design standards and product limitation restrict water flow to 24 GPM maximum. Recommended system pressure for optimal rotor head performance is 60 PSI. Valves and pipe are indicated for graphic clarity. Locate as appropriate. Indoor timers to be installed inside or in waterproof cabinet. Accuracy of the design is limited to the accuracy of the drawing and information submitted. System designed for pump providing 24 GPM at 40 PSI with 1 1/4 inch delivery line.

** The custom irrigation system design (the "Design") that Rain Bird Corporation ("Rain Bird") is preparing for you is based upon drawings and other information that you provide to Rain Bird, and so the Design will be affected by the accuracy and completeness of the information. Also, the Design is based upon the assumption that Rain Bird products will be used in the irrigation system, and the effectiveness of the Design may be adversely impacted if other manufacturer products are used. There are no warranties on the Design, express or implied, including with respect to whether the Design complies with applicable codes, nor will Rain Bird be responsible for any incidental or consequential damages.

***Hydraulic calculations maintain water velocity below 5 feet per second.

Homeowner to comply with local plumbing codes pertaining to backflow protection and service line connection. The accuracy of your drawing and how well you answer all related questions will determine the accuracy of your custom design. RAIN BIRD OFFERS THIS DESIGN ONLY AS A GUIDELINE. NO GUARANTEE OF DESIGN ACCURACY, SYSTEM INSTALLATION OR OPERATION IS IMPLIED.



SPRINKLER SYSTEM DESIGN

® Registered trademark of Rain Bird Corporation
© 2009 Rain Bird Corporation

Scale: Square = 5 x 5 ft

Sheet: Circuits/Piping

Date: 5/9/2017

Design No.
F215107

Custom Designed For:

Kevin Morse
277 N. River Lake Dr.
Clarkfork, ID 83811
(253) 350-3195

Designed By:
Rain Bird Design Service

ESO

Questions About Your Design?

Call 1-800-426-7782
Fax to 1-800-862-4927
Email to designservice@rainbird.com

Contact Rain Bird
for Product Questions





State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region • 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815-7763
Phone: (208) 762-2800 • Fax: (208) 762-2819 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

November 29, 2018

KEVIN MORSE
WENDY MORSE
277 N RIVER LAKE DR
CLARK FORK, ID 83811

Application For Permit No. 96-9710

Dear Applicants:

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the BONNER COUNTY DAILY BEE on 12/6/2018 and 12/13/2018. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Tammy Alleman
Administrative Assistant

Alleman, Tammy

From: Alleman, Tammy
Sent: Thursday, November 29, 2018 10:41 AM
To: 'Beer, Brandi'
Subject: RE: Legal Notice for Water Right Application 96-9727 & 96-9710
Attachments: 96-9727 & 96-9710 Legal Notice.doc

Good Morning Brandi,

Can we add one to the notice please. I have attached the corrected Legal notice adding 96-9710 to the advertisement. If this is a problem, just let me know.

Thank you,

Tammy

*Tammy Alleman
Administrative Assistant
Idaho Department of Water Resources
7600 North Mineral Drive, Suite 100
Coeur d'Alene, ID 83815
Tammy.Alleman@idwr.idaho.gov
208-762-2800 Phone
208-762-2819 Fax*

From: Beer, Brandi [mailto:bbeer@cdapress.com]
Sent: Wednesday, November 28, 2018 11:40 AM
To: Alleman, Tammy <Tammy.Alleman@idwr.idaho.gov>
Subject: Re: Legal Notice for Water Right Application 96-9727

Good morning,

We received your request for publication in Daily Bee. Once completed, we will send back for confirmation.

Have a great day,

Brandi Beer
Legal Clerk
208-664-8176 ext. 1000

Guidelines for CDA Press & Daily Bee is we need 2 business days prior to run date before noon. Shoshone needs 3 business days prior before noon.

Ads will run as last stated if no confirmations/corrections are sent back to us before deadline. Paperwork will be sent out 5-7 business days after the last run date.

On Wed, Nov 28, 2018 at 12:18 PM Alleman, Tammy <Tammy.Alleman@idwr.idaho.gov> wrote:

Please publish the enclosed legal notice in the **Bonner County Daily Bee** on the dates indicated December 6th and December 13th (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately. Please send a proof once you have the article ready for print for our review.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 12/24/2018. Your cooperation is appreciated.

Thank you,

Tammy

Tammy Alleman

Administrative Assistant

Idaho Department of Water Resources

7600 North Mineral Drive, Suite 100

Coeur d'Alene, ID 83815

Tammy.Alleman@idwr.idaho.gov

208-762-2800 Phone

208-762-2819 Fax

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-9727

TIMBER BASIN AIR PARK INC
2311 W 16TH AVE LOT 140
SPOKANE, WA 99224
Point of Diversion SESE
S4 T56N R01W
BONNER County
Source GROUND WATER Tributary
Use: DOMESTIC
01/01 to 12/31 0.07 CFS
Use: IRRIGATION
04/01 to 10/31 0.07 CFS
Total Diversion: 0.07 CFS
Date Filed: 11/26/2018
Place Of Use: DOMESTIC
T56N R01W S4 SESE
T56N R01W S9 NENE
Place Of Use: IRRIGATION
T56N R01W S4 SESE
T56N R01W S9 NENE
Total Acres: 3

96-9710

KEVIN MORSE
WENDY MORSE
277 N RIVER LAKE DR
CLARK FORK, ID 83811
Point of Diversion NESE
S11 T55N R02E
KOOTENAI County
Source CLARK FORK RIVER
Tributary LAKE PEND OREILLE
Use: FIRE PROTECTION
01/01 to 12/31 0.18 CFS
Use: IRRIGATION
04/01 to 10/31 0.02 CFS
Total Diversion: 0.18 CFS
Date Filed: 8/1/2018
Place Of Use: IRRIGATION
T55N R02E S11 L6(NESE)
Place Of Use: FIRE PROTECTION
T55N R02E S11 L6(NESE)
Total Acres: 0.4

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Northern Region office at (208) 762-2800. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of \$25.00 for each application on or before 12/24/2018. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 12/6/2018 and 12/13/2018

Alleman, Tammy

From: Alleman, Tammy
Sent: Thursday, November 29, 2018 11:36 AM
To: June.Bergquist@deq.idaho.gov; 'Anna.Moody@deq.idaho.gov'; Siitari,Kiira; 'Mike Ahmer'
Subject: Request for comment for WR# 96-9710
Attachments: 96-9710 Application for Permit.pdf

Dear Interested Agencies:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced water right applications. You can find copies of the applications attached to the email and also at: <http://www.idwr.idaho.gov/apps/ExtSearch/WRAJSearch/WRADJSearch.aspx>.

This office can publish notice of the applications as soon as the initial review is completed; therefore, your prompt response to this request is appreciated. If your agency desires to formally protest the approval of the application(s), you may do so after the notice is published by filing a written protest along with a \$25.00 filing fee within 10 days after final publication. The deadline for comments on the applications is December 24, 2018.

Please contact the Northern Region Office at (208) 762-2800 if you have any questions regarding the applications.

Thank you,

Tammy

*Tammy Alleman
Administrative Assistant
Idaho Department of Water Resources
7600 North Mineral Drive, Suite 100
Coeur d'Alene, ID 83815
Tammy.Alleman@idwr.idaho.gov
208-762-2800 Phone
208-762-2819 Fax*