

AMENDED Filing.
RECEIVED

AMENDED
8-8-18

FORM 2018 R2/05/16

STATE OF IDAHO

Ident. No. 63-34595

DEPARTMENT OF WATER RESOURCES

WATER RESOURCES
WESTERN REGION

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant(s) Wilson Properties LP Phone 208-424-9322
Name connector (check one): ☐ and ☐ or ☐ and/or
Mailing address 1101 West River Street, Suite 150 City Boise
State ID ZIP 83702 Email wilsonproperties@qwestoffice.net
2. Name of representative, if any SPF Water Engineering Phone 208-383-4140
Mailing address 300 E. Mallard Dr., Ste 350 City Boise
State ID ZIP 83706 Email lgraves@spfwater.com
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☒ Send original correspondence to the applicant and copies to the representative.
- b. ☒ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply Ground Water which is a tributary of _____
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
3N	1E	33			SW	SE	Ada	Ground Water	Well 1
2N	1E	4			SW	NE	Ada	Ground Water	Well 2

5. Water will be used for the following purposes:
- Amount 86.2 af for Recreation Storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)
- Amount 2.21 cfs for Diversion to Storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) 2.21 cubic feet per second (cfs) and/or (b) 86.2 acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. 2 existing wells, ponds
- b. Height of storage dam n/a feet; active reservoir capacity 39.2 acre-feet; total reservoir capacity 39.2 acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate [Application for Construction or Enlargement of a New or Existing Dam](#). Application required? ☐ Yes ☐ No
- c. Proposed well diameter is 10 & 12 inches; proposed depth of well is 276 & 235 feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
- e. If well is already drilled, when? 2005, 2018; drilling firm see attached well reports;
well was drilled for (well owner) _____; Drilling Permit No. _____

For Department Use

Received by Western Date 8/6/2018 Time 12:12 Preliminary check by CP
Fee \$ 330.00 Received by Western Receipt No. W046621 Date 8/6/2018

* FEE RECEIVED w/ ORIGINAL APPLICATION.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

Ident. No. 63-34595

1. Name of applicant(s) Wilson Properties LP Phone 208-424-9322
Name connector (check one): ☐ and ☐ or ☐ and/or
Mailing address 1101 West River Street, Suite 150 City Boise
State ID ZIP 83702 Email wilsonproperties@qwestoffice.net
2. Name of representative, if any SPF Water Engineering Phone 208-383-4140
Mailing address 300 E. Mallard Dr., Ste 350 City Boise
State ID ZIP 83706 Email lgraves@spfwater.com
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☒ Send original correspondence to the applicant and copies to the representative.
- b. ☒ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply Ground Water which is a tributary of _____
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
2N	1E	33			SW	SE	Ada	Ground Water	Well 1
		4			SW	NE	Ada	Ground Water	Well 2

5. Water will be used for the following purposes:
- Amount 86.2 af for Recreation Storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)
- Amount 2.21 cfs for Diversion to Storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) 2.21 cubic feet per second (cfs) and/or (b) 86.2 acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. 2 existing wells, ponds
- b. Height of storage dam n/a feet; active reservoir capacity 39.2 acre-feet; total reservoir capacity 39.2 acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate [Application for Construction or Enlargement of a New or Existing Dam](#). Application required? ☐ Yes ☐ No
- c. Proposed well diameter is 10 & 12 inches; proposed depth of well is 276 & 235 feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
- e. If well is already drilled, when? 2005, 2018; drilling firm see attached well reports;
well was drilled for (well owner) _____; Drilling Permit No. _____

Received by AL Date 8/6/2018 Time 12:12 Preliminary check by _____
Fee \$ 330.00 Receipted by AL Receipt No. W046621 Date 8/6/2018
** THIS PAGE SUPERSEDED BY COMPLETE Pg 1 RECEIVED 8-8-18.*

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in kW. _____
 - Stockwatering; list number and kind of livestock. _____
 - Municipal; must complete and attach the [Municipal Water Right Application Checklist](#).
 - Domestic; show number of households _____
 - Other; describe fully. Recreation storage for golf course ponds.
9. Description of place of use:
- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 - If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
			L1	L2															
2N	1E	4	X	X	X														

Total number of acres to be irrigated: _____

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? None. During the irrigation season, the pond system is also used for surface and ground water delivery from NYID, Tenmile Creek right 63-4607B and ground water right 63-12097.
11. a. Who owns the property at the point of diversion? Well 1: FC Nova Inc., Well 2: applicant
b. Who owns the land to be irrigated or place of use? Applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: Shared well agreement for Well 1
12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. See attached application narrative
13. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).
14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Wilson Properties LP
Signature of Applicant
WILSON PROPERTIES L.P.
Print Name (and title, if applicable)

Charles H. Wilson
Signature of Applicant
CHARLES H. WILSON
Print Name (and title, if applicable)

Application Narrative:

Proposed volumes were calculated using the IDWR storage memo 76 spreadsheet (attached) and account for associated storage, seepage and evaporation amounts. Regarding seepage, the ponds lose approximately half their capacity during the winter months suggesting silty and sandy pond soil beds with a seepage rate of 0.02 af/day. Regarding evaporation, positive precipitation deficits from the Boise WSFO Airport AgriMet Station for open water-shallow systems were used. Water bearing zone to be appropriated is from 225 to 335 feet.

Seepage Loss Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total annual seepage losses from a pond.

FILE NUMBER	
REVIEWER	Lori Graves
DATE	7/23/2018

User Input
Calculated value
Formula Explanations

INPUTS

Pond Surface Area (AC.)	4.9	AC.
-------------------------	-----	-----

Pond Surface Area (SQ. FT.)	213444	SQ. FT.
-----------------------------	--------	---------

I used the following method to obtain my Soil Classification information:	NRCS Web Soil Survey	
My Soil Classification is	OL	
Suggested Seepage Rate (FT./DAY)	0.0200	FT./DAY

Formula: (Surface Area X Seepage Rate) X 7.48 = Gallons Per Day Loss
--

Convert to GPD	31931	GPD
----------------	-------	-----

Total Seepage Loss (AFA)	35.8	AFA
--------------------------	------	-----

Though sand and gravel seepage rates may actually be higher, the maximum allowable rate is 0.2 ft/day, pursuant to Administrative Memo "Seepage Loss Standards for Ponds and Reservoirs."

Suggested Seepage Rates for Different Soil Types:
GW, GP, GM, GC, SW, SP and SM (silty sand, sand silt mixtures and gravel mixtures) = 0.2 ft per day
OL and ML (inorganic silts - very fine sands, silty, or clayey fine sands) = 0.02 ft per day
SC (clayey sands, sand clay mixtures) = 0.007 ft per day
CL (Low to medium plasticity clays) = 0.003 ft per day
MH, OH, PT and CH (high plasticity clays) = 0.0003 ft per day
LINED PONDS (liners can be chemical, fabric, or bentonite) = 0 ft per day
Ponds Intercepting Groundwater (excavated ponds filled by ground water) = 0 ft per day

PLEASE NOTE: The initial basis for the Suggested Seepage Rates in the table above is found on Page 16 of Seepage from Fish Ponds, Bulletin 599, August 1989 Alabama Agricultural experiment Station, Auburn University, Auburn University Alabama. If you don't know the soil type, please refer to the map provided at the NRCS Web Soil Survey (Tab #1), an ArcMap Soil Classification Map (Tab #1.1), or published NRCS Soil Survey (Tab #1.2). Use "0" if the pond fill relies on the water table.

Evaporation Loss Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the annual evaporation losses from a pond.

FILE NUMBER	
REVIEWER	Lori Graves
DATE	7/23/2018

User Input
Calculated value
Formula Explanations

The acronyms used on the Kimberly Research Center website are defined below:
P = Precipitation
ET= Evapotranspiration
P _d = Precipitation deficit
P _d =ET-P

USING THIS SPREADSHEET

Use the link below to access the Kimberly Research Center website. This website provides the Precipitation Deficit for a station most representative of the pond under examination. The Precipitation Deficit is the total amount of free water surface evaporation minus the precipitation for a given area, which gives the total amount of evaporative losses incurred by the pond. There are several weather sites that are used throughout the state. IDWR staff can find the nearest site using Arc Map. The shape file containing the sites can be found at X:/Spatial/Climate/ETIdahostations.shp.

Instructions:

1. Use the link below to navigate to ET Idaho 2012.
2. Select the station which is most representative to your pond location.
3. Click Submit Query.
4. Under "Land Covers with Evapotranspiration Estimates," select "Open Water - Shallow Systems (ponds, streams)" or "Open Water - small stock ponds" depending on the pond size.
5. Click the link to "Precipitation Deficit."
6. Reference and copy (ctrl + C) the first subheading "Mean" values.
7. Click the "Paste Values from ET Idaho" button. The table will automatically enter a zero (0) for any negative precipitation deficit values.

Found at: <http://data.kimberly.uidaho.edu/ETIdaho/>

Precipitation Deficit

Station: Caldwell (NWS -- 101380)

Month	mm/day ¹	Days per month	mm/Month
Jan	-0.66	31	0.00
Feb	0.08	28	2.24
March	0.74	31	22.94
April	2.01	30	60.30
May	2.65	31	82.15
June	4.05	30	121.50
July	4.79	31	148.49
August	4.05	31	125.55
September	2.79	30	83.70
October	1.54	31	47.74
November	-0.43	30	0.00
December	-0.89	31	0.00

PLEASE NOTE: The seasonal average for precipitation deficit should not be used for calculations because precipitation often exceeds evaporation during wetter months of the year. If the pond is kept full, excess precipitation during wetter months does not serve to refill the pond during drier months.

For example, see Sandpoint KSPT (NWS -- 108137), the annual precipitation deficit is -106 mm. However, April through September have positive precipitation deficit values. To properly estimate the annual volume of water necessary to refill a pond due to evaporation losses, the table will automatically enter a zero (0) for each month that the precipitation value is reported as a negative value.

As described above, precipitation offsets evaporation in winter months, so the net effect is that wintertime precipitation deficit is usually zero.

Total mm/year = 694.61

$$[(694.61 \text{ mm/yr}) \div (\text{convert to feet})] \times (\text{Surface area of pond, in acres}) = \text{Evaporation Loss in Acre Feet}$$

(694.61 ÷ 304.8) X 4.90 = 11.2 AFA

Total Storage Calculations



FILE NUMBER	
REVIEWER	Lori Graves
DATE	1/23/2018

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

User Input
Calculated value
Formula Explanations

Surface Area (AC.)	4.9	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	8	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	39.2	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	0	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: If a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	35.8	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	11.2	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	86.2	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

Form 238-7
4/82STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Darwin McKay</u> Address <u>3220 E. Lake Hazel Rd. Meridian, ID</u> Drilling Permit No. <u>63-92-W-0960-000</u> Water Right Permit No. <u>63-11831</u>	7. WATER LEVEL Static water level <u>64</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ Describe artesian or temperature zones below.																																																																																																																																																																												
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Modification ☐ Abandoned (describe abandonment or modification procedures such as liners, screen, materials, plug depths, etc. in lithologic log, section 9.)	8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td>350</td> <td></td> <td>1</td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	350		1																																																																																																																																																																						
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																											
350		1																																																																																																																																																																											
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Monitor ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG 090916 <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>10"</td> <td>1</td> <td>24</td> <td>Top Soil</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>24</td> <td>80</td> <td>Sand & Gravel</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>80</td> <td>81</td> <td>Clay Layer</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>81</td> <td>83</td> <td>Coarse Sand</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>83</td> <td>90</td> <td>Clay Tan Hard</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>90</td> <td>107</td> <td>Sand (Med.-Coarse)</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>107</td> <td>113</td> <td>Sandy Clay</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>113</td> <td>115</td> <td>Sand-coarse-gravel</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>115</td> <td>125</td> <td>Sand " " v. little</td> <td>X</td> <td></td> </tr> <tr> <td>"</td> <td>125</td> <td>130</td> <td>Fractured Clay-Sand-Gravel</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>130</td> <td>135</td> <td>Sand/fine</td> <td></td> <td>X</td> </tr> <tr> <td>"</td> <td>135</td> <td>140</td> <td>Sand/fine</td> <td></td> <td>X</td> </tr> <tr> <td>"</td> <td>140</td> <td>145</td> <td>Sandy Clay</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>145</td> <td>155</td> <td>Sand/pea gravel v. litt</td> <td>X</td> <td></td> </tr> <tr> <td>"</td> <td>155</td> <td>157</td> <td>Soft Clay</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>157</td> <td>175</td> <td>Sandy w/gravel</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>175</td> <td>195</td> <td>Sandy w/gravel</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>195</td> <td>199</td> <td>Sandy Clay Tan</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>199</td> <td>209</td> <td>Sand a lot</td> <td>X</td> <td></td> </tr> <tr> <td>"</td> <td>209</td> <td>216</td> <td>Clay</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>216</td> <td>217</td> <td>Sand fine</td> <td></td> <td>X</td> </tr> <tr> <td>"</td> <td>217</td> <td>220</td> <td>Clay & Sand Pocket</td> <td></td> <td>X</td> </tr> <tr> <td>"</td> <td>220</td> <td>221</td> <td>Clay</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>221</td> <td>228</td> <td>Coarse Sand</td> <td></td> <td>X</td> </tr> <tr> <td>"</td> <td>228</td> <td>235</td> <td>Sand & Clay Mix</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>235</td> <td>256</td> <td>Gravel & Sand</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>256</td> <td></td> <td>Sand & Pea Gravel a lot</td> <td>X</td> <td></td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	10"	1	24	Top Soil			"	24	80	Sand & Gravel			"	80	81	Clay Layer			"	81	83	Coarse Sand			"	83	90	Clay Tan Hard			"	90	107	Sand (Med.-Coarse)			"	107	113	Sandy Clay			"	113	115	Sand-coarse-gravel			"	115	125	Sand " " v. little	X		"	125	130	Fractured Clay-Sand-Gravel			"	130	135	Sand/fine		X	"	135	140	Sand/fine		X	"	140	145	Sandy Clay			"	145	155	Sand/pea gravel v. litt	X		"	155	157	Soft Clay			"	157	175	Sandy w/gravel			"	175	195	Sandy w/gravel			"	195	199	Sandy Clay Tan			"	199	209	Sand a lot	X		"	209	216	Clay			"	216	217	Sand fine		X	"	217	220	Clay & Sand Pocket		X	"	220	221	Clay			"	221	228	Coarse Sand		X	"	228	235	Sand & Clay Mix			"	235	256	Gravel & Sand			"	256		Sand & Pea Gravel a lot	X	
Bore Diam.	Depth		Material	Water																																																																																																																																																																									
	From	To		Yes	No																																																																																																																																																																								
10"	1	24	Top Soil																																																																																																																																																																										
"	24	80	Sand & Gravel																																																																																																																																																																										
"	80	81	Clay Layer																																																																																																																																																																										
"	81	83	Coarse Sand																																																																																																																																																																										
"	83	90	Clay Tan Hard																																																																																																																																																																										
"	90	107	Sand (Med.-Coarse)																																																																																																																																																																										
"	107	113	Sandy Clay																																																																																																																																																																										
"	113	115	Sand-coarse-gravel																																																																																																																																																																										
"	115	125	Sand " " v. little	X																																																																																																																																																																									
"	125	130	Fractured Clay-Sand-Gravel																																																																																																																																																																										
"	130	135	Sand/fine		X																																																																																																																																																																								
"	135	140	Sand/fine		X																																																																																																																																																																								
"	140	145	Sandy Clay																																																																																																																																																																										
"	145	155	Sand/pea gravel v. litt	X																																																																																																																																																																									
"	155	157	Soft Clay																																																																																																																																																																										
"	157	175	Sandy w/gravel																																																																																																																																																																										
"	175	195	Sandy w/gravel																																																																																																																																																																										
"	195	199	Sandy Clay Tan																																																																																																																																																																										
"	199	209	Sand a lot	X																																																																																																																																																																									
"	209	216	Clay																																																																																																																																																																										
"	216	217	Sand fine		X																																																																																																																																																																								
"	217	220	Clay & Sand Pocket		X																																																																																																																																																																								
"	220	221	Clay																																																																																																																																																																										
"	221	228	Coarse Sand		X																																																																																																																																																																								
"	228	235	Sand & Clay Mix																																																																																																																																																																										
"	235	256	Gravel & Sand																																																																																																																																																																										
"	256		Sand & Pea Gravel a lot	X																																																																																																																																																																									
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Auger ☐ Reverse rotary ☐ Cable ☐ Mud ☐ Other _____ (backhoe, hydraulic, etc.)	 APR 22 1993 Department of Water Resources Western Regional Office																																																																																																																																																																												
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ Thickness <u>250</u> inches Diameter <u>10</u> inches + <u>2</u> feet <u>254</u> feet inches inches feet feet inches inches feet feet inches inches feet feet Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation? _____ inches by _____ inches Number From To _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer _____ Type _____ Top Packer or Headpipe _____ Bottom of Tailpipe _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☒ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>Top of Well</u>	10. Work started <u>12/31/92</u> finished <u>4/14/93</u>																																																																																																																																																																												
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Ada</u> Address of Well Site <u>3220 E. Lake Hazel Rd.</u> <u>Meridian, ID</u> (give at least name of road) T. <u>3</u> N ☒ or S ☐ <u>SW</u> 1/4 <u>SE</u> 1/4 Sec. <u>33</u> R. <u>1</u> E ☒ or W ☐	11. DRILLER'S CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Adamsen Pump & Drilling</u> Firm No. <u>457</u> Address <u>Nampa, ID</u> Date <u>4/15/93</u> Signed by Drilling Supervisor <u>Dave Adamsen</u> and <u>DAVE ADAMSON</u> (Operator) (If different than the Drilling Supervisor)																																																																																																																																																																												

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

63 - 34595

No. L 2975		Due no later than Jan 31, 2018 Annual Report Form		2. Registered Agent and Address (NO PO BOX)		
Return to: SECRETARY OF STATE 700 WEST JEFFERSON PO BOX 83720 BOISE, ID 83720-0080 NO FILING FEE IF RECEIVED BY DUE DATE				CHARLES H WILSON 1101 W RIVER ST STE 150 BOISE ID 83702		
		1. Mailing Address: Correct in this box if needed. WILSON PROPERTIES L.P. CHARLES H WILSON PO BOX 2793 BOISE ID 83701		3. <u>New</u> Registered Agent Signature: *		
Office Held	Name	Street or PO Address	City	State	Country	Postal Code
GENERAL PARTNER	FORT WILSON, INC.	P O BOX 2793	BOISE	ID	USA	83701
5. Organized Under the Laws of:		6. Annual Report must be signed.*				
ID L 2975		Signature: Charles H. Wilson		Date: 02/26/2018		
		Name (type or print): Charles H. Wilson		Title: President of Ft. Wilson		
Processed 02/26/2018		* Electronically provided signatures are accepted as original signatures.				



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region • 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

October 25, 2018

WILSON PROPERTIES LP
1101 W RIVER ST STE 150
BOISE, ID 83702

Application for Permit No. 63-34595

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the IDAHO STATESMAN on 11/1/2018 and 11/8/2018. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in dark ink, appearing to be 'R. Neely', written over a horizontal line.

Rachel Neely
Administrative Assistant

CC:
SPF WATER ENGINEERING LLC
C/O LORI GRAVES
300 E MALLARD DR STE 350
BOISE, ID 83706

Neely, Rachel

From: Neely, Rachel
Sent: Thursday, October 25, 2018 9:00 AM
To: 'BOI Legals'
Subject: Ada Legal Ad
Attachments: Ada Cover Letter.docx; Ada Legal Ad.docx

Categories: Done

Good Morning Legal Clerk,

Please see the attached ads for publication on 11/1/2018 & 11/8/2018.

Please confirm these are okay to publish as shown.

Thank you,

October 25, 2018

LEGAL NOTICE DEPARTMENT
IDAHO STATESMAN
PO BOX 40
BOISE, ID 83707

RE: Application for Permit No. 63-34595

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 11/19/2018. Your cooperation is appreciated.

Sincerely,

Rachel Neely
Administrative Assistant

Enclosure(s)

The following application has been filed to appropriate the public waters of the State of Idaho:

63-34595

WILSON PROPERTIES LP

1101 W RIVER ST STE 150

BOISE, ID 83702

Point of Diversion SWSE S33 T03N R01E ADA County Source GROUND WATER

Point of Diversion SWNE S4 T02N R01E ADA County Source GROUND WATER

Use: DIVERSION TO STORAGE 01/01 to 12/31 2.21 CFS

Use: RECREATION STORAGE 01/01 to 12/31 86.2 AF

Total Diversion: 2.21 CFS, 86.2 AF

Date Filed: 8/8/2018

Place of Use: RECREATION STORAGE

T02N R01E S4 L1(NENE) L2(NWNE) SWNE

Water bearing zone to be appropriated is from 225 to 335 feet.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Western Region office at (208) 334-2190; or for a full description of the right(s), please see www.idwr.idaho.gov. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of the application(s) must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 11/19/2018. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 11/1/2018 and 11/8/2018



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region • 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Website: www.idwr.idaho.gov

CL. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

October 25, 2018

FC NOVA INC
3924 E LAKE HAZEL RD
MERIDIAN ID 83642

Re: Application for Permit No. 63-34595

Dear Interested Party:

The above referenced application may be of interest to you. I would like to inform you that the application has been submitted to the *Idaho Statesman* for advertising. I have enclosed a copy of the application for your convenience. This information is also available on our website www.idwr.idaho.gov.

If you desire to file a formal protest against approval of the application, a written protest along with the \$25.00 protest fee must be received in this office by **November 19, 2018**. A copy of the protest must also be sent to the applicant.

If you have any questions regarding the application, please contact this office at 208-334-2190.

Sincerely,

Rachel Neely
Administrative Assistant
Western Regional Office

Enclosures

Parker, Cody

From: Lori Graves <LGraves@spfwater.com>
Sent: Friday, September 07, 2018 1:15 PM
To: Parker, Cody
Cc: Terry Scanlan; wilsonproperties@qwestoffice.net
Subject: RE: Application for permit

Cody,

The 2.21 requested diversion rate is based on the flow rate recommended for licensing permit 63-12097 that utilizes the same wells. The wells operate with constant speed motors.

Thanks for processing the application Cody. Please let me know if you need anything else.

From: Parker, Cody <Cody.Parker@idwr.idaho.gov>
Sent: Thursday, September 6, 2018 12:41 PM
To: Lori Graves <LGraves@spfwater.com>; wilsonproperties@qwestoffice.net
Subject: Application for permit

Dear Applicants,

I am writing today in regard to application for permit no. 63-34595 which proposes to divert water from two wells into ponds at the Boise Ranch Golf Course. Before I advertise your application I need to know how you determined the diversion to storage rate. Please reply with some justification of the requested rate. Once I receive your reply I will forward your application to advertising. Thank you for your help.

Best,

Cody Parker
Water Resource Agent
IDWR Western Region



SPF WATER
ENGINEERING

August 2, 2018

RECEIVED
AUG 06 2018
WATER RESOURCES
WESTERN REGION

Angie Grimm
IDWR Western Region Office
2735 Airport Way
Boise, ID 83705

Subject: *Application for Permit*

Dear Angie,

Enclosed on behalf of Wilson Properties, LP, is an *Application for Permit* requesting year-round storage of ground water from two existing wells for ponds located on Boise Ranch Golf Course.

Check No. 6041 for \$330 is enclosed for the filing fee. Thank you very much for your consideration and assistance in this matter. Please call me if you have any questions.

Sincerely,

Lori Graves
Water Rights Specialist

Cc: Charles Wilson

Enclosures

SPF file number: 1252.0010