



State of Idaho

## DEPARTMENT OF WATER RESOURCES

322 East Front Street • P.O. Box 83720 • Boise, Idaho 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700 • Website: [www.idwr.idaho.gov](http://www.idwr.idaho.gov)

C.L. "BUTCH" OTTER  
Governor

GARY SPACKMAN  
Director

October 05, 2018

LAVAR THORNTON  
2800 FORREY RD  
KUNA ID 83634

LAYNE THORNTON  
3224 SWAN FALLS RD  
KUNA ID 83634

### LAPSE NOTICE

RE: PERMIT NO. 63-12255

**IMPORTANT: This permit has lapsed because no written response was received from you by the IDWR. Development and/or use must cease.**

Dear Permit Holder(s):

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in the proof due notice dated July 31, 2018. No further construction or additional development is authorized under this permit.

If water was put to beneficial use prior to the date proof of beneficial use was due, you may file the Statement of Completion (proof) now, or if you or a previous owner of this permit have not received a prior extension of time, you may file the Request for Extension of Time (extension request) if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. You may also request an extension of time if you have been delayed by a government agency, or by litigation that brings title to the water in question.

Either an acceptable proof or an acceptable extension request must be received by this Department within sixty (60) days of the mailing of this lapse notice in order to reinstate this permit.

Please contact Darla Block at 208-287-4945, if you need additional assistance.

Sincerely,

*for* Pamela S Skaggs, Manager  
Water Rights Section

#### CERTIFICATION OF MAILING

I hereby certify that on 10-5-18  
a copy/an original of this document was  
deposited in the United States mail, postage  
prepaid addressed to the individual(s)  
named above.

c: SPF WATER ENGINEERING LLC