

RECEIVED

FORM 202 Rev. 09/16

SEP 12 2018

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Ident. No. 65 23798

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant(s) RCG, Inc; Aussie Acres Subdivision HOA, Inc. Phone (208) 440-4463
 Mailing address PO BOX 220 City NEW PLYMOUTH
 State IDAHO ZIP 83655 Email goodwin.pcte@yahoo.com

2. Name of representative, if any _____ Phone _____
 Mailing address _____ City _____
 State _____ ZIP _____ Email _____

- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☐ Send original correspondence to the applicant and copies to the representative.
- b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.

3. Source of water supply Ground Water which is a tributary of N/A

4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
07N	03W	31			NE	SW	Payette	Ground Water	

5. Water will be used for the following purposes:

Amount 0.04 for Fire Protection purposes from 01/01 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)

Amount 0.04 for Diversion to Storage purposes from 01/01 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)

Amount 6.7 for Fire Protection Storage purposes from 01/01 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)

Amount 6.7 for Fire Protection From Storage purposes from 01/01 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)

6. Total quantity to be appropriated is (a) 0.04 cubic feet per second (cfs) and/or (b) _____ acre-feet per year (af).

7. Proposed diverting works:

- a. Describe type and size of devices used to divert water from the source. Propose to drill well and pump water into pond to maintain 10,000 gallons for fire department.
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No
- c. Proposed well diameter is 6" inches; proposed depth of well is 120 feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
- e. If well is already drilled, when? _____; drilling firm _____;
 well was drilled for (well owner) _____; Drilling Permit No. _____.

For Department Use

Received by AS Date 9/12/2018 Time 8:03 Preliminary check by AS
 * Fee \$ 100 Received by AK Receipt No. W046710 Date 8/30/2018

* FEE RECEIVED WITH ORIGINAL APPLICATION FORM.

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in kW. _____
 - Stockwatering; list number and kind of livestock. _____
 - Municipal; must complete and attach the Municipal Water Right Application Checklist.
 - Domestic; show number of households _____
 - Other; describe fully. Fire protection for Aussie Acres Subdivision
9. Description of place of use:
- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 - If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
07N	03W	31									F	L3	L4	F		F	F		
												F	F						

Total number of acres to be irrigated: _____

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? Irrigation shares through Black Canyon Irrigation District.
11. a. Who owns the property at the point of diversion? RCG, Inc
- b. Who owns the land to be irrigated or place of use? Multiple owners within Aussie Acres Subdivision.
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: Multiple owners are part of Aussie Acres Homeowner's Association
12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. Drilling well to maintain level for fire protection for Aussie Acres Subdivision.
Pond surface area is 0.7 acres with an average depth of 6.8 feet. Seepage and evaporation total 5.1 AF and 1.5 AF respectively. Capacity totals 10,000 gallons or 0.1 AF necessary for fire department standards. Total volume is 6.7 AF.
13. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).
14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

RCG Inc.
 Signature of Applicant
Robert Goodwin president
 Print Name (and title, if applicable)

Aussie Acres HOA by Robert Goodwin
 Signature of Applicant
Aussie Acres HOA Robert Goodwin member
 Print Name (and title, if applicable)

No. C 185050	Due no later than Nov 30, 2017 Annual Report Form		2. Registered Agent and Address (NO PO BOX)																	
Return to: SECRETARY OF STATE 700 WEST JEFFERSON PO BOX 83720 BOISE, ID 83720-0080 NO FILING FEE IF RECEIVED BY DUE DATE	1. Mailing Address: Correct in this box if needed. AUSSIE ACRES SUBDIVISION HOMEOWNER'S ASSOCIATION, INC. BOB GOODWIN PO BOX 220 NEW PLYMOUTH ID 83655		BOB GOODWIN 100 MCCLURE AVE STE C NAMPA ID 83687																	
			3. <u>New</u> Registered Agent Signature:*																	
4. Corporations: Enter Names and Business Addresses of President, Secretary, and Directors. Treasurer (optional). <table border="1"> <thead> <tr> <th>Office Held</th> <th>Name</th> <th>Street or PO Address</th> <th>City</th> <th>State</th> <th>Country</th> <th>Postal Code</th> </tr> </thead> <tbody> <tr> <td>DIRECTOR</td> <td>LAFONDA MERRICK</td> <td>100 MCCLURE AVE STE C</td> <td>NAMPA</td> <td>ID</td> <td>USA</td> <td>83687</td> </tr> </tbody> </table>							Office Held	Name	Street or PO Address	City	State	Country	Postal Code	DIRECTOR	LAFONDA MERRICK	100 MCCLURE AVE STE C	NAMPA	ID	USA	83687
Office Held	Name	Street or PO Address	City	State	Country	Postal Code														
DIRECTOR	LAFONDA MERRICK	100 MCCLURE AVE STE C	NAMPA	ID	USA	83687														
5. Organized Under the Laws of: ID C 185050	6. Annual Report must be signed.* <table border="0"> <tr> <td>Signature: Robert Goodwin</td> <td>Date: 09/18/2017</td> </tr> <tr> <td>Name (type or print): Robert Goodwin</td> <td>Title: Owner</td> </tr> </table>						Signature: Robert Goodwin	Date: 09/18/2017	Name (type or print): Robert Goodwin	Title: Owner										
Signature: Robert Goodwin	Date: 09/18/2017																			
Name (type or print): Robert Goodwin	Title: Owner																			
Processed 09/18/2017 * Electronically provided signatures are accepted as original signatures.																				

05-23798



CERTIFICATE OF ORGANIZATION LIMITED LIABILITY COMPANY

Title 30, Chapters 21 and 25, Idaho Code

Base Filing fee: \$100.00 typed, \$120 not typed

Complete and submit the application in duplicate.

FILED EFFECTIVE

2018 APR 16 AM 10:22

SECRETARY OF STATE
STATE OF IDAHO

1. The name of the limited liability company is:

Aussie Acres Home Owner's Association, LLC

(Remember to include the words "Limited Liability Company," "Limited Company," or the abbreviations L.L.C., LLC, or LC)

2. The complete street and mailing addresses of the principal office is:

9820 Dundee Ct.

(Street Address)

Nampa, ID 83686

(Mailing Address, if different)

3. The name and complete street address of the registered agent:

Angie Reiber

9820 Dundee Ct. Nampa, Idaho 83686

(Name)

(Address)

4. The name and address of at least one governor of the limited liability company:

Russ Johnson

9901 Dundee Ct. Nampa Idaho 83686

(Name)

(Address)

(Name)

(Address)

(Name)

(Address)

(Name)

(Address)

5. Mailing address for future correspondence (annual report notices):

9820 Dundee Ct. Nampa, ID 83686

(Address)

Signature of organizer(s).

Printed Name: Christine Buttars

Signature:

Christine Buttars

Printed Name: Angie Reiber

Signature:

Angie Reiber

Secretary of State use only

IDAHO SECRETARY OF STATE


04/16/2018 05:00

CK:1060 CT:356288 BH:1638385

1@ 100.00 = 100.00 ORGAN LLC #2

W 200680

State of Idaho
Department of Water Resources
Application For Permit
Place of Use and Point of Diversion



Legend

-  Point of Diversion
-  Fire Protection/ Fire Protection From Storage
-  Fire Protection Storage

0 0.075 0.15 0.3 Miles



Seepage Loss Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total annual seepage losses from a pond.

FILE NUMBER	xx-xxxxx
REVIEWER	Joe Agent
DATE	1/1/2000

User Input
Calculated value
Formula Explanations

INPUTS

Pond Surface Area (AC.)	0.7	AC.
-------------------------	-----	-----

Pond Surface Area (SQ. FT.)	30492	SQ. FT.
-----------------------------	-------	---------

I used the following method to obtain my Soil Classification information:	NRCS Web Soil Survey	
My Soil Classification is	ML	
Suggested Seepage Rate (FT./DAY)	0.0200	FT./DAY

Formula: (Surface Area X Seepage Rate) X 7.48 = Gallons Per Day Loss
--

Convert to GPD	4562	GPD
----------------	------	-----

Total Seepage Loss (AFA)	5.1	AFA
--------------------------	-----	-----

Though sand and gravel seepage rates may actually be higher, the maximum allowable rate is 0.2 ft/day, pursuant to Administrative Memo "Seepage Loss Standards for Ponds and Reservoirs."

Suggested Seepage Rates for Different Soil Types:
GW, GP, GM, GC, SW, SP and SM (silty sand, sand silt mixtures and gravel mixtures) = 0.2 ft per day
OL and ML (inorganic silts - very fine sands, silty, or clayey fine sands) = 0.02 ft per day
SC (clayey sands, sand clay mixtures) = 0.007 ft per day
CL (Low to medium plasticity clays) = 0.003 ft per day
MH, OH, PT and CH (high plasticity clays) = 0.0003 ft per day
LINED PONDS (liners can be chemical, fabric, or bentonite) = 0 ft per day
Ponds Intercepting Groundwater (excavated ponds filled by ground water) = 0 ft per day

PLEASE NOTE: The initial basis for the Suggested Seepage Rates in the table above is found on Page 16 of Seepage from Fish Ponds, Bulletin 599, August 1989 Alabama Agricultural experiment Station, Auburn University, Auburn University Alabama. If you don't know the soil type, please refer to the map provided at the NRCS Web Soil Survey (Tab #1), an ArcMap Soil Classification Map (Tab #1.1), or published NRCS Soil Survey (Tab #1.2). Use "0" if the pond fill relies on the water table.

Evaporation Loss Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the annual evaporation losses from a pond.

FILE NUMBER	XX-XXXXX
REVIEWER	Joe Agent
DATE	1/1/2000

User Input
Calculated value
Formula Explanations

The acronyms used on the Kimberly Research Center website are defined below:

P = Precipitation
ET= Evapotranspiration
P _d = Precipitation deficit
P _d =ET-P

USING THIS SPREADSHEET

Use the link below to access the Kimberly Research Center website. This website provides the Precipitation Deficit for a station most representative of the pond under examination. The Precipitation Deficit is the total amount of free water surface evaporation minus the precipitation for a given area, which gives the total amount of evaporative losses incurred by the pond. There are several weather sites that are used throughout the state. IDWR staff can find the nearest site using Arc Map. The shape file containing the sites can be found at <X:/Spatial/Climate/ETIdahostations.shp>.

Instructions:

1. Use the link below to navigate to ET Idaho 2012.
2. Select the station which is most representative to your pond location.
3. Click Submit Query.
4. Under "Land Covers with Evapotranspiration Estimates," select "Open Water - Shallow Systems (ponds, streams)" or "Open Water - small stock ponds" depending on the pond size.
5. Click the link to "Precipitation Deficit."
6. Reference and copy (ctrl + C) the first subheading "Mean" values.
7. Click the "Paste Values from ET Idaho" button. The table will automatically enter a zero (0) for any negative precipitation deficit values.

Found at: <http://data.kimberly.uidaho.edu/ETIdaho/>

Precipitation Deficit

Station: Parma (AgriMet -- PMAI)

Month	mm/day ¹	Days per month	mm/Month
Jan	0.00	31	0.00
Feb	0.38	28	10.64
March	1.28	31	39.68
April	2.00	30	60.00
May	2.63	31	81.53
June	3.42	30	102.60
July	4.29	31	132.99
August	3.80	31	117.80
September	2.67	30	80.10
October	1.13	31	35.03
November	0.10	30	3.00
December	0.00	31	0.00

PLEASE NOTE: The seasonal average for precipitation deficit should not be used for calculations because precipitation often exceeds evaporation during wetter months of the year. If the pond is kept full, excess precipitation during wetter months does not serve to refill the pond during drier months.

For example, see Sandpoint KSPT (NWS -- 108137), the annual precipitation deficit is -106 mm. However, April through September have positive precipitation deficit values. To properly estimate the annual volume of water necessary to refill a pond due to evaporation losses, the table will automatically enter a zero (0) for each month that the precipitation value is reported as a negative value.

As described above, precipitation offsets evaporation in winter months, so the net effect is that wintertime precipitation deficit is usually zero.

Total mm/year = 663.37

$$[(663.37 \text{ mm/yr}) \div (\text{convert to feet})] \times (\text{Surface area of pond, in acres}) = \text{Evaporation Loss in Acre Feet}$$

$$(663.37 \div 304.8) \times 0.70 = 1.5 \text{ AFA}$$

Total Storage Calculations

FILE NUMBER	XX-XXXXX
REVIEWER	Joe Agent
DATE	1/1/2000

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.


User Input
Calculated value
Formula Explanations

Surface Area (AC.)	0.7	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	6.8	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	4.76	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	0	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	5.1	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	1.5	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	11.4	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

Flow Rate into Pond (CFS)	0.04	The "Flow Rate into Pond" depicts the actual flow, either measured or estimated, into the pond. For offstream facilities, this will be equivalent to "diversion to storage" rate.
Highest Daily Evaporation Rate From Evaporation Tab. (mm/Day)	4.29	This number is carried over from the "Evaporation Loss" sheet. It is the highest recorded number in the "Precipitation Deficit Table".
Required Daily Maintenance Volume (AF/Day)	0.02	"Required Daily Maintenance Volume" is the maximum volume of water needed on any given day during the year to maintain pond volume. It is calculated by adding the highest daily evaporation loss to the average daily seepage loss in acre feet. The average daily seepage loss is calculated by dividing the "Estimated Seepage Loss" by 365 days. This is acceptable, since the seepage rate shouldn't vary throughout the season unless the pond completely freezes over during the winter months. The highest daily evaporation loss is calculated by dividing the Highest Daily Evaporation Rate by the 304.8 conversion factor and multiplying this number by the pond surface area to attain a combined daily acre feet requirement.
Minimum Maintenance Flow (CFS)	0.01	The "Minimum Maintenance Flow" is the minimum amount of flow required to maintain the level of the pond. This number is determined by dividing the "Maximum Required Daily Maintenance Volume" by 1.9835. This flow can be used to determine if the flow rate into the pond is adequate to maintain the pond level.
Days Required to Fill the Pond	86	The "Days Required to Fill the Pond" is calculated by dividing the "Pond Capacity" by the "Flow Rate" minus "Minimum Maintenance Flow" multiplied by 1.9835. This section will assist you in determining if the flow rate being diverted to the pond is adequate to fill the pond while maintaining the pond level. The length of time to fill the pond will help determine if the flow rate is adequate for the size of pond being proposed. If this number is <i>approximately 6 months (180 days) or more</i> , the reviewer should have a discussion with the applicant to make sure he/she understands that it will take a significant length of time to fill the pond.
Days Required to Fill the Pond at 13,000 Gallons per Day	297	Some water users may want to fill a pond under the 13,000 gallons per day domestic exemption. The "Days Required to Fill the Pond at 13,000 Gallons per Day" is calculated by converting the "Pond Capacity" and the "Required Daily Maintenance Volume" to gallons. The "Pond Capacity" is then divided by 13,000 gallons minus the "Required Daily Maintenance Volume" in gallons to determine the number of days to fill pond. If this number is <i>approximately 6 months (180 days) or more</i> , the reviewer should have a discussion with the applicant to make sure he/she understands that it will take a significant length of time to fill the pond. Negative values indicate that the supply of 13,000 gallons per day is not enough volume to overcome the required daily maintenance volume; the pond will never fill.

No. C 106176	Due no later than May 31, 2018 Annual Report Form		2. Registered Agent and Address (NO PO BOX)	
Return to: SECRETARY OF STATE 700 WEST JEFFERSON PO BOX 83720 BOISE, ID 83720-0080 NO FILING FEE IF RECEIVED BY DUE DATE	1. Mailing Address: Correct in this box if needed. RCG INC. ROBERT C GOODWIN P O BOX 220 NEW PLYMOUTH ID 83655		ROBERT C GOODWIN 5387 CASSIA RD NEW PLYMOUTH ID 83655	
			3. <u>New</u> Registered Agent Signature:*	
4. Corporations: Enter Names and Business Addresses of President, Secretary, and Directors. Treasurer (optional).				
Office Held	Name	Street or PO Address	City	State Country Postal Code
DIRECTOR	ROBERT C GOODWIN	PO BOX 220	NEW PLYMOUTH	ID USA 83655
5. Organized Under the Laws of: ID C 106176		6. Annual Report must be signed.* Signature: ROBERT Date: 03/26/2018 Name (type or print): ROBERT Title: GOODWIN		
Processed 03/26/2018		* Electronically provided signatures are accepted as original signatures.		

65 23798



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

1. Name of applicant(s) RCG, Inc Phone 208-440-4463
 Name connector (check one): ☐ and ☐ or ☐ and/or
 Mailing address PO Box 220 City New Plymouth
 State Id Zip 83655 Email goodwin.pcte@yahoo.com
2. Source of water supply Ground Water which is a tributary of NA
3. Location of point(s) of diversion:

TWP	RGE	SEC	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
07N	03W	31			NE	SW	Payette	<u>Ground Water</u>	

4. Water will be used for the following purposes:
- Amount 0.04 for Fire Protection purposes from 01/01 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount 7.2 for Fire Protection Storage purposes from 01/01 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount 7.2 for Fire Protection from Storage purposes from 01/01 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
5. Total quantity to be appropriated is (a) 0.04 cubic feet per second (cfs) and/or (b) _____ acre feet per year (af).
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. Propose to drill well and pump water into pond to maintain 10000 gallons for fire dept.
- b. Height of storage dam _____ feet; active reservoir capacity N/A acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No
- c. Proposed well diameter is 6" inches; proposed depth of well is 120 feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
- e. If well is already drilled, when? N/A; drilling firm _____; well was drilled for (well owner) _____; Drilling Permit No. _____
7. Description of proposed uses (if irrigation only, go to item 8):
- a. Hydropower; show total feet of head and proposed capacity in kW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; complete and attach the Municipal Water Right Application Checklist.
- d. Domestic; show number of households _____
- e. Other; describe fully. fire protection for residential sub safety

* Superseded by amendment. RECEIVED 9/12/13.

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
07N	03W	31									F	L3	L4	F		F	F		
												F	F						

Total number of acres to be irrigated: _____

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?

Black Canyon IRRIGATION DISTRICT

10. a. Who owns the property at the point of diversion? RCG INC.

b. Who owns the land to be irrigated or place of use? MULTIPLE OWNERS

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

THE WELL IS FOR USE BY THE SUBDIVISION OWNERS FOR FIRE PROTECTION USE

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

DRILLING WELL TO MAINTAIN LEVEL FOR FIRE PROTECTION FOR AUSSIE ACRES SUBDIVISION.

Pond surface area = 0.7 acres; Average Depth 6.8ft totaling a capacity of 4.76 AF.
Storage volume was calculated @ 0.01 cfs x 365 days x 1.9835 = 7.2 AF, groundwater is for maintaining pond level.

12. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

Robert Goodwin president

Print Name (and title, if applicable)

Signature of Applicant

Print Name (and title, if applicable)

For Department Use:

Received by AK Date 8/30/2018 Time 12:35pm Preliminary check by _____
 Fee \$ 100.00 Received by AK Receipt No. W046710 Date 8/30/2018



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region • 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

September 27, 2018

RCG INC
AUSSIE ACRES SUBDIVISION HOMEOWNERS ASSOC, INC
PO BOX 220
NEW PLYMOUTH, ID 83655

Application for Permit No. 65-23798

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the INDEPENDENT ENTERPRISE on 10/3/2018 and 10/10/2018. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Rachel Neely
Administrative Assistant

Neely, Rachel

From: Neely, Rachel
Sent: Thursday, September 27, 2018 9:56 AM
To: 'Ind-Ent Legals'
Subject: Payette Legal Ad
Attachments: Payette Cover Letter.docx; Payette Legal Ad.docx

Good Morning Legal Clerk,

Please see the attached ad for publication on 10/3/2018 & 10/10/2018.

Please confirm these are okay to publish as shown.

Thank you,

September 27, 2018

LEGAL NOTICE DEPARTMENT
INDEPENDENT ENTERPRISE
124 S MAIN
PAYETTE, ID 83661

RE: Application for Permit No. 65-23798

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 10/22/2018. Your cooperation is appreciated.

Sincerely,

Rachel Neely
Administrative Assistant

Enclosure(s)

The following application has been filed to appropriate the public waters of the State of Idaho:

65-23798

RCG INC

AUSSIE ACRES SUBDIVISION HOMEOWNERS ASSOC, INC

PO BOX 220

NEW PLYMOUTH, ID 83655

Point of Diversion NESW S31 T07N R03W PAYETTE County Source GROUND WATER

Use: DIVERSION TO STORAGE 01/01 to 12/31 0.04 CFS

Use: FIRE PROTECTION 01/01 to 12/31 0.04 CFS

Use: FIRE PROTECTION FROM STORAGE 01/01 to 12/31 6.7 AF

Use: FIRE PROTECTION STORAGE 01/01 to 12/31 6.7 AF

Total Diversion: 0.04 CFS, 6.7 AF

Date Filed: 8/30/2018

Places of Use: FIRE PROTECTION, FIRE PROTECTION FROM STORAGE

T07N R03W S31 NESW L3(NWSW) L4(SWSW) SESW NWSE SWSE

Place of Use: FIRE PROTECTION STORAGE

T07N R03W S31 NESW

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Western Region office at (208) 334-2190; or for a full description of the right(s), please see www.idwr.idaho.gov. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of the application(s) must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 10/22/2018. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 10/3/2018 and 10/10/2018



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region • 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

September 27, 2018

BLACK CANYON IRRIGATION DISTRICT
PO BOX 226
NOTUS ID 83656

Re: Application for Permit No. 65-23798

Dear Interested Party:

The above referenced application may be of interest to you. I would like to inform you that the application has been submitted to the *Independent Enterprise* for advertising. I have enclosed a copy of the application for your convenience. This information is also available on our website www.idwr.idaho.gov.

If you desire to file a formal protest against approval of the application, a written protest along with the \$25.00 protest fee must be received in this office by **October 22, 2018**. A copy of the protest must also be sent to the applicant.

If you have any questions regarding the application, please contact this office at 208-334-2190.

Sincerely,

Rachel Neely
Administrative Assistant
Western Regional Office

Enclosures