

82651

Ident. No. 86-12053

AUG 20 2018

IDWR / NORTH

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**APPLICATION FOR PERMIT**  
To appropriate the public waters of the State of Idaho

1. Name of applicant(s) John Visger, Cherish Visger Phone (208) 882-4243  
Name connector (check one): ☐ and ☐ or ☐ and/or  
Mailing address 1077 Larson Rd. City Moscow  
State ID ZIP 83843 Email jsv1@neomed.edu
2. Name of representative, if any SPF Water Engineering Phone (208) 383-4140  
Mailing address 300 E. Mallard Dr., Suite 350 City Boise  
State ID ZIP 83706 Email \_\_\_\_\_  
  - a. ☐ Send all correspondence for this application to the representative and not to the applicant OR  
☒ Send original correspondence to the applicant and copies to the representative.
  - b. ☒ The representative may submit information for the applicant but is not authorized to sign for the applicant OR  
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply groundwater which is a tributary of \_\_\_\_\_
4. Location of point(s) of diversion:

| Twp | Rge | Sec | Govt Lot | 1/4 | 1/4 | 1/4 | County | Source      | Local name or tag # |
|-----|-----|-----|----------|-----|-----|-----|--------|-------------|---------------------|
| 39N | 4W  | 17  |          |     | NW  | SW  | Latah  | groundwater | none                |
|     |     |     |          |     |     |     |        |             |                     |
|     |     |     |          |     |     |     |        |             |                     |
|     |     |     |          |     |     |     |        |             |                     |

5. Water will be used for the following purposes:  
 Amount 21.4 ac-ft for aesthetic purposes from 1/1 to 12/31 (both dates inclusive)  
 (cfs or acre-feet per year)  
 Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
 (cfs or acre-feet per year)  
 Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
 (cfs or acre-feet per year)  
 Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
 (cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) n/a cubic feet per second (cfs) and/or (b) 21.4 acre-feet per year (af).
7. Proposed diverting works:
  - a. Describe type and size of devices used to divert water from the source. constructed pond intercepts subsurface groundwater; no direct diversion from a stream is proposed
  - b. Height of storage dam n/a feet; active reservoir capacity n/a acre-feet; total reservoir capacity 18 acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate [Application for Construction or Enlargement of a New or Existing Dam](#). Application required? ☐ Yes ☒ No
  - c. Proposed well diameter is n/a inches; proposed depth of well is n/a feet.
  - d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
  - e. If well is already drilled, when? n/a; drilling firm n/a;  
well was drilled for (well owner) n/a; Drilling Permit No. n/a

For Department Use

Received by Ja Date 8-20-18 Time \_\_\_\_\_ Preliminary check by \_\_\_\_\_  
 Fee \$ 25000 Received by Ja Receipt No. N033703 Date 8-20-18

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in kW. \_\_\_\_\_
  - Stockwatering; list number and kind of livestock. \_\_\_\_\_
  - Municipal; must complete and attach the Municipal Water Right Application Checklist.
  - Domestic; show number of households \_\_\_\_\_
  - Other; describe fully. aesthetic use as a water feature associated with a home

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

| TWP | RGE | SEC | NE |    |    |    | NW |    |    |    | SW |    |    |    | SE |    |    |    | TOTALS |
|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------|
|     |     |     | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |        |
| 39N | 4W  | 17  |    |    |    |    |    |    |    |    |    | X  |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |

Total number of acres to be irrigated: \_\_\_\_\_

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? none


- Who owns the property at the point of diversion? applicant
- Who owns the land to be irrigated or place of use? applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: n/a


12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. A pond with a 3-acre surface area, approximately 15 feet deep, with a free-form polygonal shape and sloped sides will be constructed to intercept subsurface groundwater. No stream is visible during any season at the location where the pond will be constructed.

13. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).

14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

**The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.**

  
 \_\_\_\_\_  
 Signature of Applicant  
 John Visger  
 \_\_\_\_\_  
 Print Name (and title, if applicable)

  
 \_\_\_\_\_  
 Signature of Applicant  
 Cherish Visger  
 \_\_\_\_\_  
 Print Name (and title, if applicable)

## Seepage Loss Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total annual seepage losses from a pond.

|             |                       |
|-------------|-----------------------|
| FILE NUMBER | TBD                   |
| REVIEWER    | SPF Water Engineering |
| DATE        | 8/13/2018             |

|                      |
|----------------------|
| User Input           |
| Calculated value     |
| Formula Explanations |

### INPUTS

|                         |   |     |
|-------------------------|---|-----|
| Pond Surface Area (AC.) | 3 | AC. |
|-------------------------|---|-----|

|                             |        |         |
|-----------------------------|--------|---------|
| Pond Surface Area (SQ. FT.) | 130680 | SQ. FT. |
|-----------------------------|--------|---------|

|                                                                           |                      |         |
|---------------------------------------------------------------------------|----------------------|---------|
| I used the following method to obtain my Soil Classification information: | NRCS Web Soil Survey |         |
| My Soil Classification is                                                 | GrndWtr              |         |
| Suggested Seepage Rate (FT./DAY)                                          | 0.0000               | FT./DAY |

|                                                                      |
|----------------------------------------------------------------------|
| Formula: (Surface Area X Seepage Rate) X 7.48 = Gallons Per Day Loss |
|----------------------------------------------------------------------|

|                |   |     |
|----------------|---|-----|
| Convert to GPD | 0 | GPD |
|----------------|---|-----|

|                          |     |     |
|--------------------------|-----|-----|
| Total Seepage Loss (AFA) | 0.0 | AFA |
|--------------------------|-----|-----|

Though sand and gravel seepage rates may actually be higher, the maximum allowable rate is 0.2 ft/day, pursuant to Administrative Memo "Seepage Loss Standards for Ponds and Reservoirs."

| Suggested Seepage Rates for Different Soil Types:                                                   |
|-----------------------------------------------------------------------------------------------------|
| GW, GP, GM, GC, SW, SP and SM (silty sand, sand silt mixtures and gravel mixtures) = 0.2 ft per day |
| OL and ML (inorganic silts - very fine sands, silty, or clayey fine sands) = 0.02 ft per day        |
| SC (clayey sands, sand clay mixtures) = 0.007 ft per day                                            |
| CL (Low to medium plasticity clays) = 0.003 ft per day                                              |
| MH, OH, PT and CH (high plasticity clays) = 0.0003 ft per day                                       |
| LINED PONDS (liners can be chemical, fabric, or bentonite) = 0 ft per day                           |
| Ponds Intercepting Groundwater (excavated ponds filled by ground water) = 0 ft per day              |

**PLEASE NOTE:** The initial basis for the Suggested Seepage Rates in the table above is found on Page 16 of Seepage from Fish Ponds, Bulletin 599, August 1989 Alabama Agricultural experiment Station, Auburn University, Auburn University Alabama. If you don't know the soil type, please refer to the map provided at the NRCS Web Soil Survey (Tab #1), an ArcMap Soil Classification Map (Tab #1.1), or published NRCS Soil Survey (Tab #1.2). Use "0" if the pond fill relies on the water table.

## Evaporation Loss Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the annual evaporation losses from a pond.

|             |                       |
|-------------|-----------------------|
| FILE NUMBER | TBD                   |
| REVIEWER    | SPF Water Engineering |
| DATE        | 8/13/2018             |

|                      |
|----------------------|
| User Input           |
| Calculated value     |
| Formula Explanations |

The acronyms used on the Kimberly Research Center website are defined below:

|                                        |
|----------------------------------------|
| P = Precipitation                      |
| ET= Evapotranspiration                 |
| P <sub>d</sub> = Precipitation deficit |
| P <sub>d</sub> =ET-P                   |

### USING THIS SPREADSHEET

Use the link below to access the Kimberly Research Center website. This website provides the Precipitation Deficit for a station most representative of the pond under examination. The Precipitation Deficit is the total amount of free water surface evaporation minus the precipitation for a given area, which gives the total amount of evaporative losses incurred by the pond. There are several weather sites that are used throughout the state. IDWR staff can find the nearest site using Arc Map. The shape file containing the sites can be found at X:/Spatial/Climate/ETIdahostations.shp.

### Instructions:

1. Use the link below to navigate to ET Idaho 2012.
2. Select the station which is most representative to your pond location.
3. Click Submit Query.
4. Under "Land Covers with Evapotranspiration Estimates," select "Open Water - Shallow Systems (ponds, streams)" or "Open Water - small stock ponds" depending on the pond size.
5. Click the link to "Precipitation Deficit."
6. Reference and copy (ctrl + C) the first subheading "Mean" values.
7. Click the "Paste Values from ET Idaho" button. The table will automatically enter a zero (0) for any negative precipitation deficit values.

Found at: <http://data.kimberly.uidaho.edu/ETIdaho/>

### Precipitation Deficit

Station: Moscow - Uoft NWS 106152

| Month     | mm/day <sup>1</sup> | Days per month | mm/Month |
|-----------|---------------------|----------------|----------|
| Jan       | -2.36               | 31             | 0.00     |
| Feb       | -1.55               | 28             | 0.00     |
| March     | -0.83               | 31             | 0.00     |
| April     | 0.04                | 30             | 1.20     |
| May       | 0.78                | 31             | 24.18    |
| June      | 2.10                | 30             | 63.00    |
| July      | 3.67                | 31             | 113.77   |
| August    | 3.18                | 31             | 98.58    |
| September | 1.65                | 30             | 49.50    |
| October   | -0.35               | 31             | 0.00     |
| November  | -2.65               | 30             | 0.00     |
| December  | -2.16               | 31             | 0.00     |

**PLEASE NOTE:** The seasonal average for precipitation deficit should not be used for calculations because precipitation often exceeds evaporation during wetter months of the year. If the pond is kept full, excess precipitation during wetter months does not serve to refill the pond during drier months.

For example, see Sandpoint KSPT (NWS – 108137), the annual precipitation deficit is -106 mm. However, April through September have positive precipitation deficit values. To properly estimate the annual volume of water necessary to refill a pond due to evaporation losses, the table will automatically enter a zero (0) for each month that the precipitation value is reported as a negative value.

As described above, precipitation offsets evaporation in winter months, so the net effect is that wintertime precipitation deficit is usually zero.

Total mm/year = 350.23

Pdef Shallow System

$[(\text{mm/yr}) \div (\text{convert to feet})] \times (\text{Surface area of pond, in acres}) = \text{Evaporation Loss in Acre Feet}$

$$\left( \frac{350.23}{304.8} \right) \times 3.00 = 3.4 \text{ AFA}$$

## Total Storage Calculations

|             |                       |
|-------------|-----------------------|
| FILE NUMBER | T8D                   |
| REVIEWER    | SPF Water Engineering |
| DATE        | 8/13/2018             |

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

|                      |
|----------------------|
| User Input           |
| Calculated value     |
| Formula Explanations |

|                                                                                              |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Surface Area (AC.)                                                                           | 3    | "Surface Area" is automatically carried over from the "Seepage Loss" sheet.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Average Pond Depth (FT.)                                                                     | 15   | "Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Pond Capacity (AF)                                                                           | 18   | Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above.<br>Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.                                                                                                                                                                                                                                                                                                                                                                                                |
| Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF) | 0    | The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: If a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed).<br>Note: You must have a <u>"From Storage"</u> component exceeding the initial fill on the permit to include a volume in this space. |
| Estimated Seepage Loss (AF)                                                                  | 0.0  | The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Estimated Evaporation Loss (AF)                                                              | 3.4  | The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Total Volume Required (AF)                                                                   | 21.4 | The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

|                                                               |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------------------------------------------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Flow Rate into Pond (CFS)                                     | 0.00 | The "Flow Rate into Pond" depicts the actual flow, either measured or estimated, into the pond. For offstream facilities, this will be equivalent to "diversion to storage" rate.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Highest Daily Evaporation Rate From Evaporation Tab. (mm/Day) | 3.67 | This number is carried over from the "Evaporation Loss" sheet. It is the highest recorded number in the "Precipitation Deficit Table".                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Required Daily Maintenance Volume (AF/Day)                    | 0.04 | "Required Daily Maintenance Volume" is the maximum volume of water needed on any given day during the year to maintain pond volume. It is calculated by adding the highest daily evaporation loss to the average daily seepage loss in acre feet. The average daily seepage loss is calculated by dividing the "Estimated Seepage Loss" by 365 days. This is acceptable, since the seepage rate shouldn't vary throughout the season unless the pond completely freezes over during the winter months. The highest daily evaporation loss is calculated by dividing the Highest Daily Evaporation Rate by the 304.8 conversion factor and multiplying this number by the pond surface area to attain a combined daily acre feet requirement.                                                                                             |
| Minimum Maintenance Flow (CFS)                                | 0.02 | The "Minimum Maintenance Flow" is the minimum amount of flow required to maintain the level of the pond. This number is determined by dividing the "Maximum Required Daily Maintenance Volume" by 1.9835. This flow can be used to determine if the flow rate into the pond is adequate to maintain the pond level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Days Required to Fill the Pond                                | -498 | The "Days Required to Fill the Pond" is calculated by dividing the "Pond Capacity" by the "Flow Rate" minus "Minimum Maintenance Flow" multiplied by 1.9835. This section will assist you in determining if the flow rate being diverted to the pond is adequate to fill the pond while maintaining the pond level. The length of time to fill the pond will help determine if the flow rate is adequate for the size of pond being proposed. If this number is <i>approximately 6 months (180 days) or more</i> , the reviewer should have a discussion with the applicant to make sure he/she understands that it will take a significant length of time to fill the pond.                                                                                                                                                             |
| Days Required to Fill the Pond at 13,000 Gallons per Day      | 4770 | Some water users may want to fill a pond under the 13,000 gallons per day domestic exemption. The "Days Required to Fill the Pond at 13,000 Gallons per Day" is calculated by converting the "Pond Capacity" and the "Required Daily Maintenance Volume" to gallons. The "Pond Capacity" is then divided by 13,000 gallons minus the "Required Daily Maintenance Volume" in gallons to determine the number of days to fill pond. If this number is <i>approximately 6 months (180 days) or more</i> , the reviewer should have a discussion with the applicant to make sure he/she understands that it will take a significant length of time to fill the pond.<br>Negative values indicate that the supply of 13,000 gallons per day is not enough volume to overcome the required daily maintenance volume; the pond will never fill. |



-  Nominal Point of Diversion
-  Proposed Pond

### Application for Permit - Hope House



200

Feet



## Frederick, Adam

---

**From:** John Visger <jsv1@neomed.edu>  
**Sent:** Thursday, August 23, 2018 9:35 AM  
**To:** Frederick, Adam  
**Subject:** Re: Application for Permit

Adam,

The connector and/or is intended.

Thanks,  
John

Sent from my iPhone

On Aug 23, 2018, at 12:08 PM, Frederick, Adam <[Adam.Frederick@idwr.idaho.gov](mailto:Adam.Frederick@idwr.idaho.gov)> wrote:

Hello,

We have received your application for permit and need clarification on your name connector. You listed your names John Visger, Cherish Visger and did not check a box for name connector. I need to know if you want the connector "and", "or", "and/or". Please email your response so I can continue processing your application.

Thank you  
Adam

Adam Frederick  
Senior Water Resource Agent  
Idaho Dept. of Water Resources  
Northern Regional Office  
Phone 208-762-2800



State of Idaho

## DEPARTMENT OF WATER RESOURCES

Northern Region • 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815-7763

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Website: [www.idwr.idaho.gov](http://www.idwr.idaho.gov)

C.L. "BUTCH" OTTER  
Governor

GARY SPACKMAN  
Director

August 29, 2018

JOHN VISGER  
CHERISH VISGER  
1077 LARSON RD  
MOSCOW, ID 83843

Application For Permit No. 86-12053

Dear Applicants:

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the MOSCOW PULLMAN DAILY NEWS on 9/6/2018 and 9/13/2018. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Tammy Alleman  
Administrative Assistant

## Alleman, Tammy

---

**From:** Alleman, Tammy  
**Sent:** Wednesday, August 29, 2018 10:25 AM  
**To:** 'LEGALS@DNEWS.COM'  
**Subject:** Legal Notice for WR# 86-12053  
**Attachments:** 86-12053 Legal Notice.doc

Please publish the enclosed legal notice in the **Moscow Pullman Daily News** on the dates indicated September 6<sup>th</sup> and September 13<sup>th</sup> (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately. **Please send a proof once you have the article ready for print for our review.**

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before **9/24/2018**. Your cooperation is appreciated.

Thank you,

Tammy

*Tammy Alleman  
Administrative Assistant  
Idaho Department of Water Resources  
7600 North Mineral Drive, Suite 100  
Coeur d'Alene, ID 83815  
[Tammy.Alleman@idwr.idaho.gov](mailto:Tammy.Alleman@idwr.idaho.gov)  
208-762-2800 Phone  
208-762-2819 Fax*

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

**86-12053**

JOHN VISGER

CHERISH VISGER

1077 LARSON RD

MOSCOW, ID 83843

Point of Diversion NWSW

S17 T39N R04W

LATAH County

Source GROUND WATER

Use: AESTHETIC STORAGE

01/01 to 12/31 21.4 AF

Total Diversion: 21.4 AF

Date Filed: 8/20/2018

Place Of Use: AESTHETIC STORAGE

T39N R04W S17 NWSW

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Northern Region office at (208) 762-2800. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of \$25.00 for each application on or before 9/24/2018. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 9/6/2018 and 9/13/2018

## Alleman, Tammy

---

**From:** Alleman, Tammy  
**Sent:** Wednesday, August 29, 2018 10:28 AM  
**To:** 'Sujata.Connell@deq.idaho.gov'; 'Swearingen,Zachary'; 'kwoodley@uidaho.edu'  
**Subject:** Request for Comments for WR# 86-12053  
**Attachments:** 86-12053 Application for Permit.pdf

Dear Interested Agencies:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced water right applications. You can find copies of the applications attached to the email and also at: <http://www.idwr.idaho.gov/apps/ExtSearch/WRAJSearch/WRADJSearch.aspx>.

This office can publish notice of the applications as soon as the initial review is completed; therefore, your prompt response to this request is appreciated. If your agency desires to formally protest the approval of the application(s), you may do so after the notice is published by filing a written protest along with a \$25.00 filing fee within 10 days after final publication. The deadline for comments on the applications is September 24, 2018.

Please contact the Northern Region Office at (208) 772-2800 if you have any questions regarding the applications.

Thank you,

Tammy

*Tammy Alleman  
Administrative Assistant  
Idaho Department of Water Resources  
7600 North Mineral Drive, Suite 100  
Coeur d'Alene, ID 83815  
[Tammy.Alleman@idwr.idaho.gov](mailto:Tammy.Alleman@idwr.idaho.gov)  
208-762-2800 Phone  
208-762-2819 Fax*