

RECEIVED

FORM 202 Rev. 09/16

JUL 06 2018

IDWR / NORTH

82506

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Ident. No. 98-7986

1. Name of applicant(s) Roy Kisner & Elany Kisner Phone (208) 267-0672
 Name connector (check one): ☒ and ☐ or ☐ and/or
 Mailing address 8895 Moyie River Road City Bonnars Ferry
 State Idaho ZIP 83805 Email Moyierr@hughes.net
2. Name of representative, if any Brian Domke Phone (208) 610-9853
 Mailing address PO Box 711 City Sagle
 State Idaho ZIP 83860 Email Brian.Domke@gmail.com
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☒ Send original correspondence to the applicant and copies to the representative.
- b. ☒ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply spring which is a tributary of Moyie River.
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
63N	02E	2		SW	NE	SE	Boundary	Spring	

5. Water will be used for the following purposes:
- Amount 0.04 cfs for domestic purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) 0.04 cubic feet per second (cfs) and/or (b) _____ acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. Concrete spring box (approximately 3'x3')
located on hillside at spring source, which feeds piping (1.5" diameter), connected to point of use at house.
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate [Application for Construction or Enlargement of a New or Existing Dam](#). Application required? ☐ Yes ☐ No
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
- e. If well is already drilled, when? _____; drilling firm _____;
 well was drilled for (well owner) _____; Drilling Permit No. _____.

For Department Use

Received by _____ Date _____ Time _____ Preliminary check by _____
 Fee \$ 100.00 Received by JA Receipt No. N033564 Date 7-6-18

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in kW. _____
 - Stockwatering; list number and kind of livestock. _____
 - Municipal; must complete and attach the Municipal Water Right Application Checklist.
 - Domestic; show number of households One.
 - Other; describe fully. _____
9. Description of place of use:
- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 - If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
63N	02E	2													D				

Total number of acres to be irrigated: _____

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? The domestic use of the spring water is also intended to irrigate small areas of gardens and landscaping adjacent to the house.
11. a. Who owns the property at the point of diversion? Applicant.
- b. Who owns the land to be irrigated or place of use? Applicant.
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____
12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. Install a concrete spring box on the slope as a point of diversion in the location of the spring source. Spring box will feed piping down slope to the point of use at the house.
13. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).
14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Roy E. Kisner
 Signature of Applicant
 Roy Kisner
 Print Name (and title, if applicable)

Elany A. Kisner
 Signature of Applicant
 Elany Kisner
 Print Name (and title, if applicable)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

Appendix – A
SPRING FLOW & WATER USE CALCULATIONS

Name of Applicant: Roy Kisner

Mailing Address: 8895 Moyie River Road, Bonners Ferry, ID

Source of Water Supply: Spring

Township: 63N, Range: 02E, Section: 2

Estimated Surface Water Flow from Spring (Measurements Taken 06/11/2018):

- Flow rate is based on flow from spring source at location of spring box
- Average Total Water Flow Width = 11.0 inches
- Average Total Water Flow Depth = 0.75 inches
- $11.0'' \times 0.75'' = 8.25$ square inches (si)
- $8.25 \text{ si} / 144 \text{ (si)} = 0.058$ square feet (sf)
- Velocity of Flow = 1.5 feet per second (fps)
- $0.058 \text{ sf} \times 1.5 \text{ fps} = 0.087$ cubic feet per second (cfs)
- Rate of Surface Water Flow from Springs = 0.087 cfs

Domestic Water Use:

- Single Dwelling Water Use = 0.04 cfs (Per IDWR Standard Values)
- Domestic Use = 46% of Available Surface Flow from Springs

Prepared By:



phone: 208.610.9853 address: PO Box 711, Sagle, Idaho 83860

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho


Appendix – B
MAP of PROPOSED PROJECT - Domestic from Spring

Name of Applicant: Roy Kisner

Mailing Address: 8895 Moyie River Road, Bonners Ferry, ID

Source of Water Supply: Spring

Township: 63N, Range: 02E, Section: 2



6/22/2018, 9:45:46 PM

Points
◆ POD
● POU
— Piping

Counties

Quarter Quarter
Section

Township/Range

Idaho Outline

Idaho Mask

1:9,028
0 0.05 0.1 0.2 mi
0 0.07 0.15 0.3 km

Map HERE, Garmin & OpenStreetMap contributors, Created by NRCIS from 1:24,000 scale USGS topographic maps. Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

USDA FSA, DigitalGlobe, GeoEye, CNES/Airbus DS | Created by NRCIS from 1:24,000 scale USGS topographic maps | USDA, Natural Resources Conservation Service | Esri, HERE, IGC, NRCIS

Prepared By:



phone: 208.610.9853 address: PO Box 711, Sagle, Idaho 83860



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region • 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815-7763
Phone: (208) 762-2800 • Fax: (208) 762-2819 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

July 11, 2018

ROY KISNER
8895 MOYIE RIVER RD
BONNERS FERRY, ID 83805

ELANY KISNER
8895 MOYIE RIVER RD
BONNERS FERRY, ID 83805

Application For Permit No. 98-7986

Dear Applicants:

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the BONNERS FERRY HERALD on 7/19/2018 and 7/26/2018. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Tammy Alleman
Administrative Assistant

Alleman, Tammy

From: Alleman, Tammy
Sent: Wednesday, July 11, 2018 10:37 AM
To: Clark, Cynthia Bridge
Subject: Application for Permit 98-7986
Attachments: 98-7986 Application for Permit.pdf

Dear Water Resource Board:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced water right application. You can find a copy of the application attached to the email and also at: <http://www.idwr.idaho.gov/apps/ExtSearch/WRAJSearch/WRADJSearch.aspx>.

This office can publish notice of the application as soon as the initial review is completed; therefore, your prompt response to this request is appreciated. If your agency desires to formally protest the approval of the application, you may do so after the notice is published by filing a written protest along with a \$25.00 filing fee within 10 days after final publication. **The deadline for comments on the application is August 6, 2018.**

Please contact the Northern Region Office at (208) 772-2800 if you have any questions regarding the application.

Thank you,

Tammy

*Tammy Alleman
Administrative Assistant
Idaho Department of Water Resources
7600 North Mineral Drive, Suite 100
Coeur d'Alene, ID 83815
Tammy.Alleman@idwr.idaho.gov
208-762-2800 Phone
208-762-2819 Fax*

Alleman, Tammy

From: Alleman, Tammy
Sent: Wednesday, July 11, 2018 10:39 AM
To: 'BFHLegals@bonnersferryherald.com'
Subject: Legal Notice for 98-7986
Attachments: 98-7986 Legal Notice.doc

Please publish the enclosed legal notice in the **Bonner Ferry Herald** on the dates indicated July 19th & June 26th (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately. Please send a proof once you have the article ready for print for our review.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 8/6/2018. Your cooperation is appreciated.

Thank you,

Tammy

*Tammy Alleman
Administrative Assistant
Idaho Department of Water Resources
7600 North Mineral Drive, Suite 100
Coeur d'Alene, ID 83815
Tammy.Alleman@idwr.idaho.gov
208-762-2800 Phone
208-762-2819 Fax*

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

98-7986

ROY KISNER

ELANY KISNER

8895 MOYIE RIVER RD

BONNERS FERRY, ID 83805

Point of Diversion SWNESE

S2 T63N R02E

BOUNDARY County

Source SPRING

Tributary MOYIE RIVER

Use: DOMESTIC

01/01 to 12/31 0.04 CFS

Total Diversion: 0.04 CFS

Date Filed: 7/6/2018

Place Of Use: DOMESTIC

T63N R02E S2 NESE

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Northern Region office at (208) 762-2800. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of \$25.00 for each application on or before 8/6/2018. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 7/19/2018 and 7/26/2018