

Stosich, Scott

From: Richards, Jeff <jeff.richards@idfg.idaho.gov>
Sent: Thursday, June 14, 2018 9:37 AM
To: Stosich, Scott
Subject: Jereal Hagen - WR - 74-16059 - Meets IDFG Fish Screen Condition

Scott:

This letter is in reference to Jereal Hagen, WR-75-16059 fish screen requirement. The IDFG conducted a site visit in December of 2016 with Cindy Yenter to review his bubble box. Based on our site visit and the fact that his diversion is located behind the screened L-32 ditch, IDFG feels he more than adequately meets the required fish screening condition of his Water Right.

Based on our findings and the location of the diversion, the Department has no additional comments pertaining to this application. If you have any questions, please don't hesitate to call me at (208) 756-2271.

Sincerely,

Jeff Richards

Stosich, Scott

From: Yenter, Cindy
Sent: Tuesday, June 19, 2018 9:34 AM
To: Jordan, Blake
Cc: Stosich, Scott
Subject: FW: 74-16059

Blake, I would consider this a request for a field exam. Scott and I both visited with this gent last week – he was upset because Darla sent him a proof response letter cautioning that a fish screen may be required (proof was filed and accepted). IDFG was supposed to send a screen waiver statement to Scott. Now the permit holder wants his BU exam immediately.

There's no expectation that I conduct field exams; I will if I have time but I would rather leave licensing to the regions where it belongs. I don't have time for this one. Is there a possibility someone there can schedule this exam?

Cindy

From: JEREL HAGEN [mailto:jghagen@centurylink.net]
Sent: Monday, June 18, 2018 4:18 PM
To: Yenter, Cindy <Cindy.Yenter@idwr.idaho.gov>
Subject: Re: 74-16059

Cindy:

Will you come up and inspect the "measurable weir", and converse back to IDWR that it is completed according to "conditions"? In a week or two, they will be cutting the hay up on my neighbor's property and you and my leasee (both of my neighbor and my place) can drive you up there. I don't see why not...? I just want to get this process completed. I am doing my part of the process, and I expect IDWR to do the same in a timely and considerate manner.

Jerry

----- Original Message -----

From: Yenter, Cindy <Cindy.Yenter@idwr.idaho.gov>
To: jghagen@centurylink.net
Sent: Thu, 14 Jun 2018 15:27:10 -0400 (EDT)
Subject: 74-16059

@font-face
{font-family:"Cambria Math";
panose-1:2 4 5 3 5 4 6 3 2 4;}
@font-face
{font-family:Calibri;
panose-1:2 15 5 2 2 2 4 3 2 4;}

p.MsoNormal, li.MsoNormal, div.MsoNormal
{margin:0in;
margin-bottom:.0001pt;

font-size:12.0pt;
font-family:"Times New Roman",serif;}
a:link, span.MsoHyperlink
{mso-style-priority:99;
color:#0563C1;
text-decoration:underline;}
a:visited, span.MsoHyperlinkFollowed
{mso-style-priority:99;
color:#954F72;
text-decoration:underline;}
span.EmailStyle17
{mso-style-type:personal;
font-family:"Calibri",sans-serif;
color:#1F497D;}
span.EmailStyle18
{mso-style-type:personal-reply;
font-family:"Calibri",sans-serif;
color:#1F497D;}
.MsoChpDefault
{mso-style-type:export-only;
font-size:10.0pt;}
@page WordSection1
{size:8.5in 11.0in;
margin:1.0in 1.0in 1.0in 1.0in;}
div.WordSection1
{page:WordSection1;}
-->

Jerry, IDWR must conduct a field exam in order to issue a water right license. That will be the end of the process and the final document. I'm not sure when the exam will be scheduled. It may be this summer, but it might not. In the meantime, just keep using the water under your permit. You won't lose any priority if IDWR is slow to schedule the exam.

Cindy

From: JEREL HAGEN [<mailto:jghagen@centurylink.net>]

Sent: Thursday, June 14, 2018 11:23 AM

To: Yenter, Cindy <Cindy.Yenter@idwr.idaho.gov>

Subject: Re: 74-16059

Cindy:

So, is the process completed? In other words, does IWDR, or I need to do anything else? I would think the case is closed, and the water right is final...? Am I to receive a notice of the "water right" with out encumbrances ("Conditions of Approval")? The one I have has "Conditions of Approval" on it. For some reason, I don't think the process has been completed, "paper work" wise. Thanks, Jerry

----- Original Message -----

From: Yenter, Cindy <Cindy.Yenter@idwr.idaho.gov>

To: jghagen@centurylink.net

Cc: Stosich, Scott <Scott.Stosich@idwr.idaho.gov>

Sent: Wed, 13 Jun 2018 12:22:09 -0400 (EDT)

Subject: 74-16059

@font-face

{font-family:"Cambria Math";

panose-1:2 4 5 3 5 4 6 3 2 4;}

@font-face

{font-family:Calibri;

panose-1:2 15 5 2 2 2 4 3 2 4;}

p.MsoNormal, li.MsoNormal, div.MsoNormal

{margin:0in;

margin-bottom:.0001pt;

font-size:11.0pt;

font-family:"Calibri",sans-serif;}

a:link, span.MsoHyperlink

{mso-style-priority:99;

color:#0563C1;

text-decoration:underline;}

a:visited, span.MsoHyperlinkFollowed

{mso-style-priority:99;

color:#954F72;

text-decoration:underline;}

span.EmailStyle17

{mso-style-type:personal-compose;

font-family:"Calibri",sans-serif;

color:windowtext;}

.MsoChpDefault

{mso-style-type:export-only;

font-family:"Calibri",sans-serif;}

@page WordSection1

{size:8.5in 11.0in;

margin:1.0in 1.0in 1.0in 1.0in;}

{page:WordSection1;}

-->

Jerry – Scott at Eastern Region has contacted IDFG who will send an email stating that a fish screen is not required. Scott will put that correspondence in your water right file.

I took a look at the letter you were sent and your proof of beneficial use was accepted by IDWR. The paragraph about the fish screen was only cautionary, but it's good to get this taken care of now so it won't be an issue at licensing.

Please let me or Scott know if you have any other questions.

*Cindy Yenter
Idaho Dept of Water Resources*

Salmon Field Office

*102 S Warpath, Salmon ID 83467
cindy.yenter@idwr.idaho.gov
208-742-0655*

208-731-0901 cell