

4/24/2018

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	G5 LAND CO 1310 S 600 W OAKLEY, ID 83346 (208) 862-3346

Status: Active

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
IRRIGATION	03/15	11/15	8.040 CFS	
	Total Diversion		8.040 CFS	

GROUND WATER	SENESE	Sec. 36, Twp 12S, Rge 21E,	CASSIA County
GROUND WATER	SWSWNE	Sec. 17, Twp 12S, Rge 22E,	CASSIA County
GROUND WATER	L1(SWNWNW)	Sec. 19, Twp 12S, Rge 22E,	CASSIA County
GROUND WATER	SENWNW	Sec. 20, Twp 12S, Rge 22E,	CASSIA County
GROUND WATER	SESWNE	Sec. 32, Twp 12S, Rge 22E,	CASSIA County
GROUND WATER	NWNWSW	Sec. 32, Twp 12S, Rge 22E,	CASSIA County
GROUND WATER	NWNWSW	Sec. 32, Twp 12S, Rge 22E,	CASSIA County
GROUND WATER	L1(NENENE)	Sec. 1, Twp 13S, Rge 21E,	CASSIA County

IRRIGATION within CASSIA County

Page 42 of 44

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

4/24/2018

Right Acre Limit: 962.1
POU Total Acres: 3,561.0

Conditions of Approval:

1. X35 Rights 45-14488, 45-14489, 45-14490, 45-14491, 45-14492, 45-14493, 45-14494, 45-14495, 45-14496, 45-14497, 45-14498, and 45-14499 when combined shall not exceed a total diversion rate of 28.93 cfs and a total annual maximum diversion volume of 9880.3 af at the field headgate, and the irrigation of 3561 acres.
2. T07 The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
3. T19 Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.
4. X35 Rights 45-14484, 45-14485, 45-14486, 45-14487, 45-14488, 45-14489, 45-14490, 45-14491, 45-14492, 45-14493, 45-14494, 45-14495, 45-14496, 45-14497, 45-14498 and 45-14499 when combined shall not exceed a total diversion rate of 38.44 cfs, and the irrigation of 3561 acres.
5. 046 Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
6. R05 Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No.140.
7. S21 Use of this right is combined with water from Oakley Canal Co.
8. 214 Prior to the diversion and use of water under Transfer approval 78907, the right holder shall install and maintain acceptable measuring device(s) at the authorized point(s) of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
9. T08 Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
10. 213 Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized point(s) of diversion in accordance with Department specifications.
11. The point of diversion located in the SWSWNE, S17, T12S, R22E is limited to a maximum diversion rate of 10.00 cfs.
12. 065 The right holder shall make full beneficial use of all surface water rights available to the right holder for irrigation of the lands authorized to be irrigated under this right. The right holder shall limit the diversion of ground water under this right to those times when the surface water supply is not available or the surface water supply is not reasonably sufficient to irrigate the place of use authorized under this right.
13. 104 If the surface water right(s) appurtenant to the place of use is abandoned, forfeited, sold, transferred, leased or used on any other place of use, this right to divert ground water shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
14. All points of diversion described on this water right that are located within Range 22 are within the Oakley-Kenyon Critical Ground Water Area and are limited to 15.96 cfs and 4534.4 afa.
15. K04 This right is an expansion of the following right nos. pursuant to Section 42-1416B, Idaho Code. Combined rights: 45-14484, 45-14485, 45-14486, 45-14487, 45-14488, 45-14489, 45-14490, 45-14491, 45-14492, 45-14493, 45-14494, 45-14495, 45-14496,

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

4/24/2018

- 45-14497 and 45-14498.
16. X27 This right is limited to the irrigation of 962 acres within the authorized place of use in a single irrigation season.
17. R64 This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.

Comments:

1. tfawcett 12/28/2016 Split Right
This right was split from 45-13550 pursuant to an ownership change.
2. tfawcett 12/28/2016 POU
Updated Shape

Dates and Other Information

Decreed Date: 1/6/2006
Water District Number: 140
Mitigation Plan: False

Combined Use Limits

N/A

SubCase:


N/A

Water Supply Bank:

N/A

State of Idaho
Department of Water Resources

**Water Right 45-14484, 45-14485, 45-14486, 45-14487,
45-14488, 45-14489, 45-14490, 45-14491, 45-14492, 45-14493,
45-14494, 45-14495, 45-14496, 45-14497, 45-14498, 45-14499**



0 0.75 1.5 3 Miles

-  Place Of Use Boundary
-  Townships
-  PLS Sections

