

Edl, Michele

From: Edl, Michele
Sent: Friday, February 23, 2018 5:39 PM
To: Christian Petrich (CPetrich@spfwater.com)
Cc: 'Roxanne Brown'; 'hroyal@blaineschools.org'
Subject: permit 37-22545
Attachments: DOC.pdf

Christian Petrich,
The attached letter will be mailed from the state office on Monday.
I apologize for my inattention to this permit.
Michele Edl



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street • P.O. Box 83720 • Boise, Idaho 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700 • Web Site: www.idwr.idaho.gov

GARY SPACKMAN
Director

C.L. "BUTCH" OTTER
Governor

February 23, 2018

CHRISTIAN PETRICH
SPF WATER ENGINEERING LLC
BOISE ID 83706

RE: Permit No. 37-22545

Dear Mr. Petrich:

Earlier today your colleague, Roxanne Brown prompted me for an update with respect to Permit 37-22545. This letter is intended to provide a response to her questions and to help us all keep this permit on track.

The last exchange of information between SPF Water Engineering and IDWR regarding Permit 37-22545, occurred on September 5, 2017. You phoned me and then followed up with an email message to me which documented your requests. Both in the phone call and in the email you asked for two things: 1) to withdraw your August 24, 2017 request to submit the proof of beneficial use statement prior to October 1, 2020 and 2) for the Department to review your findings and the data related to the monitoring plan with the idea of making changes to the monitoring plan.

I have reviewed the data and analysis that you have submitted and I have shared my preliminary recommendation with the section manager. But to date, the Department has not responded to the second request.

To assist us in our re-consideration of the monitoring requirements, the Department would like to refer to the most recent data. Based on my review of the contents of this file, the permit holder has not been relieved of the monitoring requirements as you defined them in the alternative plan (December 22, 2015 letter to Ashley Newbry). So I am assuming that data is being collected as the plan required. However, it's not clear that the permit holder is expected to submit a report of that monitoring.

Please consider this letter as the Department's request for the monitoring plan data from 2017. And please call me at 208-287-4946 or email me michele.edl@idwr.idaho.gov with your questions.

Respectfully,

Michele Edl
Water Resource Agent Sr

cc: Roxanne Brown
Howie Royal