




63-34388

DAHL SHEEP LLC

1036 E IRON EAGLE DR STE 100

EAGLE, ID 83616

Point of Diversion NWNE S16 T05N R01W ADA County Source
GROUND WATER

Point of Diversion NENE S16 T05N R01W ADA County Source
GROUND WATER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: IRRIGATION 03/01 to 11/15 0.21 CFS

Use: STOCKWATER 01/01 to 12/31 0.01 CFS

Total Diversion: 0.26 CFS

Date Filed: 5/25/2017

Places of Use: DOMESTIC, IRRIGATION, STOCKWATER

T05N R01W S16 NENE NWNE

Total Acres: 10.1

Water bearing zone to be appropriated is from 200 to 700 feet.

This proposal is located in Lot 3 Blk 1 in Moose on the Loose Subdi-
vision.

Applicant proposes to construct one well in one of the two locations.

✓ OK RN 11/21/17

63-34389

DAHL SHEEP LLC

1036 E IRON EAGLE DR STE 100

EAGLE, ID 83616

Point of Diversion NENE S16 T05N R01W ADA County Source
GROUND WATER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: IRRIGATION 03/01 to 11/15 0.26 CFS

Use: STOCKWATER 01/01 to 12/31 0.01 CFS

Total Diversion: 0.31 CFS

Date Filed: 5/25/2017

Places of Use: DOMESTIC, IRRIGATION, STOCKWATER

T05N R01W S16 NENE

Total Acres: 13

Water bearing zone to be appropriated is from 200 to 700 feet.

This proposal is located in Lot 4 Blk 1 in Moose on the Loose Subdi-
vision.

✓ OK RN 11/21/17

63-34390

DAHL SHEEP LLC

1036 E IRON EAGLE DR STE 100

EAGLE, ID 83616

Point of Diversion NENE S16 T05N R01W ADA County Source
GROUND WATER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: IRRIGATION 03/01 to 11/15 0.22 CFS

Use: STOCKWATER 01/01 to 12/31 0.01 CFS

Total Diversion: 0.31 CFS

Date Filed: 5/25/2017

Places of Use: IRRIGATION, STOCKWATER, DOMESTIC

T05N R01W S16 NENE

Total Acres: 13

Water bearing zone to be appropriated is from 200 to 700 feet.

This proposal is located in Lot 5 Blk 1 in Moose on the Loose Subdi-
vision.

✓ OK RN 11/21/17

63-34391

DAHL SHEEP LLC

1036 E IRON EAGLE DR STE 100

EAGLE, ID 83616

Point of Diversion SENE S16 T05N R01W ADA County Source
GROUND WATER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: IRRIGATION 03/01 to 11/15 0.21 CFS

Use: STOCKWATER 01/01 to 12/31 0.01 CFS

Total Diversion: 0.26 CFS

Date Filed: 5/25/2017

Places of Use: STOCKWATER, DOMESTIC, IRRIGATION

T05N R01W S16 NENE SENE

Total Acres: 10.3

Water bearing zone to be appropriated is from 200 to 700 feet.

This proposal is located in Lot 6 Blk 1 in Moose on the Loose Subdi-
vision.

✓ OK RN 11/21/17

63-34392

DAHL SHEEP LLC

1036 E IRON EAGLE DR STE 100

EAGLE, ID 83616

Point of Diversion SENE S16 T05N R01W ADA County Source
GROUND WATER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: IRRIGATION 03/01 to 11/15 0.21 CFS

Use: STOCKWATER 01/01 to 12/31 0.01 CFS

Total Diversion: 0.26 CFS

Date Filed: 5/25/2017

Places of Use: DOMESTIC, IRRIGATION, STOCKWATER

T05N R01W S16 SENE

Total Acres: 10

Water bearing zone to be appropriated is from 200 to 700 feet.

This proposal is located in Lot 7 Blk 1 in Moose on the Loose Subdi-
vision.

✓ OK RN 11/21/17

63-34393

DAHL SHEEP LLC

1036 E IRON EAGLE DR STE 100

EAGLE, ID 83616

Point of Diversion SENE S16 T05N R01W ADA County Source
GROUND WATER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: IRRIGATION 03/01 to 11/15 0.21 CFS

Use: STOCKWATER 01/01 to 12/31 0.01 CFS

Total Diversion: 0.26 CFS

Date Filed: 5/25/2017

Places of Use: DOMESTIC, IRRIGATION, STOCKWATER

T05N R01W S16 SENE

Total Acres: 10

Water bearing zone to be appropriated is from 200 to 700 feet.

This proposal is located in Lot 8 Blk 1 in Moose on the Loose Subdi-
vision.

✓ OK RN 11/21/17

63-34394

DAHL SHEEP LLC

1036 E IRON EAGLE DR STE 100

EAGLE, ID 83616

Points of Diversion SWNE SENE S16 T05N R01W ADA County
Source GROUND WATER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: IRRIGATION 03/01 to 11/15 0.21 CFS

Use: STOCKWATER 01/01 to 12/31 0.01 CFS

Total Diversion: 0.26 CFS

Date Filed: 5/25/2017

Places of Use: DOMESTIC, IRRIGATION, STOCKWATER

T05N R01W S16 SWNE SENE

Total Acres: 10

Water bearing zone to be appropriated is from 200 to 700 feet.

This proposal is located in Lot 9 Blk 1 in Moose on the Loose Subdi-
vision.

✓ OK RN 11/21/17

Applicant proposes to construct one well in one of the two locations.

63-34395

DAHL SHEEP LLC

1036 E IRON EAGLE DR STE 100

EAGLE, ID 83616

Point of Diversion SWNE S16 T05N R01W ADA County Source
GROUND WATER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: IRRIGATION 03/01 to 11/15 0.22 CFS

Use: STOCKWATER 01/01 to 12/31 0.01 CFS

Total Diversion: 0.27 CFS

Date Filed: 5/25/2017

Places of Use: DOMESTIC, IRRIGATION, STOCKWATER

T05N R01W S16 SWNE

Total Acres: 11

Water bearing zone to be appropriated is from 200 to 700 feet.

This proposal is located in Lot 11 Blk 1 in Moose on the Loose Sub-
division.

✓ OK RN 11/21/17

63-34396

DAHL SHEEP LLC

1036 E IRON EAGLE DR STE 100

EAGLE, ID 83616

Points of Diversion NWNE SWNE S16 T05N R01W ADA County
Source GROUND WATER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: IRRIGATION 03/01 to 11/15 0.21 CFS

Use: STOCKWATER 01/01 to 12/31 0.01 CFS

Total Diversion: 0.26 CFS

Date Filed: 5/25/2017

Places of Use: DOMESTIC, IRRIGATION, STOCKWATER

T05N R01W S16 NWNE SWNE

Total Acres: 10.5

Water bearing zone to be appropriated is from 200 to 700 feet.

This proposal is located in Lot 12 Blk 1 in Moose on the Loose Sub-
division.

✓ OK RN 11/21/17

Applicant proposes to construct one well in one of the two locations.

63-34397

DAHL SHEEP LLC

1036 E IRON EAGLE DR STE 100

EAGLE, ID 83616

Points of Diversion NWNE SWNE S16 T05N R01W ADA County
Source GROUND WATER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: IRRIGATION 03/01 to 11/15 0.22 CFS

Use: STOCKWATER 01/01 to 12/31 0.01 CFS

Total Diversion: 0.27 CFS

Date Filed: 5/25/2017

Places of Use: DOMESTIC, IRRIGATION, STOCKWATER

T05N R01W S16 NWNE SWNE

Total Acres: 10.7

Water bearing zone to be appropriated is from 200 to 700 feet.

This proposal is located in Lot 13 Blk 1 in Moose on the Loose Sub-
division.

✓ OK RN 11/21/17

Applicant proposes to construct one well in one of the two locations.

63-34398

DAHL SHEEP LLC

1036 E IRON EAGLE DR STE 100

EAGLE, ID 83616

Points of Diversion NE(ALL) S16 T05N R01W ADA County Source

GROUND WATER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: IRRIGATION 03/01 to 11/15 0.21 CFS

Use: STOCKWATER 01/01 to 12/31 0.01 CFS

Total Diversion: 0.26 CFS

Date Filed: 5/25/2017

Places of Use: DOMESTIC, IRRIGATION, STOCKWATER

T05N R01W S16 NE(ALL)

Total Acres: 10.1

Water bearing zone to be appropriated is from 200 to 700 feet.

This proposal is located in Lot 14 Blk 1 in Moose on the Loose Sub-division.

Applicant proposes to construct one well in one of the four locations.

✓OK RN
11/21/17

63-34399

DAHL SHEEP LLC

1036 E IRON EAGLE DR STE 100

EAGLE, ID 83616

Points of Diversion NENE SENE S16 T05N R01W ADA County

Source GROUND WATER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: IRRIGATION 03/01 to 11/15 0.21 CFS

Use: STOCKWATER 01/01 to 12/31 0.01 CFS

Total Diversion: 0.26 CFS

Date Filed: 5/25/2017

Places of Use: IRRIGATION, STOCKWATER, DOMESTIC

T05N R01W S16 NENE SENE

Total Acres: 10.1

Water bearing zone to be appropriated is from 200 to 700 feet.

This proposal is located in Lot 15 Blk 1 in Moose on the Loose Sub-division.

Applicant proposes to construct one well in one of the two locations.

✓OK RN 11/21/17

63-34423

DAHL SHEEP LLC

1036 E IRON EAGLE DR STE 100

EAGLE, ID 83616

Point of Diversion SWNE S16 T05N R01W ADA County Source

GROUND WATER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Use: IRRIGATION 03/01 to 11/15 0.21 CFS

Use: STOCKWATER 01/01 to 12/31 0.01 CFS

Total Diversion: 0.26 CFS

Date Filed: 7/27/2017

Places of Use: DOMESTIC, IRRIGATION, STOCKWATER

T05N R01W S16 SWNE

Total Acres: 10

Water bearing zone to be appropriated is from 200 to 700 feet.

This proposal is located in Lot 10 Blk 1 in Moose on the Loose Sub-division.

✓OK RN 11/21/17

✓OK RN
11/21/17

NOTICE OF PROPOSED CHANGE OF WATER RIGHT

TRANSFER NO. 81871

CS PROPERTY DEVELOPMENT LLC, PO BOX 27, BOISE, ID 83707; has filed Application No. 81871 for changes to the following water rights within ADA County(s): Right No(s). 63-34223, 63-34224, 63-34225, 63-34226. The applicant proposes to replace the current points of diversion on each of the 4 water rights with 2 different wells, the change will move the points of diversion from property owned by another party onto property they own. The new wells are located on S Cole Rd about 20 kilometers south of Boise ID between Kuna Mora Rd and Barker Rd.

PROPOSED AMENDMENT OF WATER PERMIT

CS Property Development LLC of PO Box 27 Boise ID 83707 filed application no. 81872 on 08/16/2017 to amend a water permit no. 63-34222 with a 09/02/1999 priority to divert groundwater totaling 0.62 cfs for irrigation purposes. The permit provides irrigation water for property located on S Cole RD about 20 kilometers south of Boise ID between Kuna Mora RD and Barker RD. The applicant proposes to amend the permit to replace the 6 current points of diversion with 2 different ones. These 2 new points of diversion are existing wells located in the SWSW of section 6 of township 01N and range 02E. The water bearing zone to be appropriated is from 290 to 455 ft.

✓OK RN
11/21/17

PROPOSED AMENDMENT OF WATER PERMIT

CS Property Development LLC of PO Box 27 Boise ID 83707 filed application no. 81873 on 08/16/2017 to amend a water permit no. 63-34221 with a 02/02/2015 priority to divert groundwater totaling 0.44 cfs for irrigation purposes. The permit provides irrigation water for property located on S Cole RD about 20 kilometers south of Boise ID between Kuna Mora RD and Barker RD. The applicant proposes to amend the permit to replace the 8 current points of diversion with 2 different ones. These 2 new points of diversion are existing wells located in the SWSW of section 6 of township 01N and range 02E. The water bearing zone to be appropriated is from 290 to 455 ft.

✓OK
RN
11/21/17

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Western Region office at (208) 334-2190; or for a full description of the right(s), proposed transfer(s), or amendment(s) please see www.idwr.idaho.gov. Protests may be submitted based on the criteria of Idaho Code §§ 42-203A, 42-222 and 42-211. Any protest against the approval of the application(s) must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, ID 83705 together with a protest fee of \$25.00 for each application on or before 11/20/2017. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Pub. Nov. 2, 9, 2017

0003361892-01