

82101

RECEIVED

FORM 202 Rev. 09/16

JAN 23 2018

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Ident. No. 95-17441

IDWR / NORTH

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant(s) MELVIN AND/OR SANDRA WACH Phone 208-667-3282
 Name connector (check one): ☐ and ☐ or ☒ and/or
 Mailing address 2426 N MERRITT CREEK LP STE A City COEUR D ALENE
 State ID ZIP 83814 Email YES@LOANYES.NET
2. Name of representative, if any _____ Phone _____
 Mailing address _____ City _____
 State _____ ZIP _____ Email _____
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☐ Send original correspondence to the applicant and copies to the representative.
- b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply GROUND WATER which is a tributary of _____
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
48N	04W	9	9		NE	SE	KOOTENAI	GROUND WATER	95-93-N-169

5. Water will be used for the following purposes:
- Amount 0.06 CFS for DIVERSION TO STORAGE purposes from 5/1 to 10/31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount 1.6 AF for FIRE PROTECTION STRG purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount 1.6 AF for WILDLIFE STORAGE purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount 1.6 AF for AESTHETIC STORAGE purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) 0.06 cubic feet per second (cfs) and/or (b) 1.6 acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. APPLICANT HAS WELL THAT DIVERTS WATER FOR FILL IN POND
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate [Application for Construction or Enlargement of a New or Existing Dam](#). Application required? ☐ Yes ☐ No
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
- e. If well is already drilled, when? _____; drilling firm _____;
 well was drilled for (well owner) _____; Drilling Permit No. _____

For Department Use

Received by ta Date 1-23-18 Time _____ Preliminary check by _____
 Fee \$ 265.00 Received by ta Receipt No. N033123 Date 1-23-18

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in kW. _____
 - Stockwatering; list number and kind of livestock. _____
 - Municipal; must complete and attach the [Municipal Water Right Application Checklist](#).
 - Domestic; show number of households _____
 - Other; describe fully. _____
9. Description of place of use:
- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 - If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	04W	9													J,F				
															D,W				
															GL 9				

Total number of acres to be irrigated: _____

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? _____
11. a. Who owns the property at the point of diversion? APPLICANT
- b. Who owns the land to be irrigated or place of use? APPLICANT
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____
12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. APPLICANT HAS EXISTING POND THAT WELL WATER IS USED TO FILL TO MAKE UP FOR LOSSES FROM SEEPAGE AND EVAPORATION.

13. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).
14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

Print Name (and title, if applicable)

Signature of Applicant

Print Name (and title, if applicable)

APPLICATION MAP



Legend

- Taxlots
- Township/Range
- Sections
- QQ

0 0.0175 0.035 0.07 Miles



Total Storage Calculations

FILE NUMBER	XX-XXXX
REVIEWER	Adam Frederick
DATE	1/23/2018

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

User Input
Calculated value
Formula Explanations

Surface Area (AC.)	0.25	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	4	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	1	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	0	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	0.3	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	0.4	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	1.6	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

Form 238-7
8/73

IDAHO DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT

 Use Typewriter
or
Ball Point Pen

FEB 14 1994

Department of Water Resources

092723

 1. DRILLING PERMIT NO. 93 - 93 - n - 169 - 000
 Other IDWR No. _____

2. OWNER:

 Name Jacques Vaux
 Address P.O. Box 7724, Santa Rosa, CA 95405
 City _____ State CA Zip 95405

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.

N					

T. 48 North ☒ or South ☐
 R. A East ☐ or West ☒
 Sec. 9 1/4 NE 1/4 SE 1/4
 Govt Lot _____ County Teton

Address of Well Site _____

(Give of best Direction + Distance to Road or Landmark)

Lot No. A Block No. _____ Subd. Name _____

4. PROPOSED USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK

☒ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mud Rotary ☒ Air Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT		METHOD
Material	From	To	Sacks or Pounds		
Bentonite	0	40			

Was drive shoe seal tested? ☐ YES ☒ NO How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Casing	Inner	Steel	Pipe	Welded	Threaded
6	12	157	.254	X		☒	☐	☐	☐
4	-7	399	160	psi	X	☐	☒	☐	☐

 Final location of shoes 157'
 Top Packer or Headpipe _____ Bottom Tailpipe _____

9. PERFORATIONS/SCREENS

☒ Perforations Method skill saw in pvc liner
☐ Screens Type _____ Material _____

From	To	Size/Type	Number	Diameter	Length	Casing	Liner
399	399	1/4"	90	4"		☐	☒
						☐	☐
						☐	☐

NWSE 9 48N 4W

10. WELL TESTS:

☐ Pump ☐ Bailor ☒ Air ☐ Flowing Artesian

Yield gal/min	Drawdown	Pumping Depth	Time
20 ± gpm	35"		2 hrs

Temperature of water _____ Was a water analysis done? Yes ☐ No ☒

By whom? _____

Water Quality (odor, etc.) _____

Bottom Hole Temperature _____

11. STATIC WATER LEVEL:

_____ ft. below surface Depth artesian flow found _____

Artesian pressure _____ b. Describe access port _____

Describe Controlling Devices: _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Depth	From	To	Remarks: Lithology, Water Quality & Temperature	GPM	SWL
10	0	6	sandy loam soil		
	6	27	tan clay with sand		
	27	39	coarse sand		
	39	76	fractured brown basalt		
	76	125	tan clay with sand		
	125	140	tan clay with brown seams		
	140	157	clay, brown tan, hard		
	157	167	clay, tan, hard		
	167	185	basalt, brown, fractured		
	185	194	basalt, dark grey, hard		
	194	230	basalt, fractured, clay, with soft spots, tan		
	230	238	basalt, fractured, grey-brown		
	238	355	basalt, dark grey, hard		
	355	357	basalt, fractured, grey-brown		
	357	399	basalt, dark grey, hard		
	399	402	seed with water approx 20 gpm		

RECEIVED

SEP 07 1993

NORTH-TERRILLION
IDWRDate Started 2/23/93Completed 8/26/93

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name 320 Well Service, Inc. Firm No. 443Firm Official John W. Smith Date 9-2-93and Supervisor or Operator John W. Smith Date 9-2-93

(Sign once if Firm Official & Operator)

FORWARD WHITE COPY TO WATER RESOURCES

SEP 17 2010



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region • 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815-7763
Phone: (208) 762-2800 • Fax: (208) 762-2819 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

January 25, 2018

MEL & SANDRA WACH
2426 N MERRITT CREEK LP STE A
COEUR D ALENE, ID 83814

Application For Permit No. 95-17441

Dear Applicants:

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the COEUR D ALENE PRESS on 2/1/2018 and 2/8/2018. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Tammy Alleman
Administrative Assistant

Alleman, Tammy

From: Alleman, Tammy
Sent: Thursday, January 25, 2018 3:03 PM
To: 'LEGALS@CDAPRESS.COM'
Subject: 95-17440 & 95-17441 Legal Notices
Attachments: 95-17440 & 95-17441 Legal Notices.doc

Good afternoon Geri,

This is a change in the legal notice I sent you on Tuesday. I am adding another application and requesting it be published on the dates below. I had already sent you 95-17440 but I am adding 95-17441 and requesting they are published in the CdA Press.

Please publish the enclosed legal notice on the dates indicated, February 1st & February 8th, 2018 (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately. Please send a proof once you have the article ready for print for our review.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 2/20/2018. Your cooperation is appreciated.

Sincerely,

Tammy

*Tammy Alleman
Administrative Assistant
Idaho Department of Water Resources
7600 North Mineral Drive, Suite 100
Coeur d'Alene, ID 83815
Tammy.Alleman@idwr.idaho.gov
208-762-2800 Phone
208-762-2819 Fax*

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-17440

PINE GLEN WEST WATER ASSOC
25573 N VISTA VIEW CT.
RATHDRUM, ID 83858
Point of Diversion SWNW
S33 T53N R04W
KOOTENAI County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31 0.14 CFS
Use: STOCKWATER
01/01 to 12/31 0.02 CFS
Total Diversion: 0.16 CFS
Date Filed: 1/19/2018
Place Of Use: DOMESTIC
T53N R04W S33 NWNW SWNW
Place Of Use: STOCKWATER
T53N R04W S33 NWNW SWNW

95-17441

MEL & SANDRA WACH
2426 N MERRITT CREEK LP STE A
COEUR D ALENE, ID 83814
Point of Diversion L9 (NESE)
S9 T48N R04W
KOOTENAI County
Source GROUND WATER
Use: AESTHETIC STORAGE
01/01 to 12/31 1.6 AF
Use: DIVERSION TO STORAGE
05/01 to 10/31 0.06 CFS
Use: FIRE PROTECTION STORAGE
01/01 to 12/31 1.6 AF
Use: WILDLIFE STORAGE
01/01 to 12/31 1.6 AF
Total Diversion: 0.06 CFS 1.6 AF
Date Filed: 1/23/2018
Place Of Use: AESTHETIC STORAGE
T48N R04W S9 L9(NESE)
Place Of Use: WILDLIFE STORAGE
T48N R04W S9 L9(NESE)
Place Of Use: FIRE PROTECTION STORAGE
T48N R04W S9 L9(NESE)

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Northern Region office at (208) 762-2800. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of \$25.00 for each application on or before 2/20/2018. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 2/1/2018 and 2/8/2018