

RECEIVED

FORM 202 Rev. 09/16

JAN 05 2018

DEPT OF WATER RESOURCES
SOUTHERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of IdahoIdent. No. 2-10546

1. Name of applicant(s) Matt McDonagh and Laura McDonagh Phone _____
 Name connector (check one): ☒ and ☐ or ☐ and/or
 Mailing address 4356 N Arrow Crest Way City Boise
 State ID ZIP 83703 Email _____
2. Name of representative, if any Hattie Zobott Phone 208-733-2414
 Mailing address 115 Northstar AVE City Twin Falls
 State ID ZIP 83301 Email hzobott@jub.com
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☒ Send original correspondence to the applicant and copies to the representative.
- b. ☒ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply Snake River which is a tributary of Columbia River
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
09S	14E	4	Lt 3	NW	NW		Twin Falls	Snake River	

5. Water will be used for the following purposes:
- Amount 0.04 for Domestic purposes from 01/01 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) 0.04 cubic feet per second (cfs) and/or (b) _____ acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. 1 hp, self priming, centrifugal pump
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate [Application for Construction or Enlargement of a New or Existing Dam](#). Application required? ☐ Yes ☐ No
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
- e. If well is already drilled, when? _____; drilling firm _____;
 well was drilled for (well owner) _____; Drilling Permit No. _____.

For Department Use

Received by AM / A.L. Date 1.5.2018 Time 11:40 AM Preliminary check by _____
 Fee \$ _____ Received by _____ Receipt No. See original Date _____

Amended app received 1/5/2018

ORIGINAL

RECEIVED

FEB 28 2018

DEPT OF WATER RESOURCES
SOUTHERN REGION

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in kW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; must complete and attach the Municipal Water Right Application Checklist.
- d. Domestic; show number of households 1
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
9S	14E	4						D											

Total number of acres to be irrigated: 0.510. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? 47-1751711. a. Who owns the property at the point of diversion? Ownerb. Who owns the land to be irrigated or place of use? Owner

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. _____

The applicant is restricted to in house use only for 47-17517 due to low temperature geothermal water designation of the well. Water from the Snake River will be used for domestic use not allowed by 47-17517. Total beneficial use will not exceed the domestic limits defined by Idaho Statute 42-111. See Attachment 12a for full narrative.

13. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

MATTHEW K. McDONAGH
Signature of Applicant

MATTHEW K. McDONAGH
Print Name (and title, if applicable)

Laura L. McDonagh
Signature of Applicant

Laura L. McDonagh
Print Name (and title, if applicable)

COPY

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in kW. _____
 - Stockwatering; list number and kind of livestock. _____
 - Municipal; must complete and attach the Municipal Water Right Application Checklist.
 - Domestic; show number of households ¹ _____
 - Other; describe fully. _____
9. Description of place of use:
- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 - If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
9S	14E	4					D												

Total number of acres to be irrigated. 0.5

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? 47-17517
11. a. Who owns the property at the point of diversion? Owner
- b. Who owns the land to be irrigated or place of use? Owner
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____
12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. The applicant is restricted to in house use only for 47-17517 due to low temperature geothermal water designation of the well. Water from the Snake River will be used for domestic use not allowed by 47-17517. Total beneficial use will not exceed the domestic limits defined by Idaho Statute 42-111. See Attachment 12a for full narrative.
13. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).
14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

MATTHEW K. McDONAGH
 Signature of Applicant
 MATTHEW K. McDONAGH
 Print Name (and title, if applicable)

Laura h. McDonagh
 Signature of Applicant
 Laura h. McDonagh
 Print Name (and title, if applicable)

JAN 05 2018

DEPT OF WATER RESOURCES
SOUTHERN REGION

Attachment 12a

12-28-2017

Narrative Justifying Domestic Water Use for New Water Right Application for Permit:

The applicants seeks a permit to provide domestic use of water for their property adjacent to Snake River under the allowances of Idaho Code 42-111. The existing well on the property has diversion allowed for low temperature geothermal water for domestic, in house use only (WR 47-17517 in Appendix A). The applicant therefore proposes to supplement the low temperature geothermal water by diverting water from the Snake River for domestic use at the property. The total combined use of all sources on the property will not exceed the allowances described by 42-111. The below narrative describes the need for the diversion rate of 0.04 cfs for domestic use as a result of soil type and minimum diversion limitations resulting from site characteristics.

The need for additional, outside of home domestic use is driven by irrigation requirements. The property is on the outside bend of the Snake River and has the constant risk of erosion, which can be mitigated through plant stabilization of the bank. Plantings were attempted in 2016 without irrigation, and the plants could not be established due to the sandy soil and low soil moisture. As a result, the 2017 rain on snow event lead to significant erosion of the property due to runoff. Irrigation on the parcel is critical to establish plants in the extremely sandy soil. The application for permit for diversion from the Snake River for domestic use will enable the applicant to establish and maintain soil stabilizing vegetation on the property and shoreline for erosion prevention.

Per the limits described by domestic use: The maximum consumptive use for the property will result from 0.5 acres of irrigation. The maximum consumptive use by irrigation was estimated using turf as the crop growing near Buhl, Idaho. The precipitation deficit of 885 mm (2.9 acre-ft) in the growing season would result in a total consumptive on the property of 1.45 afa (Allen & Robison 2012). The total use resulting from irrigation of 0.5 acres on the property is within the domestic allowance of 42-111 (See Table 1).

As stated above, the property has extremely sandy soil. Sandy soils have low water-holding characteristics that require larger volumes of water per soil volume to maintain sufficient plant available water (Ward & Trimble 2004). The higher diversion will insure soil has sufficient plant available water to support plant growth. Water that is not consumed by the evapotranspiration of the plants will return to the Snake River through infiltration. The estimated time of return of water through infiltration was evaluated using the Darcy Equation, the depth and length to the Snake River, and the soil type. Infiltration within the property is estimated to return to the river within a season of use (See Table 2).


The applicant will be diverting water for irrigation using a standard, self-priming, centrifugal pump. The estimated total dynamic head will be approximately 107 feet, therefore requiring a minimum 1 HP pump to deliver water to the property (See Table 3). The minimum recommended diversion rate of the 1HP centrifugal is approximately 20 gpm (or 0.045 cfs) for the total dynamic head and suction head of the site (Berkely LTHH Series Accessed December 2017). A diversion rate of 0.04 cfs will enable simple, inexpensive, and efficient diversion methods for the small property.

The overall consumptive use of the property will not change with the diversion rate of 0.04 cfs because of the rapid infiltration and proximity to the Snake River. Diverting at a lower rate of diversion would inhibit domestic use and increase cost of the diversion structures.

Table 1: Consumptive Use of Turf Near Buhl, Idaho		
Growing Season Precip. Deficit	885	mm/year
Consumptive Use	2.90	acre-ft
Domestic Use	0.50	acres
Maximum Consumptive Use	1.45	acre-ft
Days of Irrigation	214.00	days
Diversion Volume/Day	2,210	gallons/day
Diversion Limit 42-111(a)	13,000	gallons/day
Diversion Limit 42-111(b)	2,500	gallons/day
*Allen & Robison, 2012		

Table 2: Darcy Velocity at River RD		
Permeability of Sand*	0.05	cms/sec
	141.7	ft/day
Unsaturated Soil Depth	20.00	ft
Distance from Snake River	227.00	ft
Gradient at Shoreline	0.088	ft/ft
Gradient at River Road	0.009	ft/ft
Darcy Velocity at River RD	1.2	ft/day
Time to Reach Snake River	181.8	days
*Ward & Trimble 2003		

Table 3: Total Dynamic Head Required-Sprinkler System		
Elevation of Snake River	2894	ft
Elevation of Property	2917	ft
H _z =Change in Elevation	23	ft
Sprinkler Pressure	30	psi
H _p =Sprinkler Pressure Head	69.3	ft
Discharge	18	gpm
	0.040	cfs
Inside Diameter of Pipe	1.61	inches
Pipe Area	0.0141	sf
Pipe Velocity	2.84	ft/sec
H _v =Velocity Head	0.12	ft
Pipe Length	250	ft
Friction Loss/1000 feet	55	C=100
H _f =Friction Loss of Pipe	13.75	ft
Total Dynamic Head*	106.17	ft
Work Horsepower	0.48	HP
Pump Efficiency-Typical	0.65	
Motor Efficiency-Typical	0.85	
Overall Efficiency	0.55	
Minimum Recommended HP	0.87	HP
*Total Dynamic Head=H _z +H _v +H _f +H _p		



References:

Allen, Richard G. and Clarence W. Robison. 2012. Evapotranspiration and Consumptive Irrigation Water Requirements for Idaho: Supplement updating the Time Series through December 2008, Research Technical Completion Report, Kimberly Research and Extension Center, University of Idaho, Moscow, ID.

Berkely LTHH Series Self Priming Centrifugal Pumps. 2017. Accessed online: <http://www.resiflowlit.com/pentair/pdf/CB5563WS.pdf>. December 28, 2017

Ward, A. D., & Trimble, S. W. 2003. *Environmental hydrology*. CRC Press.

Close

IDAHO DEPARTMENT OF WATER RESOURCES
Water Permit Report

12/28/2017

WATER RIGHT NO. 47-17517

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	LAURA L MC DONAGH
Current Owner	MATTHEW K MC DONAGH 4356 N ARROW CREST WAY BOISE, ID 83703
Original Owner	BARRY TIEMANN 13018 THISTLE LOOP PENN VALLEY , CA 95946-9541 5302059028

Priority Date: 04/13/2009

Status: Active

<u>Source</u>	<u>Tributary</u>
GROUND WATER	

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
DOMESTIC	01/01	12/31	0.04 CFS	
Total Diversion			0.04 CFS	

Location of Point(s) of Diversion:

GROUND WATER|NWNW Lt 3|Sec. 04|Township 09S|Range 14E|TWIN FALLS County

DOMESTIC Use:

Number of homes: 1

Place(s) of use:

Place of Use Legal Description: DOMESTIC TWIN FALLS County

<u>Township</u>	<u>Range</u>	<u>Section</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>
09S	14E	4	3	NWNW										

Conditions of Approval:

- | | |
|--------|--|
| 1. X10 | Low temperature geothermal water with a temperature greater than 85 degrees Fahrenheit diverted under this right shall be limited to in-house use only. |
| 2. WB5 | Domestic use is for one home and does not include lawn, garden, landscape, or other types of irrigation. |
| 3. 071 | The domestic use authorized under this right shall not exceed 13,000 gallons per day. |
| 4. 051 | Any license issued by IDWR pursuant to the right or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term. |

Dates:

Proof Due Date: 08/01/2019

Proof Made Date:

Approved Date: 07/22/2009

Moratorium Expiration Date:

Enlargement Use Priority Date:

Enlargement Statute Priority Date:

Application Received Date: 04/13/2009

Protest Deadline Date: 07/06/2009

Number of Protests: 0

Field Exam Date::

Date Sent to State Off:

Date Received at State Off:

Other Information:

State or Federal:

Owner Name Connector: And/Or

Water District Number:

Generic Max Rate per Acre:

Generic Max Volume per Acre:

Swan Falls Trust or Nontrust: T

Swan Falls Dismissed:

DLE Act Number:

Cary Act Number:

Mitigation Plan: False

Close

09/25/2017 Path: F:\Projects\JUB60-17.062 McDonagh MathGIS\MM_POU_PLSS.mxd



Legend

- Proposed PPU (1.1 acres)
- Proposed POD
- PLSS Meander
- QQ
- PLSS_Section
- PLSS_TR
- County_Parcels_02-12-14



J-U-B ENGINEERS, INC.

MCDONAGH
DOMESTIC PERMIT

0 100 200
Feet



2-10546

RECEIVED

NOV 29 2017

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

Ident. No. 2-10546DEPT OF WATER RESOURCES
SOUTHERN REGION

1. Name of applicant(s) Matt McDonagh Laura McDonagh Phone _____
Name connector (check one): ☒ and ☐ or ☐ and/or
Mailing address 4356 N Arrow Crest Way City Boise
State ID ZIP 833703 Email _____
2. Name of representative, if any Hattie Zobott, Phone 208-733-2414
Mailing address 115 Northstar AVE City Twin Falls
State ID ZIP 83301 Email hzobott@jub.com
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☒ Send original correspondence to the applicant and copies to the representative.
- b. ☒ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply Snake River which is a tributary of Columbia River
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
* 09S	14E	4	Lt 3	NW	NW		Twin Falls	Snake River	

5. Water will be used for the following purposes:
- Amount 0.11 for Domestic purposes from 01/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) .11 cubic feet per second (cfs) and/or (b) 14.56 acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. 1 hp, self priming, centrifugal pump
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate [Application for Construction or Enlargement of a New or Existing Dam](#). Application required? ☐ Yes ☐ No
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
- e. If well is already drilled, when? _____; drilling firm _____;
well was drilled for (well owner) _____; Drilling Permit No. _____

For Department Use

Received by AM Date 11-29-2017 Time _____ Preliminary check by _____
Fee \$ 100- Receipted by AM Receipt No. 8036473 Date 11-29-2017

* Section 4 per map

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in kW. _____
 - Stockwatering; list number and kind of livestock. _____
 - Municipal; must complete and attach the [Municipal Water Right Application Checklist](#).
 - Domestic; show number of households ¹ _____
 - Other; describe fully. _____


9. Description of place of use:
- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 - If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
9S	14E	4						D											

Total number of acres to be irrigated: 0.5

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? 47-17517
11. a. Who owns the property at the point of diversion? Owner
- b. Who owns the land to be irrigated or place of use? Owner
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____
12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. The applicant is restricted to in house use only for 47-17517 due to low temperature geothermal water in the well. Water from the Snake River will be used for domestic use not allowed by 47-17517. Total use with both water rights will not exceed 13,000 gallons per day. Water use allowed under 42-111(a). See narrative for justification on diversion rate (See Attachment 12a)
13. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).
14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.


 Signature of Applicant
MATTHEW K. McDONAGH
 Print Name (and title, if applicable)


 Signature of Applicant
Laura K. McDONAGH
 Print Name (and title, if applicable)

Attachment 12a


Narrative justifying domestic water use

The applicant will be diverting water for short periods of time using a standard, self-priming, centrifugal pump. The actual diversion rate will be a function of the suction pipe length and the total head required for his system. The estimated total dynamic head will be approximately 100 feet, therefore requiring a 1 HP pump for best efficiency and options in installing the diversion works. The typical diversion rate at the delivery pressure of 30 psi is 50 gallons per minute for a common pump manufacturer. Diversion at any rate is allowed under 42-111(a) for domestic uses for a total use of 13,000 gallons per day or less.

09/25/2017 Path: J:\Projects\JUB\0-17-062 McDonagh\MapInfo\SMM: P\J\U_PLS.mxd



MCDONAGH DOMESTIC PERMIT



Maline, Denise

From: Maline, Denise
Sent: Friday, January 12, 2018 9:49 AM
To: Whitney, Rob
Subject: Comment letter for 2-10546 - McDonagh
Attachments: Comment Letter to WD02 for 2-10546.docx; 2-10546 McDonagh.pdf

Good morning Rob,

Attached is an application for permit currently being processed, within your district. Please review the information and provide any necessary comments within (21) days.

Please contact our office if you have any questions.

Thank you,

Denise



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, Idaho 83301-5858

Phone: (208) 736-3033 • Fax: (208) 736-3037 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

January 12, 2018

WATER DISTRICT #02 *via e-mail*
ROB WHITNEY
PO BOX 83720
BOISE ID 83720-0098

RE: Application For Permit No. 2-10546

Dear Rob:

A copy of the above referenced application is enclosed. Please review the application, and provide any necessary comments to this office within 21 days of the date of this letter.

If the application is approved, IDWR will include appropriate standard conditions of approval for a water right located within a water district, such as regulation by the water master, lockable controlling works, and/or measuring devices. Any special conditions or other concerns you have related to this application should be specifically addressed in your recommendation.

IDWR's regional offices can finish reviewing an unprotested application as soon as the protest period has past. Your prompt response to this request will ensure that your recommendation can be considered. If IDWR has not received your written recommendation within 21 days from the date of this letter, IDWR will presume that you do not oppose approval of the application and that you have no comments for IDWR to consider.

Sincerely,

Denise Maline
Administrative Assistant

Enclosure(s)



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, Idaho 83301-5858

Phone: (208) 736-3033 • Fax: (208) 736-3037 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

January 11, 2018

MATTHEW K MC DONAGH
LAURA L MC DONAGH
4356 N ARROW CREST WAY
BOISE, ID 83703

RE: Application For Permit No. 2-10546

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the **TIMES NEWS on 1/18/2018 and 1/25/2018**. Protests to this application may be submitted for a period ending ten (10) days after the second publication. Any protest against this application must be filed with the Department of Water Resources, together with a protest fee of \$25.00 for each application, on or before **February 5, 2018**.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Denise Maline
Administrative Assistant

cc:

J U B ENGINEERS INC, HATTIE ZOBOTT

Maline, Denise

From: Maline, Denise
Sent: Thursday, January 11, 2018 11:19 AM
To: Times News
Subject: LEGAL NOTICES
Attachments: Times News cover letter.docx; Times News Ad.doc; SWC SWID Mit Plan Ad SWC call Jan 2018.docx; Amended Legal Notice IWRB recharge right WSB rental.docx

Attached please find (3) legal notices being submitted for publication on January 18th & 25th, 2018. Please feel free to contact me if you have any questions, or if you are not able to run the ads on the dates requested.

Thank you in advance,

Denise Maline

Administrative Assistant

Idaho Dept of Water Resources, Southern Region

650 Addison Ave W, Ste 500

Twin Falls, ID 83301

(208) 736-3033

denise.maline@idwr.idaho.gov



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, Idaho 83301-5858

Phone: (208) 736-3033 • Fax: (208) 736-3037 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

January 11, 2018

LEGAL NOTICE DEPARTMENT

TIMES NEWS

PO BOX 548

TWIN FALLS, ID 83303-0548

RE: Notice of Mitigation Plan Submitted by Southwest and Goose Creek Irrigation Districts
and the Surface Water Coalition

RE: Notice of Proposed Rental from Water Supply Bank

RE: Application For Permit No.(s): 2-10546

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before February 5, 2018. Your cooperation is appreciated.

Sincerely,

Denise Maline
Administrative Assistant

Enclosure(s)

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

2-10546

MATTHEW K MC DONAGH
LAURA L MC DONAGH
4356 N ARROW CREST WAY
BOISE, ID 83703

Point of Diversion L3(NWNW) S4 T09S R14E TWIN FALLS County Source SNAKE RIVER Tributary
COLUMBIA RIVER

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Total Diversion: 0.04 CFS

Date Filed: 11/29/2017

Place Of Use: DOMESTIC

T09S R14E S4 L3(NWNW)

Application for permit proposes to divert 0.04 cfs for domestic use from the Snake River. Point of diversion and place of use are located approximately 5.2 miles north and 3.1 miles west of Buhl.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Southern Region office at (208) 736-3033; or for a full description of the right(s), please see www.idwr.idaho.gov/WaterManagement/WaterRights/#NewListings. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Southern Region, 650 Addison Ave W, Ste 500, Twin Falls, ID 83301 together with a protest fee of \$25.00 for each application on or before **February 5, 2018**. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on January 18th & 25th, 2018



J-U-B ENGINEERS, INC.

J-U-B COMPANIES



**THE
LANGDON
GROUP**



**GATEWAY
MAPPING
INC.**

January 2, 2018

Mr. Corey Skinner
Idaho Department of Water Resources
Southern Regional Office
650 Addison Avenue West, Suite 500
Twin Falls, ID 83301-5858

RECEIVED

JAN 05 2018

**DEPT OF WATER RESOURCES
SOUTHERN REGION**

RE: Application for Permit 2-10546

Dear Mr. Corey Skinner:

The attached, application for permit will revise the application submitted on November 11, 2017. The revised application decreases the diversion rate to 0.04 cfs for domestic use. The narrative was updated to provide additional support for the diversion rate.

Please feel free to contact me with any question.

Sincerely,

J-U-B Engineers
Hattie Zobott, P.E.

Enc: Application for permit

Inouye, Allison

From: Hattie Zobott <hzobott@jub.com>
Sent: Tuesday, December 26, 2017 10:51 AM
To: Inouye, Allison
Subject: RE: Domestic Filing

Dear Allison,

I need to check in with the client. The holidays put me behind on this issue.

Talk to you soon!

Hattie

From: Inouye, Allison [mailto:Allison.Inouye@idwr.idaho.gov]
Sent: Wednesday, December 20, 2017 9:49 AM
To: Hattie Zobott <hzobott@jub.com>
Subject: RE: Domestic Filing

Hi Hattie,

I wanted to check in to see how you'd like to proceed with the McDonagh domestic application for permit. Per our discussion last week, we have stopped processing it until further notice from you. The deadline for our next round of advertising is Tuesday, 12/26.

Thanks,
Allison

Allison Inouye
Water Resource Agent
Southern Regional Office | Idaho Dept. of Water Resources
p (208) 736-3033 | f (208) 736-3037
Allison.Inouye@idwr.idaho.gov

From: Skinner, Corey
Sent: Wednesday, December 13, 2017 2:41 PM
To: hzobott@jub.com
Cc: Inouye, Allison <Allison.Inouye@idwr.idaho.gov>
Subject: Domestic Filing

Hattie,

As we discussed earlier today, I have included a couple of standard conditions that we have used on some of our approvals in the past...

- *The irrigation occurring under this domestic use shall not exceed 1/2 acre within each platted subdivision lot upon which a home has been constructed. This right does not provide for irrigation of common areas or for irrigation of lots upon which homes have not been constructed.*

- *The use of water from this well is for Domestic purposes only, which includes irrigation of up to 1/2 acre of land with all combined uses not to exceed 13,000 gallons per day (42-111[A]), or for Domestic uses other than for homes, organization camps, public campgrounds or livestock where the diversion rate and volume does not exceed .04 cfs and 2500 gpd (42-111[B]).*

We have the ability to tweak standard conditions and come up with conditions that deal with specific situations if needed.

One other thing we forgot to mention this morning, assuming your clients submit a new application, I would assume you would just edit the currently filed application. We noted that the Section was not identified on the point of diversion description on the first page of the application and forgot to mention that this morning. If you prepare a new application please add the Section number to the point of diversion description.

Corey

This e-mail and any attachments involving J-U-B or a subsidiary business may contain information that is confidential and/or proprietary. Prior to use, you agree to the provisions found at edocs.jub.com. If you believe you received this email in error, please reply to that effect and then delete all copies.



J-U-B ENGINEERS, INC.

J-U-B COMPANIES



**THE
LANGDON
GROUP**



**GATEWAY
MAPPING
INC.**

November 27, 2017

RECEIVED

NOV 29 2017

**DEPT OF WATER RESOURCES
SOUTHERN REGION**

Mr. Corey Skinner
Southern Region Office
Idaho Department of Water Resources
650 Addison Avenue West, Suite 500
Twin Falls, ID 83301-5858

RE: McDonagh Application for Permit

Dear Mr. Corey Skinner:

Enclosed is the domestic application for permit for Matt and Laura McDonagh. The property is located within the Banbury Groundwater Management Area and the McDonaghs are not permitted to divert groundwater for irrigation purposes. The enclosed permit proposes to divert water from the Snake River to irrigate their property. The use will be for domestic purposes. Total use for the property will not exceed 13,000 gallons per day and 0.5 acres of irrigation, as allowed by 42-111(a). Please feel free to contact me with any questions.

Sincerely,

Hattie Zobott, P.E.

Enc. Application for Permit, Application Fee \$100.00 Check # 2536