

Transfer No. 82069

6. GENERAL INFORMATION

- a. Describe the complete diversion system, including how you will accommodate a measuring device and lockable controlling works should they be required now or in the future:

Well and discharge pipe to pond are existing. Current point of diversion does not match actual location of well drilled in 1990. Have submitted a variance to measure flow based on a timer.

- b. Who owns the property at the point(s) of diversion? Madison County (Teton Lakes Golf Course)

If other than the applicant, describe the arrangement enabling the applicant to access the property for the diversion system:
Located on Teton Lakes Golf Course owned and operated jointly by Madison County and City of Rexburg.

- c. To your knowledge, has/is any portion of the water right(s) proposed to be changed:

Yes No

- ☐ ☒ undergone a period of five or more consecutive years of non-use,
☐ ☒ currently used in a mitigation plan limiting the use of water under the right(s), or
☐ ☒ currently enrolled in a Federal set-aside program limiting the use of water under the right(s)?

If yes, describe:

- d. Is any portion of the water right(s) proposed to be changed currently leased to the Water Supply Bank? ☐ Yes ☒ No
- ☐ If yes and there are multiple owners, attach a [Lessor Designation](#) form.
☐ If yes, the individual owner or designated lessor must complete, sign and attach an [IRS Form W-9](#).
(Disregard if these items are on file and ownership has not changed.)

7. **MAP** - ☒ Attach a map of the diversion, measurement, control and distribution system. Include the place of use if a split of the water right occurred. Clearly label the map with township, range, section and $\frac{1}{4}$ $\frac{1}{4}$ of section information. The *Map Tool*, available at maps.idwr.idaho.gov/TransferApplicationLayouts/ provides a satisfactory template for creating the required map.

8. **SIGNATURE** - The information in this application is true to the best of my knowledge. I understand any willful misrepresentations in this application may result in rejection of the application or cancellation of an approval.

Jerry L. Merrill
Signature of applicant or authorized agent

Jerry L. Merrill / Mayor
Print name and title if applicable

12/13/17
Date

Signature of applicant or authorized agent

Print name and title if applicable

Date

9. **FEE** - ☒ The application filing fee provided in Section 42-221, Idaho Code, must be submitted with the application for transfer. The Application fee is based on the total amount of water proposed for transfer in Item 4: the larger fee for either cubic feet per second (diversion rate) or acre-feet per annum (storage volume). The [Fee Schedule](#) is available at www.idwr.idaho.gov, *Water Right Transfers, Step 4* and in the [Application for Transfer Instructions](#).

FOR DEPARTMENT USE ONLY

Transfer includes _____ pages of attachments. Received by _____ Date _____

Fee paid 7500.00 Date 12-26-2017 Received by JS Receipt # E043630

Preliminary review by _____ Date _____ Active in the Water Supply Bank? Yes ☐ No ☐

W-9 received? Yes ☐ No ☐ Name on W-9 _____ W-9 forwarded to fiscal? Yes ☐ No ☐

(Do NOT scan the W-9 – confidential information is held by fiscal only)

**IDAHO DEPARTMENT OF WATER RESOURCES
APPLICATION FOR TRANSFER OF WATER RIGHT
PART 2A**

Current Water Right No.: 22-7571

Current Owner: CITY OF REXBURG
Priority Date: 10/13/1988
Origin: Water Right
Status: Active
Basis: License

Source

Tributary

GROUND WATER

<u>Beneficial Use</u>	<u>From To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
MUNICIPAL	1/01 to 12/31	1 CFS	
	<u>Total Diversion</u>	1 CFS	

Location of Point(s) of Diversion

GROUND WATER
MADISON County

SW1/4SW1/4 Sec. 13, Twp 06N, Rge 39E B.M.

Place of Use

Place of Use: MUNICIPAL same as


Conditions of Approval:

1. Place of use within the city limits of Rexburg.

Licensed Date: 3/20/1998

82069

Application for Water Right



12 / 12 / 2017 4 : 45 : 26 PM

Points

● Override 1


 Counties

 ESPA Model Outline

 Township/Range

 Section

 Quarter Quarter



Created by NRCS from 1:24,000 scale USGS topographic maps.
Esri, HERE, DeLorme, MapmyIndia, © OpenStreetMap contributors
Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus
DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

82069

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>City of Rexburg</u> Address <u>PO Box 245 Rexburg</u> Owner's Permit No. <u>22-89-Z-004</u>		7. WATER LEVEL Static water level <u>33</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>50</u> °F. Quality <u>excellent</u> <i>Describe artesian or temperature zones below.</i>																																																																																												
2. NATURE OF WORK <u>WR # 22-75710</u> ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____																																																																																												
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☒ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		<table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>600</u></td><td><u>60</u></td><td><u>4</u></td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>600</u>	<u>60</u>	<u>4</u>																																																																																					
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																												
<u>600</u>	<u>60</u>	<u>4</u>																																																																																												
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____		9. LITHOLOGIC LOG <u>84595</u> <table border="1"><thead><tr><th>Bore</th><th>Depth</th><th>Material</th><th>Water</th></tr><tr><th>Diam.</th><th>From</th><th>To</th><th>Yes No</th></tr></thead><tbody><tr><td><u>16</u></td><td><u>0</u></td><td><u>40</u></td><td><u>sand & a little gravel</u></td><td><u>X</u></td></tr><tr><td><u>12</u></td><td><u>40</u></td><td><u>85</u></td><td><u>sand</u></td><td><u>X</u></td></tr><tr><td><u>12</u></td><td><u>85</u></td><td><u>88</u></td><td><u>sand & a little gravel</u></td><td><u>X</u></td></tr><tr><td><u>12</u></td><td><u>88</u></td><td><u>97</u></td><td><u>sand</u></td><td><u>X</u></td></tr><tr><td><u>12</u></td><td><u>97</u></td><td><u>103</u></td><td><u>sand & a little gravel</u></td><td><u>X</u></td></tr><tr><td><u>12</u></td><td><u>103</u></td><td><u>137</u></td><td><u>black sand</u></td><td><u>X</u></td></tr><tr><td><u>12</u></td><td><u>137</u></td><td><u>141</u></td><td><u>a little gravel & a lot sand</u></td><td><u>X</u></td></tr><tr><td><u>12</u></td><td><u>141</u></td><td><u>187</u></td><td><u>sand</u></td><td><u>X</u></td></tr><tr><td><u>12</u></td><td><u>187</u></td><td><u>191</u></td><td><u>a little gravel & a lot sand</u></td><td><u>X</u></td></tr><tr><td><u>12</u></td><td><u>191</u></td><td><u>203</u></td><td><u>sand</u></td><td><u>X</u></td></tr><tr><td><u>12</u></td><td><u>203</u></td><td><u>205</u></td><td><u>black broken lava</u></td><td><u>X</u></td></tr><tr><td><u>12</u></td><td><u>205</u></td><td><u>228</u></td><td><u>red sand grey lava</u></td><td><u>X</u></td></tr><tr><td><u>12</u></td><td><u>228</u></td><td><u>235</u></td><td><u>red cinder</u></td><td><u>X</u></td></tr><tr><td><u>12</u></td><td><u>235</u></td><td><u>237</u></td><td><u>hard black lava</u></td><td><u>X</u></td></tr><tr><td><u>12</u></td><td><u>237</u></td><td><u>239</u></td><td><u>black cinder</u></td><td><u>X</u></td></tr><tr><td colspan="4"><u>lot of water in 237 cinders</u></td></tr><tr><td colspan="4"><u>Finished</u></td></tr></tbody></table>		Bore	Depth	Material	Water	Diam.	From	To	Yes No	<u>16</u>	<u>0</u>	<u>40</u>	<u>sand & a little gravel</u>	<u>X</u>	<u>12</u>	<u>40</u>	<u>85</u>	<u>sand</u>	<u>X</u>	<u>12</u>	<u>85</u>	<u>88</u>	<u>sand & a little gravel</u>	<u>X</u>	<u>12</u>	<u>88</u>	<u>97</u>	<u>sand</u>	<u>X</u>	<u>12</u>	<u>97</u>	<u>103</u>	<u>sand & a little gravel</u>	<u>X</u>	<u>12</u>	<u>103</u>	<u>137</u>	<u>black sand</u>	<u>X</u>	<u>12</u>	<u>137</u>	<u>141</u>	<u>a little gravel & a lot sand</u>	<u>X</u>	<u>12</u>	<u>141</u>	<u>187</u>	<u>sand</u>	<u>X</u>	<u>12</u>	<u>187</u>	<u>191</u>	<u>a little gravel & a lot sand</u>	<u>X</u>	<u>12</u>	<u>191</u>	<u>203</u>	<u>sand</u>	<u>X</u>	<u>12</u>	<u>203</u>	<u>205</u>	<u>black broken lava</u>	<u>X</u>	<u>12</u>	<u>205</u>	<u>228</u>	<u>red sand grey lava</u>	<u>X</u>	<u>12</u>	<u>228</u>	<u>235</u>	<u>red cinder</u>	<u>X</u>	<u>12</u>	<u>235</u>	<u>237</u>	<u>hard black lava</u>	<u>X</u>	<u>12</u>	<u>237</u>	<u>239</u>	<u>black cinder</u>	<u>X</u>	<u>lot of water in 237 cinders</u>				<u>Finished</u>			
Bore	Depth	Material	Water																																																																																											
Diam.	From	To	Yes No																																																																																											
<u>16</u>	<u>0</u>	<u>40</u>	<u>sand & a little gravel</u>	<u>X</u>																																																																																										
<u>12</u>	<u>40</u>	<u>85</u>	<u>sand</u>	<u>X</u>																																																																																										
<u>12</u>	<u>85</u>	<u>88</u>	<u>sand & a little gravel</u>	<u>X</u>																																																																																										
<u>12</u>	<u>88</u>	<u>97</u>	<u>sand</u>	<u>X</u>																																																																																										
<u>12</u>	<u>97</u>	<u>103</u>	<u>sand & a little gravel</u>	<u>X</u>																																																																																										
<u>12</u>	<u>103</u>	<u>137</u>	<u>black sand</u>	<u>X</u>																																																																																										
<u>12</u>	<u>137</u>	<u>141</u>	<u>a little gravel & a lot sand</u>	<u>X</u>																																																																																										
<u>12</u>	<u>141</u>	<u>187</u>	<u>sand</u>	<u>X</u>																																																																																										
<u>12</u>	<u>187</u>	<u>191</u>	<u>a little gravel & a lot sand</u>	<u>X</u>																																																																																										
<u>12</u>	<u>191</u>	<u>203</u>	<u>sand</u>	<u>X</u>																																																																																										
<u>12</u>	<u>203</u>	<u>205</u>	<u>black broken lava</u>	<u>X</u>																																																																																										
<u>12</u>	<u>205</u>	<u>228</u>	<u>red sand grey lava</u>	<u>X</u>																																																																																										
<u>12</u>	<u>228</u>	<u>235</u>	<u>red cinder</u>	<u>X</u>																																																																																										
<u>12</u>	<u>235</u>	<u>237</u>	<u>hard black lava</u>	<u>X</u>																																																																																										
<u>12</u>	<u>237</u>	<u>239</u>	<u>black cinder</u>	<u>X</u>																																																																																										
<u>lot of water in 237 cinders</u>																																																																																														
<u>Finished</u>																																																																																														
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr><tr><th>inches</th><th>inches</th><th>feet</th><th>feet</th></tr></thead><tbody><tr><td><u>375</u></td><td><u>12</u></td><td><u>2</u></td><td><u>205</u></td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ <table border="1"><thead><tr><th>perforations</th><th>feet</th><th>feet</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20</u> Material used in seal: ☒ Cement grout ☐ Bentonite ☒ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>well cap</u>		Thickness	Diameter	From	To	inches	inches	feet	feet	<u>375</u>	<u>12</u>	<u>2</u>	<u>205</u>													perforations	feet	feet										10. Work started <u>9-20-88</u> finished <u>1-14-90</u>																																																								
Thickness	Diameter	From	To																																																																																											
inches	inches	feet	feet																																																																																											
<u>375</u>	<u>12</u>	<u>2</u>	<u>205</u>																																																																																											
perforations	feet	feet																																																																																												
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location. <table border="1"><thead><tr><th>N</th><th>W</th><th>E</th><th>S</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></tbody></table> Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Madison</u> <u>SW</u> <u>SW</u> <u>SW</u> <u>SW</u> Sec. <u>24</u> T. <u>6</u> N <u>SW</u> S <u>SW</u> R. <u>39</u> W <u>SW</u>		N	W	E	S													11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>High Plains Drilling</u> Firm No. <u>299</u> Address <u>Rexburg, Idaho</u> Date <u>1-20-90</u> Signed by (Firm Official) <u>Marcus Franden</u> and (Operator) <u>Marcus Franden</u>																																																																												
N	W	E	S																																																																																											