

IN-OFFICE BENEFICIAL USE FIELD REPORT

Permit No: 79-14262

Examiner: A. Skinner

Date: 11/9/2017

In-office qualification (IDAPA 035.01.r): ☐ Irrigation ≤ 5 acres
☐ Stockwater storage ≤ 14.6 af
☒ Total diversion rate ≤ 0.24 cfs and not irrigation or storage

Current Owner Name: WALTER O LINDSEY Address: 13654 HWY 95 S, WHITEBIRD, ID 83554

Beneficial Use Fee Paid: \$EXEMPT Receipt: NA

Source: GROUNDWATER Source change? ☒ N ☐ Y Change clarifies originally intended source.
 If not – void permit.

Point of Diversion			NE				NW				SW				SE			
Twp	Rge	Sec	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
27N	01E	10													D			

Method of Determination: Google Earth and ArcMap aerial imagery.

POD change? ☒ N ☐ Y

Place of Use			NE				NW				SW				SE				Totals
Twp	Rge	Sec	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
27N	01E	10																D L8	

Method of Determination: Google Earth and ArcMap aerial imagery.

POU change? ☒ N ☐ Y

Purpose of Use: DOMESTIC

Purpose change? ☒ N ☐ Y

Method of Determination: Application and Permit

Standard Season of Use: 1/01 - 12/31

Update required on license? ☒ N ☐ YOverlap Review POD overlap? ☒ N ☐ Y WR's:Analysis Attached ☒ Comments:POU overlap? ☒ N ☐ Y WR's:

Comments:

Diversion Rate Permitted Rate: 0.02 cfs BU Standard Limit: 0.02 cfs
 BU Fee Limit: 0.02 cfs Theoretical (optional): cfs
Recommended Total Div Rate: 0.02 cfs

Annual Volume

For Irrigation: cfs x 1.9835 x days = af
 acres x af/ac (FHR) = af
 Smaller of two volumes = af

For other uses: Domestic uses as defined in Idaho Code § 42-111 is exempt from volume reporting requirements outlined in IDAPA 37.03.02.035.01.jii.

IN-OFFICE BENEFICIAL USE FIELD REPORT

Recommended Amounts

Beneficial Use	Season of Use	Diversion Rate (cfs)	Annual Volume (af)
DOMESTIC	01/01 - 12/31	0.02	
	Totals	0.02 cfs	af

Amendments Required

☐ Change P.D. ☐ Add P.D. ☒ None
☐ Change P.U. ☐ Add P.U. ☐ Other:

Conditions: 004, WB5, and N12.

Have conditions of permit been met? ☒ Y ☐ N

Narrative:

Permit 79-14262 authorizes the diversion rate of 0.02 cfs from GROUNDWATER for DOMESTIC use purposes. Based on the small permitted diversion rate and POU, this qualifies for an in-office field exam as stated under IDAPA 37.03.02.035.01r. The exam was completed on November 9, 2017 by WRA Aaron Skinner.

Background:

According to the Application for Permit, the purpose of this right is to establish a domestic use right from a well that was drilled in 1989 on a neighboring property. The property was originally owned by Walter's father, Water E Lindsey. His father had the well on his sister's property that is now owned by the Chamberlain's. An easement, access, and right of way to the well was retained in the sell of the property to the Chamberlain's.

On 11/08/2012, a new domestic well was drilled behind the house located on Mr. Lindsey's property. There is no WR associated to the new well. Speaking with Mr. Lindsey over the phone on 11/13/2017, the well turned out unusable and will need to be abandon. All domestic water is supplied via the 1989 well.

The current PLSS boundary line for the SESE and NESE runs through the north edge of the house. An amendment will not be recommended as the majority of the house is in the SESE Lot 8 as described in the permit and application. The area that falls in the NESE is extremely small, therefore, negligible.

Diversion Rate and Volume:

The permit authorized a rate of 0.02 cfs and is exempt from volume reporting requirements per Idaho Code § 42-111 and outlined in IDAPA 37.03.02.035.01.jii. Domestic use is limited to in-home use only as WR No. 79-14202 covers the external irrigation use. Therefore, the **recommended rate of 0.02 cfs will be forwarded to licensing.**

Overlap:

There are no POD or POU overlaps associated to this right.

Ownership:

The current taxlot data for Idaho County shows Walter O Lindsey as the parcel owner matching the permit.

Conditions:

Conditions WB5 and 004 were forwarded to licensing. Condition 046 was removed and not forwarded to licensing. Condition N12 was added to limit domestic use to 13,000 gallons per day.

Workflow

Exam Date Entered ☒
 POU/POD shapes ☒
 Combined Rights Entry ☐
 Wild & Scenic Entry ☐
 Draft License and Map ☒
 FE Database (N: drive) ☒

Supporting Documents

Aerial Photograph ☒
 POU/POD Map ☒
 LandSat ☐
 Photographs ☐
 Site Visit Date: NA
 Well Log ☒
 Diagrams ☐
 Theoretical ☐
 Other:

Authentication

Field Examiner's Name: Aaron Skinner Date: 11/13/2017


Reviewer: Angela M. Quinn Date: 12/22/17

State of Idaho
Department of Water Resources
Point of Diversion and Place of Use
Water Permit No. 79-14262

This map depicts the Domestic place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 0.045 0.09 0.18 Miles



Overlap Analysis for Permit No. 79-14262 POD


27N01E10	BasinSequence	Draft	Owner	Source	Use	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	TotalAcres
Water Right	79-13595	N	FAMILY TRAILER PARK	SKOOKUMCHUCK CREEK																		
Water Right	79-14013	N	CHAMBERLAND INC; SCHOO-SCHROEDER, PATRICIA ; SCHROEDER, DOUGLAS R; THOMPSON, TRAVIS L	SALMON RIVER																		
Water Right	79-14202	N	LINDSEY, WALTER E; LINDSEY, WALTER O	SALMON RIVER																		
Water Right	79-14262	Y	LINDSEY, WALTER O	GROUND WATER																		
Water Right	79-4432	N	CHAMBERLAIN, KELLEY; PARSONS, JOSEPHINE C; PARSONS, ROBERT V	SALMON RIVER																		
Water Right	79-7085	N	LINDSEY, WALTER E	GROUND WATER																		

Overlap Analysis for Permit No. 79-14262 POU

27N01E10	BasinSequence	Draft	Owner	Source	Use	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	TotalAcres
Water Right	79-13595	N	FAMILY TRAILER PARK	SKOOKUMCHUCK CREEK	STOCKWATER																	
Water Right	79-14013	N	CHAMBERLAND INC; SCHOO-SCHROEDER, PATRICIA ; SCHROEDER, DOUGLAS R; THOMPSON, TRAVIS L	SALMON RIVER	IRRIGATION																	
Water Right	79-14202	N	LINDSEY, WALTER E; LINDSEY, WALTER O	SALMON RIVER	IRRIGATION																	
Water Right	79-14262	Y	LINDSEY, WALTER O	GROUND WATER	DOMESTIC																	
Water Right	79-4432	N	CHAMBERLAIN, KELLEY; PARSONS, JOSEPHINE C; PARSONS, ROBERT V	SALMON RIVER	IRRIGATION																	
Water Right	79-7085	N	LINDSEY, WALTER E	GROUND WATER	DOMESTIC																	

no overlap; neighbor
no overlap; external use
no overlap; neighbor.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Walt Linsey (Bob Persell)</u> Address <u>1367 27th Ave Blk #3 Apt 202</u> <u>Basin 79 Lewiston Id. 83501</u> Owner's Permit No. <u>79-89-3-006</u> <u>Verbal 10-16-89</u>		7. WATER LEVEL Static water level <u>41</u> feet below land surface. Flowing? ☐ Yes ☐ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality <u>Good</u> Describe artesian or temperature zones below.																					
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Baller ☒ Air ☐ Other _____																					
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		<table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>15</u></td><td></td><td><u>.50</u></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>15</u>		<u>.50</u>														
Discharge G.P.M.	Pumping Level	Hours Pumped																					
<u>15</u>		<u>.50</u>																					
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		9. LITHOLOGIC LOG <u>71081</u> <table border="1"><thead><tr><th>Depth</th><th>Material</th><th>Water</th></tr><tr><th>Diam. From To</th><th></th><th>Yes No</th></tr></thead><tbody><tr><td><u>10 0 36</u></td><td><u>CL; siltstone boulder</u></td><td><u>X</u></td></tr><tr><td><u>10 16 37</u></td><td><u>Brk siltstone</u></td><td><u>X</u></td></tr><tr><td><u>6 24 46</u></td><td><u>soft siltstone</u></td><td><u>X</u></td></tr><tr><td><u>6 46 60</u></td><td><u>tan schist</u></td><td><u>X</u></td></tr></tbody></table>		Depth	Material	Water	Diam. From To		Yes No	<u>10 0 36</u>	<u>CL; siltstone boulder</u>	<u>X</u>	<u>10 16 37</u>	<u>Brk siltstone</u>	<u>X</u>	<u>6 24 46</u>	<u>soft siltstone</u>	<u>X</u>	<u>6 46 60</u>	<u>tan schist</u>	<u>X</u>		
Depth	Material	Water																					
Diam. From To		Yes No																					
<u>10 0 36</u>	<u>CL; siltstone boulder</u>	<u>X</u>																					
<u>10 16 37</u>	<u>Brk siltstone</u>	<u>X</u>																					
<u>6 24 46</u>	<u>soft siltstone</u>	<u>X</u>																					
<u>6 46 60</u>	<u>tan schist</u>	<u>X</u>																					
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>.250</u> inches</td><td><u>6</u> inches</td><td><u>2</u> feet</td><td><u>48</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☒ Knife ☐ Torch Size of perforation <u>1/2</u> inches by <u>1</u> inches <u>24</u> perforations <u>41</u> feet <u>46</u> feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>19</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port _____		Thickness	Diameter	From	To	<u>.250</u> inches	<u>6</u> inches	<u>2</u> feet	<u>48</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	NOV 24 1989 Department of Water Resources Western Regional Office NOV 01 1989 Department of Water Resources NOV 22 1989 Department of Water Resources	
Thickness	Diameter	From	To																				
<u>.250</u> inches	<u>6</u> inches	<u>2</u> feet	<u>48</u> feet																				
_____ inches	_____ inches	_____ feet	_____ feet																				
_____ inches	_____ inches	_____ feet	_____ feet																				
_____ inches	_____ inches	_____ feet	_____ feet																				
6. LOCATION OF WELL Sketch map location must agree with written location  Subdivision Name <u>AUG 13 1990</u> Lot No. _____ Block No. _____ County <u>NE & SE Sec. 10, T. 27 N, R. 1 E</u>		10. Work started <u>10-16-89</u> finished <u>10-17-89</u>																					
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Walt Linsey Drilling</u> Firm No. <u>125</u> Address <u>Rt 1 Box 202</u> Date <u>10-17-89</u> Signed by (Firm Official) <u>Walt Linsey</u> and (Operator) <u>Don J. Winkler</u>		11. DRILLERS CERTIFICATION DL																					

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT