

Cox, Sharla

From: Kirby Jensen <kirby7072@gmail.com>
Sent: Tuesday, November 28, 2017 11:48 AM
To: Cox, Sharla
Subject: Re: Possible Non-Compliant Casing

And yes, the 22nd is fine.

On Tue, Nov 28, 2017 at 11:46 AM, Kirby Jensen <kirby7072@gmail.com> wrote:
Thank you so much Sharla,

Have a good day, enjoy the holidays and...MERRY CHRISTMAS

On Tue, Nov 28, 2017 at 11:42 AM, Cox, Sharla <Sharla.Cox@idwr.idaho.gov> wrote:

Yes, they did receive it. The thing you need to realize is that James cannot respond to your email. He is the hearing officer and cannot talk to anyone involved in a contested case that is going to hearing. He is not allowed to talk about substance, he can only talk about the process of a hearing. I believe that Dennis is going to respond, but probably just hasn't done it yet.

Also I was going to contact you today and ask you if you would mind if we moved the hearing for Sorensen from January 24th, 2018 to January 22, 2018. The start time and the place will be the same. James has a conflict with the 24th of January. I spoke to Luke Marchant and he was ok with the change in the date. Please let me know if the 22nd of January is ok.

Thank you.

Sharla

Sharla Cox

Administrative Assistant

Idaho Dept of Water Resources

900 N Skyline Dr. Ste A.

Idaho Falls ID 83402

sharla.cox@idwr.idaho.gov

[208-525-7161](tel:208-525-7161) *phone*

[208-525-7177](tel:208-525-7177) *fax*

From: Kirby Jensen [mailto:kirby7072@gmail.com]

Sent: Tuesday, November 28, 2017 11:28 AM

To: Cox, Sharla <Sharla.Cox@idwr.idaho.gov>

Subject: Fwd: Possible Non-Compliant Casing

Good morning Sharla,

The message below was sent about two weeks ago.

As it's been a Holiday Season, perhaps James and/or Dennis have just been too busy to respond.

However, maybe I typed in their addresses wrong and it's failed to be delivered.

Would you mind checking with James and Dennis to confirm whether they did or didn't receive it, and let me know whether they did or didn't.

Thank you so much,

Kirby

----- Forwarded message -----

From: Kirby Jensen <kirby7072@gmail.com>

Date: Wed, Nov 15, 2017 at 11:55 AM

Subject: Possible Non-Compliant Casing

To: "Cefalo, James" <James.Cefalo@idwr.idaho.gov>, "Dunn, Dennis" <Dennis.Dunn@idwr.idaho.gov>

Attached is a letter to you regarding the possibility that the casing which has been installed in the "Old Well" may be non-compliant.

Thank you,