

SEP 07 2017

DEPARTMENT OF
WATER RESOURCES

LAWRENCE G. WASDEN
Attorney General

DARRELL G. EARLY
Deputy Attorney General
Chief, Natural Resources Division

ANN Y. VONDE, ISB No. 8406
Deputy Attorney General
700 W. State Street – 2nd Floor
P.O. Box 83720
Boise, Idaho 83720-0010
(208) 334-2400
Facsimile: (208) 854-8072

Attorneys for the Idaho Water Resource Board


**BEFORE THE IDAHO DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO**

IN THE MATTER OF APPLICATIONS)
FOR PERMIT NOS. 75-14861, 75-14862,)
75-14863 IN THE NAME OF)
RUTH ANDERSEN)
_____)

WITHDRAWAL OF PROTEST

The Idaho Water Resource Board ("IWRB") hereby withdraws its protest in the above captioned matter. The draft permits (Attachment A) emailed by Pam Skaggs to the parties on September 5, 2017 are acceptable to the IWRB and resolved its protest in this matter.

DATED this 6th day of September, 2017.



ANN Y. VONDE
Deputy Attorney General

CERTIFICATE OF MAILING

I HEREBY CERTIFY that on this 6th day of September 2017, I caused the foregoing document to be served on the following persons by the methods indicated:

1. Original to:


Pam Skaggs
Idaho Department of Water Resources
PO Box 83720
Boise ID 83720-0098

- ☒ U.S. Mail, postage prepaid
- ☐ Hand Delivery
- ☐ Federal Express
- ☐ Facsimile: _____
- ☐ Email

2. Copies to:

Ruth Andersen
14 Bee Haven Ln
Salmon ID 83467

- ☒ U.S. Mail, postage prepaid
- ☐ Hand Delivery
- ☐ Federal Express
- ☐ Facsimile: _____


ANN Y. VONDE
Deputy Attorney General

ATTACHMENT A

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 75-14861

Priority: May 10, 2017

Maximum Diversion Rate: 0.14 CFS

This is to certify, that RUTH ANDERSEN
14 BEE HAVEN LN
SALMON ID 83467

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.10 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER L8 (SE1/4SW1/4), Sec. 34, Twp 19N, Rge 21E, B.M. LEMHI County
GROUND WATER L8 (SE1/4SW1/4), Sec. 34, Twp 19N, Rge 21E, B.M. LEMHI County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
19N 21E 34												2.5 L 8				2.5 L 8	5.0

Total Acres: 5

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
19N 21E 34												X L 8					

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **September 01, 2022**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
4. Domestic use is for 1 home. Irrigation of lawn, garden and landscaping associated with the home is authorized under the irrigation component of this right.

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 75-14861

5. Domestic use under Rights 75-14861 and 75-14862 when combined is for 1 home.
6. Rights 75-14861, 75-14862 and 75-14863 when combined shall not exceed a total diversion rate of 0.10 cfs for irrigation use and the irrigation of 5.0 acres.
7. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the place of use.
8. Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide the watermaster suitable control of the diversion.
9. The right holder shall install or construct a straight length of conduit or ditch suitable for installation of a device for measuring the entire flow of water being diverted in connection with this right. If the right holder uses conduit, the straight length of conduit shall be at least fifteen times the diameter of the conduit and shall be above ground or otherwise easily accessible.
10. Upon specific notification by the Department, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion, in accordance with Department specifications.
11. When notified by the Department or by a watermaster with regulatory authority over this right, the right holder shall report the amount of water diverted in connection with this right. The report shall be submitted in the manner and frequency specified by the Department or the watermaster.
12. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
13. Points of diversion are located within Lot 1; Omohundro Subdivision.
14. Place of use is located within Lot 1; Omohundro Subdivision.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.

Signed this _____ day of _____, 20_____.

PAMELA S. SKAGGS, Water Rights Supervisor

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 75-14862

Priority: May 10, 2017

Maximum Diversion Rate: 0.14 CFS

This is to certify, that RUTH ANDERSEN
14 BEE HAVEN LN
SALMON ID 83467

has applied for a permit to appropriate water from:

Source: SPRING**Tributary:** SALMON RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.10 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

SPRING L8 (NW1/4SW1/4SE1/4), Sec. 34, Twp 19N, Rge 21E, B.M. LEMHI County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
19N 21E 34																	5.0

Total Acres: 5

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
19N 21E 34																	

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **September 01, 2022**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
4. Domestic use is for 1 home. Irrigation of lawn, garden and landscaping associated with the home is authorized under the irrigation component of this right.
5. Domestic use under Rights 75-14861 and 75-14862 when combined is for 1 home.

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 75-14862

6. Rights 75-14861, 75-14862 and 75-14863 when combined shall not exceed a total diversion rate of 0.10 cfs for irrigation use and the irrigation of 5.0 acres.
7. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the place of use.
8. Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide the watermaster suitable control of the diversion.
9. The right holder shall install or construct a straight length of conduit or ditch suitable for installation of a device for measuring the entire flow of water being diverted in connection with this right. If the right holder uses conduit, the straight length of conduit shall be at least fifteen times the diameter of the conduit and shall be above ground or otherwise easily accessible.
10. Upon specific notification by the Department, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion, in accordance with Department specifications.
11. When notified by the Department or by a watermaster with regulatory authority over this right, the right holder shall report the amount of water diverted in connection with this right. The report shall be submitted in the manner and frequency specified by the Department or the watermaster.
12. Prior to the diversion and use of water under this approval, the right holder shall comply with all fish screening and/or fish passage requirements of the Idaho Department of Fish and Game.
13. Point of diversion is located within Lot 1; Omohundro Subdivision.
14. Place of use is located within Lot 1; Omohundro Subdivision.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.

Signed this _____ day of _____, 20_____.

PAMELA S. SKAGGS, Water Rights Supervisor

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 75-14863

Priority: May 10, 2017

Maximum Diversion Rate: 0.10 CFS

This is to certify, that RUTH ANDERSEN
14 BEE HAVEN LN
SALMON ID 83467

has applied for a permit to appropriate water from:

Source: SALMON RIVER

Tributary: SNAKE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.10 CFS

LOCATION OF POINT(S) OF DIVERSION:

SALMON RIVER L8 (SE1/4SW1/4), Sec. 34, Twp 19N, Rge 21E, B.M. LEMHI County

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
19N	21E	34																	5.0

Total Acres: 5

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **September 01, 2022**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
4. Rights 75-14861, 75-14862 and 75-14863 when combined shall not exceed a total diversion rate of 0.10 cfs for irrigation use and the irrigation of 5.0 acres.
5. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the place of use.
6. Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide the watermaster suitable control of the diversion.
7. The right holder shall install or construct a straight length of conduit or ditch suitable for installation of a device for measuring the entire flow of water being diverted in connection with this right. If the right holder uses conduit, the straight length of conduit shall be at least fifteen times the diameter of the conduit and shall be above ground or otherwise easily accessible.

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 75-14863

8. Upon specific notification by the Department, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion, in accordance with Department specifications.
9. When notified by the Department or by a watermaster with regulatory authority over this right, the right holder shall report the amount of water diverted in connection with this right. The report shall be submitted in the manner and frequency specified by the Department or the watermaster.
10. Prior to the diversion and use of water under this approval, the right holder shall comply with all fish screening and/or fish passage requirements of the Idaho Department of Fish and Game.
11. Place of use is located within Lot 1; Omohundro Subdivision.
12. Point of diversion is located within Lot 1; Omohundro Subdivision.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.

Signed this _____ day of _____, 20_____.

PAMELA S. SKAGGS, Water Rights Supervisor