

MEMORANDUM

Date: August 8, 2017
To: Transfer 81684
From: Blake Jordan
Re: Review & Evaluation of Sufficiency of Information

This transfer proposes to change the point of diversion and place of use for split portions of water rights 32-13203, 32-13240, 32-2116A, 32-7005C, 32-7022AA, 32-7022AE, 32-7022K, 32-7022K, 32-7022M, 32-7022X, 32-7053E, 32-7056E, 32-7093E and 32-7102A. The split portions will be combined with water rights 32-4001D, 32-7034D and 32-13334. The applicants seek to dry up acres under end guns and move them to their property where a pivot will be installed. The applicants will utilize an existing well described under water rights 32-13334, 32-4001D and 32-7034D.

Water rights 32-7056A, 32-7093A and 32-7088A were added to this transfer as associated water rights. These three water rights share the same place of use with some of the rights directly being changed through this transfer. The place of use and conditions of approval for these associated water rights will be updated and changed through this transfer.

The volume proposed to be changed for water right 32-13240 is in error. The volume to be changed should be 22.4 acre-feet.

Authority to File:

The applicants are the current owners of water rights per IDWR record and owner of the property at the proposed point of diversion and proposed place of use per Clark County taxlot data and warranty deed. Rabo Agrifinance holds a mortgage on the applicants property involved in this transfer. Rabo Agrifinance consents to the transfer application.

Water Right Validity:

Decreed and licensed water rights. Aerial photography shows consistent irrigation. Forfeiture is not an issue.

Injury to Other Water Rights:

Inside the ESPA and regulated by WD 110. ESPA analysis was provided and no additional mitigation will be required. This application was advertised and there are no protests. The water master does not oppose the application.

Enlargement of Use:

No issues identified.

Local Public interest:

No issues identified.

Beneficial Use/Conservation of Water Resources:

No issues identified.

Review of the application finds there is no clear inconsistency with criteria set forth in Section 42-222 Idaho Code preventing processing of this application.