

SCANLAN ENGINEERING

Groundwater and Environmental Engineering

RECEIVED

OCT 15 2002

WATER RESOURCES
WESTERN REGION

October 12, 2002

Bob McKenna
Whitetail Club
501 West Lake Street
McCall, ID 83638

Subject: Status Report of M Resorts Hydrology Monitoring for 65-13704

Dear Bob:

Enclosed for your files are monitoring data collected through September 2002 as part of the monitoring program associated with M Resort's water right permit No. 65-13704.

Monitoring was initiated in August 2000. Results for August 2000 through February 2001 were reported in my letter to Mike Kitchen dated February 25, 2001. That letter also included a revised monitoring plan and schedule.

Monitoring data from August 2000 to September 2002 are summarized in the enclosed table. Laboratory reports for the period of March 2001 through September 2002 are attached.

Please contact me with any questions. The next monitoring event is scheduled for July 2003.

Sincerely,



Terry M. Scanlan, P.E.

Cc: George Bezates
Gary Spackman

M Resorts / Bezates Monitoring Summary
(Water level measuring points for wells and North Spring is top of steel casing)

Monitoring Point	Date	Depth to Water (feet)	Discharge Rate (gpm)	Totalizer Reading (gallons)	Specific Conductance (uS)	Ammonia (NH3-N) (mg/L)	Nitrate (NO3-N) (mg/L)	Nitrogen (TKN) (mg/L)	Phosphate (Total P) (mg/L)	Total Dissolved Solids (TDS) (mg/L)	Remarks
M Resort Well 1	08/04/2000				137	<0.04	<0.20	30.1	<0.05	104	no flow meter, pump discharging to pond; sampled for nutrients and herbicides at pump house
	05/06/2001				144	<0.04	<0.20		0.09	84	pump off; turned on for sampling
	07/08/2001				140	<0.04	<0.20	<0.1	0.07	100	pump on; sampled at cabin hose bib
	09/29/2001				139	<0.04	<0.20	<0.1	0.08	120	
	07/19/2002				139	<0.04	<0.20	<0.1	0.09	80	pump on; sampled at cabin hose bib
M Resort Well 2	08/04/2000	60.75									
	09/01/2000	62.86									
	11/11/2000										
	05/06/2001			16085							pump installed (not operable) but no sounding tube for water levels
	07/08/2001			1182700							5.4 acre feet pumped
	09/29/2001			1770395							
	07/19/2002			1770395							pump off
	09/28/2002			1770395							pump off
M Resort Well 5	08/04/2000	26.83									
	09/01/2000	28.88									
	11/11/2000	26.34									
	02/17/2001										
	03/31/2001										could not locate well due to snow cover
	05/06/2001	18.40									could not locate well due to snow cover
	07/08/2001	27.03									
	09/29/2001	33.97									
	07/19/2002	25.33									
	09/28/2002	30.45									
M Resort Well 7	08/04/2000	57.75									
	09/01/2000	59.86									
	11/11/2000	56.99									
	02/17/2001	51.41									
	03/31/2001	49.23									pump installed (not operable) with sounding tube
	05/06/2001	47.63		16288							initial totalizer reading
	07/08/2001	58.15		2443700							2427412 gallons pumped; pump off
	09/29/2001	65.65		6689740							pump off; 20.5 af pumped in 2001
	07/19/2002	56.21		6689740							pump off
	09/28/2002	62.18		6689740							pump off; no pumping in 2002
M Resort Shallow Well	08/07/2000	8.99			128	<0.04	<0.20	<0.1	<0.05	120	sampled for nutrients and herbicides
	09/01/2000	10.49									below top of steel casing, 9.43' below top of plastic
	11/11/2000	10.07									
	02/17/2001	10.81									
	03/31/2001	7.52									
	05/06/2001	7.43			178	<0.04	<0.20		<0.05	144	sampled for nutrients
	07/08/2001	13.37			182	0.05	<0.20	0.28	0.1	124	sampled for nutrients
	09/29/2001	10.79			196	<0.04	<0.20	0.19	0.06	150	sampled for nutrients
	07/19/2002	9.32			217	<0.04	<0.20	<0.1	0.08	108	sampled for nutrients
	09/28/2002	9.69									
Bezates Shallow Well	08/05/2000				50	0.46	<0.20	<0.1	0.47	198	sampled for nutrients and herbicides
	08/07/2000	10.22									
	09/01/2000	11.17									
	11/11/2000	13.03									
	02/17/2001	14.73									
	03/31/2001	14.29									

M Resorts / Bezates Monitoring Summary
(Water level measuring points for wells and North Spring is top of steel casing)

Monitoring Point	Date	Depth to Water (feet)	Discharge Rate (gpm)	Totalizer Reading (gallons)	Specific Conductance (uS)	Ammonia (NH3-N) (mg/L)	Nitrate (NO3-N) (mg/L)	Nitrogen (TKN) (mg/L)	Phosphate (Total P) (mg/L)	Total Dissolved Solids (TDS) (mg/L)	Remarks
Bezates Shallow Well	05/06/2001	7.52			64	<0.04	0.71		<0.05	86	sampled for nutrients
	07/08/2001	11.45			60	<0.04	0.63	<0.1	<0.05	56	sampled for nutrients
	09/29/2001	13.92			66	<0.04	0.87	<0.1	0.07	78	
	07/19/2002	10.15			68	<0.04	0.49	<0.1	0.07	68	
	09/28/2002	4.20									Overflow from Whitetail Lake is running in ditch near well
Bezates North Spring	08/04/2000	6.35	0		52	<0.04	<0.20	<0.1	0.05	64	no flow, sampled for nutrients and herbicides, sampled with pump
	09/01/2000	7.88	0								no flow
	11/11/2000	9.55	0								no flow
	02/17/2001	10.54	0								no flow
	03/31/2001	5.69	0								no flow
	05/06/2001		15		46	<0.04	0.29		<0.05	80	8 gpm from pipe, similar amount from overflow; sampled for nutrients
	07/08/2001	5.31	0		66	<0.04	0.34	<0.1	<0.05	48	no flow, sampled with pump
	09/29/2001	9.02	0		62	<0.04	<0.20	<0.1	<0.05	64	no flow, sampled with pump
	07/19/2002	5.79	0		96	<0.04	0.77	<0.1	<0.05	16	no flow, sampled with pump
	09/28/2002	9.41									
Bezates Northwest Spring	08/04/2000		0								no flow, no access into spring box for sampling
	11/11/2000		0								no flow
	05/06/2001		1.5		56	<0.04	0.28		0.11	88	sampled for nutrients
Bezates Southwest Spring	08/04/2000		0.49			<0.04	<0.20	<0.1	0.12	130	sampled for nutrients and herbicides
Bezates Pond	08/04/2000		0		57	<0.04	<0.20	<0.1	<0.05	64	sample collected at 6-inch depth
	05/06/2001				45	<0.04	<0.20		<0.05	74	sample collected at 6-inch depth
	07/08/2001				57	<0.04	<0.20	0.26	<0.05	32	sample collected at 6-inch depth
	09/29/2001				59	<0.04	<0.20	0.38	0.09	64	sample collected at 6-inch depth
	07/19/2002				53	<0.04	<0.20	0.21	<0.05	50	sample collected at 6-inch depth
Betsy Lake Pump (Well No. 1 Irrigation Use)	05/06/2001			12951							initial reading
	07/08/2001			99212900							totalizer running backward?; if so, 800,051 gallons pumped
	09/29/2001			1636170							5.3 af pumped in 2001
	07/19/2002			1636060							pump off
	09/28/2002			2668450							pump off; 3.2 af pumped in 2002
Williams Creek (@ M Resort fence)	05/06/2001				48	<0.04	<0.20		0.06	88	sampled for nutrients
	07/08/2001										no flow
	09/29/2001										no flow
	07/19/2002										no flow
	09/28/2002										no flow
Unnamed Stream below Whitetail Lake	05/06/2001										no flow
	07/08/2001										no flow
	09/29/2001										no flow
	07/19/2002										no flow
	09/28/2002										flowing

ANALYTICAL LABORATORIES, INC.

1804 N. 33rd Street
Boise, Idaho 83703
Phone # (208) 342-5515

**LABORATORY ANALYSIS REPORT
SAMPLE NUMBER - 25802**

Attn. TERRY SCANLAN

**SCANLAN ENGINEERING
600 EAST RIVER PARK LANE
SUITE 105
BOISE, ID 83706**

Time of Collection: 15:00
Date of Collection: 07/19/02


Date Received: 07/23/02
Date Reported: 08/05/02

Collected by: **T SCANLON**

Submitted by: **TERRY SCANLON**

Source of Sample: **M RESORT SHALLOW**

Test Requested	FRDS #	MCL	Analysis Result Unit	MDL	Method	Date Completed	Analyst Initials
AMMONIA DIRECT			<0.04 mg/L	0.04	EPA 350.1	07/26/02	KDH
NITRATE N			<0.20 mg/L	0.20	EPA 300.0	07/29/02	GMM
NITROGEN TOTAL KJELDAHL			<0.1 mg/L	0.1	EPA 351.2	07/26/02	KDH
PHOSPHATE P, TOTAL			0.08 mg/L	0.05	EPA 365.4	07/26/02	KDH
TOTAL DISSOLVED SOLIDS			108 mg/L	25	EPA 160.1	08/04/02	JR



THANK YOU FOR CHOOSING ANALYTICAL LABORATORIES, INC. FOR YOUR TESTING NEEDS.

PLEASE CONTACT MICHAEL MOORE IF YOU HAVE ANY QUESTIONS REGARDING
THIS REPORT OR ANY FUTURE ANALYTICAL NEEDS.

ANALYTICAL LABORATORIES, INC.

**1804 N. 33rd Street
Boise, Idaho 83703
Phone # (208) 342-5515**

**LABORATORY ANALYSIS REPORT
SAMPLE NUMBER - 25803**

Attn. TERRY SCANLAN

**SCANLAN ENGINEERING
600 EAST RIVER PARK LANE
SUITE 105
BOISE, ID 83706**

**Time of Collection: 15:16
Date of Collection: 07/19/02**


**Date Received: 07/23/02
Date Reported: 08/05/02**

Collected by: T SCANLON

Submitted by: TERRY SCANLON

Source of Sample: BEZATES SHALLOW

Test Requested	FRDS #	MCL	Analysis Result Unit	MDL	Method	Date Completed	Analyst Initials
AMMONIA DIRECT			<0.04 mg/L	0.04	EPA 350.1	07/26/02	KDH
NITRATE N			0.49 mg/L	0.20	EPA 300.0	07/29/02	GMM
NITROGEN TOTAL KJELDAHL			<0.1 mg/L	0.1	EPA 351.2	07/26/02	KDH
PHOSPHATE P, TOTAL			0.07 mg/L	0.05	EPA 365.4	07/26/02	KDH
TOTAL DISSOLVED SOLIDS			68 mg/L	25	EPA 160.1	08/04/02	JR



THANK YOU FOR CHOOSING ANALYTICAL LABORATORIES, INC. FOR YOUR TESTING NEEDS.

PLEASE CONTACT MICHAEL MOORE IF YOU HAVE ANY QUESTIONS REGARDING
THIS REPORT OR ANY FUTURE ANALYTICAL NEEDS.

ANALYTICAL LABORATORIES, INC.

**1804 N. 33rd Street
Boise, Idaho 83703
Phone # (208) 342-5515**

**LABORATORY ANALYSIS REPORT
SAMPLE NUMBER - 25801**

Attn. TERRY SCANLAN

**SCANLAN ENGINEERING
600 EAST RIVER PARK LANE
SUITE 105
BOISE, ID 83706**

**Time of Collection: 14:30
Date of Collection: 07/19/02**


**Date Received: 07/23/02
Date Reported: 08/05/02**

Collected by: T SCANLON

Submitted by: TERRY SCANLON

Source of Sample: M RESORT WELL #1

Test Requested	FRDS #	MCL	Analysis Result Unit	MDL	Method	Date Completed	Analyst Initials
AMMONIA DIRECT			<0.04 mg/L	0.04	EPA 350.1	07/26/02	KDH
NITRATE N			<0.20 mg/L	0.20	EPA 300.0	07/29/02	GMM
NITROGEN TOTAL KJELDAHL			<0.1 mg/L	0.1	EPA 351.2	07/26/02	KDH
PHOSPHATE P, TOTAL			0.09 mg/L	0.05	EPA 365.4	07/26/02	KDH
TOTAL DISSOLVED SOLIDS			80 mg/L	25	EPA 160.1	08/04/02	JR



THANK YOU FOR CHOOSING ANALYTICAL LABORATORIES, INC. FOR YOUR TESTING NEEDS.

PLEASE CONTACT MICHAEL MOORE IF YOU HAVE ANY QUESTIONS REGARDING
THIS REPORT OR ANY FUTURE ANALYTICAL NEEDS.

ANALYTICAL LABORATORIES, INC.

1804 N. 33rd Street
Boise, Idaho 83703
Phone # (208) 342-5515

**LABORATORY ANALYSIS REPORT
SAMPLE NUMBER - 25804**

Attn. TERRY SCANLAN

**SCANLAN ENGINEERING
600 EAST RIVER PARK LANE
SUITE 105
BOISE, ID 83706**

**Time of Collection: 15:40
Date of Collection: 07/19/02**


**Date Received: 07/23/02
Date Reported: 08/07/02**

Collected by: T SCANLON

Submitted by: TERRY SCANLON

Source of Sample: BEZATES POND

Test Requested	FRDS #	MCL	Analysis Result Unit	MDL	Method	Date Completed	Analyst Initials
AMMONIA DIRECT			<0.04 mg/L	0.04	EPA 350.1	07/26/02	KDH
NITRATE N			<0.20 mg/L	0.20	EPA 300.0	07/29/02	GMM
NITROGEN TOTAL KJELDAHL			0.21 mg/L	0.1	EPA 351.2	07/26/02	KDH
PHOSPHATE P, TOTAL			<0.05 mg/L	0.05	EPA 365.4	07/26/02	KDH
TOTAL DISSOLVED SOLIDS			50 mg/L	25	EPA 160.1	08/07/02	JR



THANK YOU FOR CHOOSING ANALYTICAL LABORATORIES, INC. FOR YOUR TESTING NEEDS.

PLEASE CONTACT MICHAEL MOORE IF YOU HAVE ANY QUESTIONS REGARDING
THIS REPORT OR ANY FUTURE ANALYTICAL NEEDS.

ANALYTICAL LABORATORIES, INC.

1804 N. 33rd Street
Boise, Idaho 83703
Phone # (208) 342-5515

**LABORATORY ANALYSIS REPORT
SAMPLE NUMBER - 25805**

Attn. TERRY SCANLAN

**SCANLAN ENGINEERING
600 EAST RIVER PARK LANE
SUITE 105
BOISE, ID 83706**

**Time of Collection: 15:50
Date of Collection: 07/19/02**


**Date Received: 07/23/02
Date Reported: 08/05/02**

Collected by: T SCANLON

Submitted by: TERRY SCANLON

Source of Sample: NORTH SPRING

Test Requested	FRDS #	MCL	Analysis Result Unit	MDL	Method	Date Completed	Analyst Initials
AMMONIA DIRECT			<0.04 mg/L	0.04	EPA 350.1	07/26/02	KDH
NITRATE N			0.77 mg/L	0.20	EPA 300.0	07/29/02	GMM
NITROGEN TOTAL KJELDAHL			<0.1 mg/L	0.1	EPA 351.2	07/26/02	KDH
PHOSPHATE P, TOTAL			<0.05 mg/L	0.05	EPA 365.4	07/26/02	KDH
TOTAL DISSOLVED SOLIDS			16 mg/L	25	EPA 160.1	08/04/02	JR



THANK YOU FOR CHOOSING ANALYTICAL LABORATORIES, INC. FOR YOUR TESTING NEEDS.

PLEASE CONTACT MICHAEL MOORE IF YOU HAVE ANY QUESTIONS REGARDING
THIS REPORT OR ANY FUTURE ANALYTICAL NEEDS.

ANALYTICAL LABORATORIES, INC.

1804 N. 33rd Street
Boise, Idaho 83703
Phone # (208) 342-5515

M. Lesort

**LABORATORY ANALYSIS REPORT
SAMPLE NUMBER - 34582**

Attn. TERRY SCANLAN

**SCANLAN ENGINEERING
600 EAST RIVER PARK LANE
SUITE 105
BOISE, ID 83706**

Time of Collection: 13:55
Date of Collection: 09/29/01

Date Received: 10/01/01
Date Reported: 10/17/01

Collected by: **T SCANLAN**

Submitted by:

Source of Sample: **BEZATES NORTH SPRING**

Test Requested	FRDS #	MCL	Analysis Result Unit	MDL	Method	Date Completed	Analyst Initials
AMMONIA DIRECT			<0.04 mg/L	0.04	EPA 350.1	10/05/01	KDH
NITRATE N			<0.20 mg/L	0.20	EPA 300.0	10/04/01	GMM
NITROGEN TOTAL KJELDAHL			<0.1 mg/L	0.1	EPA 351.2	10/08/01	AU
PHOSPHATE P, TOTAL			<0.05 mg/L	0.05	EPA 365.4	10/08/01	AU
TOTAL DISSOLVED SOLIDS			64 mg/L	30	EPA 160.1	10/13/01	DJR

Michael D. Moore

THANK YOU FOR CHOOSING ANALYTICAL LABORATORIES, INC. FOR YOUR TESTING NEEDS.

PLEASE CONTACT MICHAEL MOORE IF YOU HAVE ANY QUESTIONS REGARDING
THIS REPORT OR ANY FUTURE ANALYTICAL NEEDS.

ANALYTICAL LABORATORIES, INC.

1804 N. 33rd Street
Boise, Idaho 83703
Phone # (208) 342-5515

**LABORATORY ANALYSIS REPORT
SAMPLE NUMBER - 34583**

Attn. TERRY SCANLAN

**SCANLAN ENGINEERING
600 EAST RIVER PARK LANE
SUITE 105
BOISE, ID 83706**

Time of Collection: **13:15**
Date of Collection: **09/29/01**

Date Received: **10/01/01**
Date Reported: **10/17/01**

Collected by: **T SCANLAN**

Submitted by:

Source of Sample: **BEZATES POND**

Test Requested	FRDS #	MCL	Analysis Result Unit	MDL	Method	Date Completed	Analyst Initials
AMMONIA DIRECT			<0.04 mg/L	0.04	EPA 350.1	10/05/01	KDH
NITRATE N			<0.20 mg/L	0.20	EPA 300.0	10/04/01	GMM
NITROGEN TOTAL KJELDAHL			0.38 mg/L	0.1	EPA 351.2	10/08/01	AU
PHOSPHATE P, TOTAL			0.09 mg/L	0.05	EPA 365.4	10/08/01	AU
TOTAL DISSOLVED SOLIDS			64 mg/L	30	EPA 160.1	10/13/01	DJR



THANK YOU FOR CHOOSING ANALYTICAL LABORATORIES, INC. FOR YOUR TESTING NEEDS.

PLEASE CONTACT MICHAEL MOORE IF YOU HAVE ANY QUESTIONS REGARDING
THIS REPORT OR ANY FUTURE ANALYTICAL NEEDS.

ANALYTICAL LABORATORIES, INC.

1804 N. 33rd Street
Boise, Idaho 83703
Phone # (208) 342-5515

**LABORATORY ANALYSIS REPORT
SAMPLE NUMBER - 34584**

Attn. TERRY SCANLAN

**SCANLAN ENGINEERING
600 EAST RIVER PARK LANE
SUITE 105
BOISE, ID 83706**

Time of Collection: **14:15**
Date of Collection: **09/29/01**

Date Received: **10/01/01**
Date Reported: **10/17/01**

Collected by: **T SCANLAN**

Submitted by:

Source of Sample: **M RESORT SHALLOW**

Test Requested	FRDS #	MCL	Analysis Result Unit	MDL	Method	Date Completed	Analyst Initials
AMMONIA DIRECT			<0.04 mg/L	0.04	EPA 350.1	10/05/01	KDH
NITRATE N			<0.20 mg/L	0.20	EPA 300.0	10/04/01	GMM
NITROGEN TOTAL KJELDAHL			0.19 mg/L	0.1	EPA 351.2	10/08/01	AU
PHOSPHATE P, TOTAL			0.06 mg/L	0.05	EPA 365.4	10/08/01	AU
TOTAL DISSOLVED SOLIDS			150 mg/L	30	EPA 160.1	10/13/01	DJR



THANK YOU FOR CHOOSING ANALYTICAL LABORATORIES, INC. FOR YOUR TESTING NEEDS.

PLEASE CONTACT MICHAEL MOORE IF YOU HAVE ANY QUESTIONS REGARDING
THIS REPORT OR ANY FUTURE ANALYTICAL NEEDS.

ANALYTICAL LABORATORIES, INC.

1804 N. 33rd Street
Boise, Idaho 83703
Phone # (208) 342-5515

LABORATORY ANALYSIS REPORT
SAMPLE NUMBER - 34585

Attn. TERRY SCANLAN

SCANLAN ENGINEERING
600 EAST RIVER PARK LANE
SUITE 105
BOISE, ID 83706

Time of Collection: 13:40
Date of Collection: 09/29/01


Date Received: 10/01/01
Date Reported: 10/17/01

Collected by: T SCANLAN

Submitted by:

Source of Sample: BEZATES SHALLOW

Test Requested	FRDS #	MCL	Analysis Result Unit	MDL	Method	Date Completed	Analyst Initials
AMMONIA DIRECT			<0.04 mg/L	0.04	EPA 350.1	10/05/01	KDH
NITRATE N			0.87 mg/L	0.20	EPA 300.0	10/04/01	GMM
NITROGEN TOTAL KJELDAHL			<0.1 mg/L	0.1	EPA 351.2	10/08/01	AU
PHOSPHATE P, TOTAL			0.07 mg/L	0.05	EPA 365.4	10/08/01	AU
TOTAL DISSOLVED SOLIDS			78 mg/L	30	EPA 160.1	10/13/01	DJR



THANK YOU FOR CHOOSING ANALYTICAL LABORATORIES, INC. FOR YOUR TESTING NEEDS.

PLEASE CONTACT MICHAEL MOORE IF YOU HAVE ANY QUESTIONS REGARDING
THIS REPORT OR ANY FUTURE ANALYTICAL NEEDS.

ANALYTICAL LABORATORIES, INC.

1804 N. 33rd Street
Boise, Idaho 83703
Phone # (208) 342-5515

**LABORATORY ANALYSIS REPORT
SAMPLE NUMBER - 34586**

Attn. TERRY SCANLAN

**SCANLAN ENGINEERING
600 EAST RIVER PARK LANE
SUITE 105
BOISE, ID 83706**

Time of Collection: **12:50**
Date of Collection: **09/29/01**


Date Received: **10/01/01**
Date Reported: **10/17/01**

Collected by: **T SCANLAN**

Submitted by:

Source of Sample: **M RESORT WELL #1**

Test Requested	FRDS #	MCL	Analysis Result Unit	MDL	Method	Date Completed	Analyst Initials
AMMONIA DIRECT			<0.04 mg/L	0.04	EPA 350.1	10/05/01	KDH
NITRATE N			<0.20 mg/L	0.20	EPA 300.0	10/04/01	GMM
NITROGEN TOTAL KJELDAHL			<0.1 mg/L	0.1	EPA 351.2	10/08/01	AU
PHOSPHATE P, TOTAL			0.08 mg/L	0.05	EPA 365.4	10/08/01	AU
TOTAL DISSOLVED SOLIDS			120 mg/L	30	EPA 160.1	10/13/01	DJR



THANK YOU FOR CHOOSING ANALYTICAL LABORATORIES, INC. FOR YOUR TESTING NEEDS.

PLEASE CONTACT MICHAEL MOORE IF YOU HAVE ANY QUESTIONS REGARDING
THIS REPORT OR ANY FUTURE ANALYTICAL NEEDS.

ANALYTICAL LABORATORIES, INC.

**1804 N. 33rd Street
Boise, Idaho 83703
Phone # (208) 342-5515**

**LABORATORY ANALYSIS REPORT
SAMPLE NUMBER - 21201**

Attn. TERRY SCANLAN

**SCANLAN ENGINEERING
600 EAST RIVER PARK LANE
SUITE 105
BOISE, ID 83706**

**Time of Collection: 12:15
Date of Collection: 07/08/01**


**Date Received: 07/09/01
Date Reported: 07/18/01**

Collected by: T. SCANLAN

Submitted by:

Source of Sample: M RESORTS WELL #1

Test Requested	FRDS #	MCL	Analysis Result Unit	MDL	Method	Date Completed	Analyst Initials
AMMONIA DIRECT			<0.04 mg/L	0.04	EPA 350.1	07/11/01	KDH
NITRATE N			<0.20 mg/L	0.20	EPA 300.0	07/16/01	GMM
NITROGEN TOTAL KJELDAHL			<0.1 mg/L	0.1	EPA 351.2	07/17/01	KDH
PHOSPHATE P, TOTAL			0.07 mg/L	0.05	EPA 365.4	07/17/01	KDH
TOTAL DISSOLVED SOLIDS			100 mg/L	30	EPA 160.1	07/14/01	JS



THANK YOU FOR CHOOSING ANALYTICAL LABORATORIES, INC. FOR YOUR TESTING NEEDS.

PLEASE CONTACT MICHAEL MOORE IF YOU HAVE ANY QUESTIONS REGARDING
THIS REPORT OR ANY FUTURE ANALYTICAL NEEDS.

ANALYTICAL LABORATORIES, INC.

1804 N. 33rd Street
Boise, Idaho 83703
Phone # (208) 342-5515

LABORATORY ANALYSIS REPORT
SAMPLE NUMBER - 21202

Attn. TERRY SCANLAN

SCANLAN ENGINEERING
600 EAST RIVER PARK LANE
SUITE 105
BOISE, ID 83706

Time of Collection: 12:45
Date of Collection: 07/08/01


Date Received: 07/09/01
Date Reported: 07/18/01

Collected by: T. SCANLAN

Submitted by:

Source of Sample: BEZATES NORTH SPRING

Test Requested	FRDS #	MCL	Analysis Result Unit	MDL	Method	Date Completed	Analyst Initials
AMMONIA DIRECT			<0.04 mg/L	0.04	EPA 350.1	07/11/01	KDH
NITRATE N			0.34 mg/L	0.20	EPA 300.0	07/16/01	GMM
NITROGEN TOTAL KJELDAHL			<0.1 mg/L	0.1	EPA 351.2	07/17/01	KDH
PHOSPHATE P, TOTAL			<0.05 mg/L	0.05	EPA 365.4	07/17/01	KDH
TOTAL DISSOLVED SOLIDS			48 mg/L	30	EPA 160.1	07/14/01	JS



THANK YOU FOR CHOOSING ANALYTICAL LABORATORIES, INC. FOR YOUR TESTING NEEDS.

PLEASE CONTACT MICHAEL MOORE IF YOU HAVE ANY QUESTIONS REGARDING
THIS REPORT OR ANY FUTURE ANALYTICAL NEEDS.

ANALYTICAL LABORATORIES, INC.

1804 N. 33rd Street
Boise, Idaho 83703
Phone # (208) 342-5515

**LABORATORY ANALYSIS REPORT
SAMPLE NUMBER - 21203**

Attn. TERRY SCANLAN

**SCANLAN ENGINEERING
600 EAST RIVER PARK LANE
SUITE 105
BOISE, ID 83706**

**Time of Collection: 13:00
Date of Collection: 07/08/01**

**Date Received: 07/09/01
Date Reported: 07/18/01**

Collected by: T. SCANLAN

Submitted by:

Source of Sample: M RESORTS SHALLOW

Test Requested	FRDS #	MCL	Analysis Result Unit	MDL	Method	Date Completed	Analyst Initials
AMMONIA DIRECT			0.05 mg/L	0.04	EPA 350.1	07/11/01	KDH
NITRATE N			<0.20 mg/L	0.20	EPA 300.0	07/16/01	GMM
NITROGEN TOTAL KJELDAHL			0.28 mg/L	0.1	EPA 351.2	07/17/01	KDH
PHOSPHATE P, TOTAL			0.10 mg/L	0.05	EPA 365.4	07/17/01	KDH
TOTAL DISSOLVED SOLIDS			124 mg/L	30	EPA 160.1	07/14/01	JS



THANK YOU FOR CHOOSING ANALYTICAL LABORATORIES, INC. FOR YOUR TESTING NEEDS.

PLEASE CONTACT MICHAEL MOORE IF YOU HAVE ANY QUESTIONS REGARDING
THIS REPORT OR ANY FUTURE ANALYTICAL NEEDS.

ANALYTICAL LABORATORIES, INC.

1804 N. 33rd Street
Boise, Idaho 83703
Phone # (208) 342-5515

**LABORATORY ANALYSIS REPORT
SAMPLE NUMBER - 21204**

Attn. TERRY SCANLAN

**SCANLAN ENGINEERING
600 EAST RIVER PARK LANE
SUITE 105
BOISE, ID 83706**

**Time of Collection: 13:30
Date of Collection: 07/08/01**

**Date Received: 07/09/01
Date Reported: 07/18/01**

Collected by: T. SCANLAN

Submitted by:

Source of Sample: BEZATES SHALLOW

Test Requested	FRDS #	MCL	Analysis Result Unit	MDL	Method	Date Completed	Analyst Initials
AMMONIA DIRECT			<0.04 mg/L	0.04	EPA 350.1	07/11/01	KDH
NITRATE N			0.63 mg/L	0.20	EPA 300.0	07/16/01	GMM
NITROGEN TOTAL KJELDAHL			<0.1 mg/L	0.1	EPA 351.2	07/17/01	KDH
PHOSPHATE P, TOTAL			<0.05 mg/L	0.05	EPA 365.4	07/17/01	KDH
TOTAL DISSOLVED SOLIDS			56 mg/L	30	EPA 160.1	07/14/01	JS

Michael A. Moore

THANK YOU FOR CHOOSING ANALYTICAL LABORATORIES, INC. FOR YOUR TESTING NEEDS.

PLEASE CONTACT MICHAEL MOORE IF YOU HAVE ANY QUESTIONS REGARDING
THIS REPORT OR ANY FUTURE ANALYTICAL NEEDS.

ANALYTICAL LABORATORIES, INC.

1804 N. 33rd Street
Boise, Idaho 83703
Phone # (208) 342-5515

**LABORATORY ANALYSIS REPORT
SAMPLE NUMBER - 21205**

Attn. TERRY SCANLAN

**SCANLAN ENGINEERING
600 EAST RIVER PARK LANE
SUITE 105
BOISE, ID 83706**

**Time of Collection: 13:45
Date of Collection: 07/08/01**

**Date Received: 07/09/01
Date Reported: 07/18/01**

Collected by: T. SCANLAN

Submitted by:

Source of Sample: BEZATES POND

Test Requested	FRDS #	MCL	Analysis Result Unit	MDL	Method	Date Completed	Analyst Initials
AMMONIA DIRECT			<0.04 mg/L	0.04	EPA 350.1	07/11/01	KDH
NITRATE N			<0.20 mg/L	0.20	EPA 300.0	07/16/01	GMM
NITROGEN TOTAL KJELDAHL			0.26 mg/L	0.1	EPA 351.2	07/17/01	KDH
PHOSPHATE P, TOTAL			<0.05 mg/L	0.05	EPA 365.4	07/17/01	KDH
TOTAL DISSOLVED SOLIDS			32 mg/L	30	EPA 160.1	07/14/01	JS



THANK YOU FOR CHOOSING ANALYTICAL LABORATORIES, INC. FOR YOUR TESTING NEEDS.

PLEASE CONTACT MICHAEL MOORE IF YOU HAVE ANY QUESTIONS REGARDING
THIS REPORT OR ANY FUTURE ANALYTICAL NEEDS.

157.0010

ANALYTICAL LABORATORIES, INC.

1804 N. 33rd Street
Boise, Idaho 83703
Phone # (208) 342-5515

LABORATORY ANALYSIS REPORT
SAMPLE NUMBER - 12824

Attn. TERRY SCANLAN

SCANLAN ENGINEERING
600 EAST RIVER PARK LANE
SUITE 105
BOISE, ID 83706

Time of Collection: 14:30
Date of Collection: 05/06/01

Date Received: 05/08/01
Date Reported: 05/17/01

Collected by: T SCANLAN

Submitted by: TERRY SCANLAN

Source of Sample: WELL #1 PROJECT: M RESORTS

Test Requested	FRDS #	MCL	Analysis Result Unit	MDL	Method	Date Completed	Analyst Initials
AMMONIA DIRECT			<0.04 mg/L	0.04	EPA 350.1	05/11/01	KDH
NITRATE N			<0.20 mg/L	0.20	EPA 300.0	05/10/01	GMP
PHOSPHATE P, TOTAL			0.09 mg/L	0.05	EPA 365.4	05/16/01	SH
TOTAL DISSOLVED SOLIDS			84 mg/L	30	EPA 160.1	05/16/01	DJR



THANK YOU FOR CHOOSING ANALYTICAL LABORATORIES, INC. FOR YOUR TESTING NEEDS.

PLEASE CONTACT MICHAEL MOORE IF YOU HAVE ANY QUESTIONS REGARDING
THIS REPORT OR ANY FUTURE ANALYTICAL NEEDS.

ANALYTICAL LABORATORIES, INC.

1804 N. 33rd Street
Boise, Idaho 83703
Phone # (208) 342-5515

**LABORATORY ANALYSIS REPORT
SAMPLE NUMBER - 12825**

Attn. TERRY SCANLAN

**SCANLAN ENGINEERING
600 EAST RIVER PARK LANE
SUITE 105
BOISE, ID 83706**

**Time of Collection: 16:25
Date of Collection: 05/06/01**

**Date Received: 05/08/01
Date Reported: 05/17/01**

Collected by: T SCANLAN

Submitted by: TERRY SCANLAN

Source of Sample: SHALLOW PROJECT:M RESORTS

Test Requested	FRDS #	MCL	Analysis Result Unit	MDL	Method	Date Completed	Analyst Initials
AMMONIA DIRECT			<0.04 mg/L	0.04	EPA 350.1	05/11/01	KDH
NITRATE N			<0.20 mg/L	0.20	EPA 300.0	05/10/01	GMP
PHOSPHATE P, TOTAL			<0.05 mg/L	0.05	EPA 365.4	05/16/01	SH
TOTAL DISSOLVED SOLIDS			144 mg/L	30	EPA 160.1	05/11/01	DJR



THANK YOU FOR CHOOSING ANALYTICAL LABORATORIES, INC. FOR YOUR TESTING NEEDS.

PLEASE CONTACT MICHAEL MOORE IF YOU HAVE ANY QUESTIONS REGARDING
THIS REPORT OR ANY FUTURE ANALYTICAL NEEDS.

ANALYTICAL LABORATORIES, INC.

1804 N. 33rd Street
Boise, Idaho 83703
Phone # (208) 342-5515

**LABORATORY ANALYSIS REPORT
SAMPLE NUMBER - 12826**

Attn. TERRY SCANLAN

**SCANLAN ENGINEERING
600 EAST RIVER PARK LANE
SUITE 105
BOISE, ID 83706**

**Time of Collection: 14:55
Date of Collection: 05/06/01**


**Date Received: 05/08/01
Date Reported: 05/17/01**

Collected by: T SCANLAN

Submitted by: TERRY SCANLAN

Source of Sample: WILLIAMS CREEK PROJECT:M RESORTS

Test Requested	FRDS #	MCL	Analysis Result Unit	MDL	Method	Date Completed	Analyst Initials
AMMONIA DIRECT			<0.04 mg/L	0.04	EPA 350.1	05/11/01	KDH
NITRATE N			<0.20 mg/L	0.20	EPA 300.0	05/10/01	GMP
PHOSPHATE P, TOTAL			0.06 mg/L	0.05	EPA 365.4	05/16/01	SH
TOTAL DISSOLVED SOLIDS			88 mg/L	30	EPA 160.1	05/11/01	DJR



THANK YOU FOR CHOOSING ANALYTICAL LABORATORIES, INC. FOR YOUR TESTING NEEDS.

PLEASE CONTACT MICHAEL MOORE IF YOU HAVE ANY QUESTIONS REGARDING
THIS REPORT OR ANY FUTURE ANALYTICAL NEEDS.

ANALYTICAL LABORATORIES, INC.

1804 N. 33rd Street
Boise, Idaho 83703
Phone # (208) 342-5515

**LABORATORY ANALYSIS REPORT
SAMPLE NUMBER - 12827**

Attn. TERRY SCANLAN

**SCANLAN ENGINEERING
600 EAST RIVER PARK LANE
SUITE 105
BOISE, ID 83706**

Time of Collection: 15:20
Date of Collection: 05/06/01


Date Received: 05/08/01
Date Reported: 05/17/01

Collected by: T SCANLAN

Submitted by: TERRY SCANLAN

Source of Sample: BEZATES SHALLOW PROJECT:M RESORTS

Test Requested	FRDS #	MCL	Analysis Result Unit	MDL	Method	Date Completed	Analyst Initials
AMMONIA DIRECT			<0.04 mg/L	0.04	EPA 350.1	05/11/01	KDH
NITRATE N			0.71 mg/L	0.20	EPA 300.0	05/10/01	GMP
PHOSPHATE P, TOTAL			<0.05 mg/L	0.05	EPA 365.4	05/16/01	SH
TOTAL DISSOLVED SOLIDS			86 mg/L	30	EPA 160.1	05/11/01	DJR



THANK YOU FOR CHOOSING ANALYTICAL LABORATORIES, INC. FOR YOUR TESTING NEEDS.

PLEASE CONTACT MICHAEL MOORE IF YOU HAVE ANY QUESTIONS REGARDING
THIS REPORT OR ANY FUTURE ANALYTICAL NEEDS.

ANALYTICAL LABORATORIES, INC.

1804 N. 33rd Street
Boise, Idaho 83703
Phone # (208) 342-5515

**LABORATORY ANALYSIS REPORT
SAMPLE NUMBER - 12828**

Attn. TERRY SCANLAN

**SCANLAN ENGINEERING
600 EAST RIVER PARK LANE
SUITE 105
BOISE, ID 83706**

Time of Collection: 15:35
Date of Collection: 05/06/01

Date Received: 05/08/01
Date Reported: 05/17/01

Collected by: T SCANLAN

Submitted by: TERRY SCANLAN

Source of Sample: BEZATES POND PROJECT: M RESORTS

Test Requested	FRDS #	MCL	Analysis Result Unit	MDL	Method	Date Completed	Analyst Initials
AMMONIA DIRECT			<0.04 mg/L	0.04	EPA 350.1	05/11/01	KDH
NITRATE N			<0.20 mg/L	0.20	EPA 300.0	05/10/01	GMP
PHOSPHATE P, TOTAL			<0.05 mg/L	0.05	EPA 365.4	05/16/01	SH
TOTAL DISSOLVED SOLIDS			74 mg/L	30	EPA 160.1	05/11/01	DJR



THANK YOU FOR CHOOSING ANALYTICAL LABORATORIES, INC. FOR YOUR TESTING NEEDS.

PLEASE CONTACT MICHAEL MOORE IF YOU HAVE ANY QUESTIONS REGARDING
THIS REPORT OR ANY FUTURE ANALYTICAL NEEDS.

ANALYTICAL LABORATORIES, INC.

1804 N. 33rd Street
Boise, Idaho 83703
Phone # (208) 342-5515

**LABORATORY ANALYSIS REPORT
SAMPLE NUMBER - 12829**

Attn. TERRY SCANLAN

SCANLAN ENGINEERING
600 EAST RIVER PARK LANE
SUITE 105
BOISE, ID 83706

Time of Collection: 16:05
Date of Collection: 05/06/01

Date Received: 05/08/01
Date Reported: 05/17/01

Collected by: T SCANLAN

Submitted by: TERRY SCANLAN

Source of Sample: BEZATES NORTH SPRING

PROJECT: M RESORTS

Test Requested	FRDS #	MCL	Analysis Result Unit	MDL	Method	Date Completed	Analyst Initials
AMMONIA DIRECT			<0.04 mg/L	0.04	EPA 350.1	05/11/01	KDH
NITRATE N			0.29 mg/L	0.20	EPA 300.0	05/10/01	GMP
PHOSPHATE P, TOTAL			<0.05 mg/L	0.05	EPA 365.4	05/16/01	SH
TOTAL DISSOLVED SOLIDS			80 mg/L	30	EPA 160.1	05/11/01	DJR



THANK YOU FOR CHOOSING ANALYTICAL LABORATORIES, INC. FOR YOUR TESTING NEEDS.

PLEASE CONTACT MICHAEL MOORE IF YOU HAVE ANY QUESTIONS REGARDING
THIS REPORT OR ANY FUTURE ANALYTICAL NEEDS.

ANALYTICAL LABORATORIES, INC.

1804 N. 33rd Street
Boise, Idaho 83703
Phone # (208) 342-5515

**LABORATORY ANALYSIS REPORT
SAMPLE NUMBER - 12830**

Attn. TERRY SCANLAN

**SCANLAN ENGINEERING
600 EAST RIVER PARK LANE
SUITE 105
BOISE, ID 83706**

**Time of Collection: 15:50
Date of Collection: 05/06/01**


**Date Received: 05/08/01
Date Reported: 05/17/01**

Collected by: T SCANLAN

Submitted by: TERRY SCANLAN

Source of Sample: BEZATES NORTHWEST SPRING PROJECT: M RESORTS

Test Requested	FRDS #	MCL	Analysis Result Unit	MDL	Method	Date Completed	Analyst Initials
AMMONIA DIRECT			<0.04 mg/L	0.04	EPA 350.1	05/11/01	KDH
NITRATE N			0.28 mg/L	0.20	EPA 300.0	05/10/01	GMP
PHOSPHATE P, TOTAL			0.11 mg/L	0.05	EPA 365.4	05/16/01	SH
TOTAL DISSOLVED SOLIDS			88 mg/L	30	EPA 160.1	05/11/01	DJR



THANK YOU FOR CHOOSING ANALYTICAL LABORATORIES, INC. FOR YOUR TESTING NEEDS.

PLEASE CONTACT MICHAEL MOORE IF YOU HAVE ANY QUESTIONS REGARDING
THIS REPORT OR ANY FUTURE ANALYTICAL NEEDS.