

RECEIVED

JUL - 6 2017

81782

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Ident. No. 95-17334

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

IDWR/NORTHERN

1. Name of applicant(s) Sky High Renewable Trust Jan 1990 Phone 813-786-3127
Name connector (check one): ☒ and ☐ or ☐ and/orMailing address 21104 Tangor Road City Lend O Lakes
State FL ZIP 34637 Email 2402bigrock@gmail.com2. Name of representative, if any Kevin Rogers (son) Phone 208-773-6000Mailing address 1704 E Seltice Way City Post Falls
State ID ZIP 83854 Email Idaho1@me.coma. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☐ Send original correspondence to the applicant and copies to the representative.b. ☒ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation. (e)3. Source of water supply ground water which is a tributary of _____

4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
50N	05W	30	3		NE	NW	Kootenai	ground water	

5. Water will be used for the following purposes:

Amount .04 for domestic purposes from 01-01 to 12-31 (both dates inclusive)
(cfs or acre-feet per year)Amount .02 for Stock Water purposes from 01-01 to 12-31 (both dates inclusive)
(cfs or acre-feet per year)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)6. Total quantity to be appropriated is (a) .04 cubic feet per second (cfs) and/or (b) _____ acre-feet per year (af).

7. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. drilled well 95-77-N-146 completed 7-29-77 for 1 homeb. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ Noc. Proposed well diameter is 6 inches inches; proposed depth of well is 150 ft feet.d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ Noe. If well is already drilled, when? 7-29-1977 drilling firm associated well drillers
well was drilled for (well-owner) Morte Mayor; Drilling Permit No. 95-77-N-146

SCANNED

For Department Use

JUL 31 2017

Received by SM Date 7-6-17 Time _____ Preliminary check by _____
Fee \$ 00.00 Receipted by cm Receipt No. 1032764 Date 7-16-17

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in kW. _____
- b. Stockwatering; list number and kind of livestock. 15 head mixed stock
- c. Municipal; must complete and attach the Municipal Water Right Application Checklist.
- d. Domestic; show number of households 3 (2 already built)
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	05W	30					D												
50N	05W	30					S												
							GL3												

Total number of acres to be irrigated: _____

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? 95-11423

11. a. Who owns the property at the point of diversion? applicants
- b. Who owns the land to be irrigated or place of use? applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. Existing well will be connected to storage tanks 5000 gal. for domestic use serving 2 existing homes on parcel 50N05W302600 and parcel 50N05W302700 and one home to be built later. Current wells not adequate for homes in Jul & Aug.

13. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).

14. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

David G Rogers Trustee
Signature of Applicant

David G Rogers, Sky High Rev Trust
Print Name (and title, if applicable)

Kerrin Rogers, Trustee
Application for Permit

Sandra J Rogers, Trustee
Signature of Applicant

Sandra J Rogers Trustee
Print Name (and title, if applicable)

Kerrin Rogers Family Trust

ATTACHMENT



RECEIVED
JUL 06 2017
IDWR/NORTHERN

WELL TEST

Customer: David Rogers Address: 2402 S Big Rock Rd
Post Falls, ID 83854

Job Location: 2402 S Big Rock Rd Phone No: 208-777-0100
Post Falls, ID 83854

WELL DATA

Tag #: Permit # 95-77-N-146
Total Depth: 150
Static Water Level: 45
Driller Tested: 20 GPMm

Test Pump Used: 1 hp 10 gpm existing
Pump Setting: 135
Date of Test: 10/10/16

Time	Flow Rate Gallons Per Minute	Pressure Per Square Inch	Water Quality	Static Level
9:30 PM	15.00	150#	Clear	159
9:45 PM	13.04	145#	Light Tan	159.6
10:00 PM	12.50	140#	Cloudy	159.8
10:15 PM	12.00	135#	Clear	159.9
10:30 PM	12.00	130#	Clear	160.6
10:45 PM	12.00	125#	Cloudy	161.1
11:00 PM	12.00	115#	Cloudy	161.2
11:15 PM	7.50	0#	Cloudy	161.8
11:30 PM	7.50	0#	Cloudy	161.8
11:45 PM	7.50	0#	Cloudy	161.9
12:00 AM	6.00	0#	Clear	161.8
12:15 AM	6.00	0#	Clear	161.8
12:30 AM	6.00	0#	Clear	161.8
12:45 AM	6.00	0#	Clear	161.8
1:00 AM	5.45	0#	Clear	160.4
1:15 AM	5.45	0#	Clear	160.4
1:30 PM	5.45	0#	Clear	160.4

TEST SUMMARY: 8.91 Was the average gallons per minute produced by this well over the four-hour test period.

Certified by:

Richard A. Agueros, President
UNITED CROWN PUMP & DRILLING

Sales • Service • Installation • Well Drilling • Pump Systems
Residential • Commercial • Municipal

3125 W. Hayden Ave. • Hayden, ID 83835 • (208) 772-7867 • (800) 682-9641 • Fax (208) 772-7229

ATTACHMENT

RECEIVED

JUL 06 2017

IDWR/NORTHERN

Bill E Reynolds
Juanita Reynolds
2999 ~~3001~~ S Millsap Loop
Post Falls, ID 83854

State of Idaho
Department of Water Resources

Reference ID No. 95-~~11764~~ ¹¹⁷⁶³ ~~76829~~
Ground Water Well 50 N 5W 19 SE SW
Kootenai County, ID

B.E.R. July 7, 2017


74239 B.E.R. 7/7/17

Permit for irrigation

Property has been sold to Sky High Revocable Trust
David G and Sondra J Rogers, Trustees
2402 S Big Rock Road
Post Falls, ID 83854

This is to confirm that I will no longer use water from the above described well. My permit may be cancelled.


Bill E Reynolds


Juanita Reynolds

June 21, 2017

ATTACHMENT

H-Scale 1" = 200
200 100 200 400



RECORD OF

A PORTION OF GOVERNMENT LOTS 3 AND
SOUTHEAST QUARTER OF THE SOUTHWEST Q
RANGE 5 WEST, BOISE MERIDIA

RECEIVED

JUL 06 2017

IDWR/NORTHERN

*Scanned photocopy
of a survey completed
Jan 19, 2017 Showing the well
ON my property*

*David G Rogers Trustee
sky high Revocable
Trust
David G Rogers, trustee*

NW COR. SEC. 30,
FND. 3-12" BRASS
CAP 'LS 4182'
CP&F #1364876

247.18
251.30

S89°32'07"E 1373.04' (R-1, M)

SW COR. SE1/4, SW1/4,
SEC. 19, FND. 5/8"
REBAR W/CAP '13444'

-BASIS OF BEARING-
S00°01'01"W 2646.78'

2646.90' (R-4)

NW COR. NE1/4,
SW1/4, SEC. 19
FND. 5/8" REBAR
NO CAP

S89°32'07"E
L72 255.62'
L71
L17
L70
ABANDONED
WELL

L68

L67

L66

L65

EXISTING WELL

S89°32'07"E 1166.47' (R-1, R-2, M)

N
F
W

PARCEL 'C'
533,449 SQ.FT.
12.248 ACRES
INST. #2582092000

S89°03'56"E 1442.99'
1319.69'

PARCEL 'B'
956,056 SQ.FT.
21.948 ACRES
INST. #258209300

PARCEL 'A'
486,234 SQ.FT.
11.162 ACRES
INST. #259958300

S89°03'56"E 1316.38' (R-1, R-2, M)
1429.43'

SW COR. GOVT.
LOT 3, FND 5/8"
REBAR W/CAP 'INC
'PLS 6602'

CENTERLINE OF
'BIG ROCK ROAD' AS
LOCATED 12/09/16


50' R.O.W.
INST. #244201300

Line Table		
Line #	Direction	Length
L1	N09°30'01"W	207.85
L2	N02°27'43"E	174.51
L6	S85°10'59"W	141.08
L7	N24°19'41"W	79.84
L8	N01°13'47"W	63.12
L9	N27°22'00"E	138.50
L10	N12°08'31"E	72.29
L11	N23°11'35"W	145.13
L12	N02°31'43"E	77.96
L13	N21°25'34"E	75.31
L16	N21°25'34"E	71.90
L17	N01°56'02"W	60.76
L65	S03°31'00"E	42.28
L68	S01°58'02"E	80.76
L67	S04°10'53"W	61.21
L68	S20°18'20"W	38.31
L70	N05°13'21"W	42.38
L71	N04°10'53"E	61.21
L72	N20°18'20"E	38.31

ATTACHMENT

State of Idaho
Department of Water Resources
Application For Permit
95-XXXXXX

RECEIVED
JUL 06 2017
IDWR/NORTHERN



- PLS Sections
- Taxlots

Tax parcel information provided by Kootenai County.



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street • P.O. Box 83720 • Boise, Idaho 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700 • Web Site: www.idwr.idaho.gov

GARY SPACKMAN
Director

C.L. "BUTCH" OTTER
Governor

July 31, 2017

SKY HIGH REVOCABLE TRUST
21104 TANGOR RD
LAND O LAKES, FL 34637

Application For Permit No. 95-17334

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the COEUR D ALENE PRESS on 8/3/2017 and 8/10/2017. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact the Northern Region office at (208) 762-2800 if you have any questions regarding the application.

Sincerely,

Jean Hersley
Technical Records Specialist

CC: SKY HIGH REVOCABLE TRUST
1704 E SELTICE WAY
POST FALLS, ID 83854

Hersley, Jean

From: Hersley, Jean
Sent: Monday, July 31, 2017 8:26 AM
To: 'LEGALS@CDAPRESS.COM'
Subject: Legal notices for paper
Attachments: Legal Notice.docx

Dear LEGAL NOTICE DEPARTMENT:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact me at the number below immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to the Northern Region Office, 7600 N Mineral Dr, Ste 100, Coeur D Alene, ID, 83815 before August 21, 2017. Your cooperation is appreciated.

Sincerely

*Jean Hersley
Idaho Dept Water Resources
Technical Records Specialist II
208-287-4942*

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-17332

TOBIAS BATESON

3125 E LANCASTER RD

HAYDEN, ID 83835

Point of Diversion NWSESE S6 T51N R03W KOOTENAI County

Source UNNAMED STREAM Tributary SINKS

Use: FIRE PROTECTION STORAGE

01/01 to 12/31

0.7 AF

Use: IRRIGATION FROM STORAGE

03/15 to 11/15

4.5 AF

Use: IRRIGATION STORAGE

01/01 to 12/31

4.5 AF

Use: STOCKWATER FROM STORAGE

01/01 to 12/31

0.1 AF

Use: STOCKWATER STORAGE

01/01 to 12/31

0.7 AF

Use: WILDLIFE STORAGE

01/01 to 12/31

0.7 AF

Total Diversion:

5.3 AF

Date Filed: 6/26/2017

Place Of Use: FIRE PROTECTION STORAGE, WILDLIFE STORAGE, IRRIGATION STORAGE, STOCKWATER STORAGE, STOCKWATER FROM STORAGE, IRRIGATION FROM STORAGE

T51N R03W S6 SESE

Total Acres: 1.5

95-17333

TOBIAS BATESON

3125 E LANCASTER RD

HAYDEN, ID 83835

Point of Diversion SESE S6 T51N R03W KOOTENAI County

Source UNNAMED STREAM Tributary SINKS

Use: FIRE PROTECTION STORAGE

01/01 to 12/31

4.6 AF

Use: IRRIGATION FROM STORAGE

03/15 to 11/15

6 AF

Use: IRRIGATION STORAGE

01/01 to 12/31

6 AF

Use: STOCKWATER FROM STORAGE

01/01 to 12/31

0.1 AF

Use: STOCKWATER STORAGE

01/01 to 12/31

4.6 AF

Use: WILDLIFE STORAGE

01/01 to 12/31

4.6 AF

Total Diversion:

10.7 AF

Date Filed: 6/26/2017

Place Of Use: FIRE PROTECTION STORAGE, WILDLIFE STORAGE, IRRIGATION STORAGE, STOCKWATER STORAGE, STOCKWATER FROM STORAGE, IRRIGATION FROM STORAGE

T51N R03W S6 SESE

Total Acres: 2

95-17334

SKY HIGH REVOCABLE TRUST
21104 TANGOR RD
LAND O LAKES, FL 34637
Point of Diversion L3(NENW) S30 T50N R05W KOOTENAI County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31
0.04 CFS
Use: STOCKWATER
01/01 to 12/31
0.02 CFS
Total Diversion:
0.04 CFS
Date Filed: 7/6/2017
Place Of Use: DOMESTIC, STOCKWATER
T50N R05W S30 L3(NENW)

95-17335

LAWRENCE B HOLDER
DIANE J COOK
525 NW ASPEN CT
PULLMAN, WA 99163
Point of Diversion NWNE S20 T48N R04W KOOTENAI County
Source COEUR D ALENE LAKE Tributary SPOKANE RIVER
Use: IRRIGATION
03/15 to 11/15
0.02 CFS
Total Diversion:
0.02 CFS
Date Filed: 7/3/2017
Place Of Use: IRRIGATION
T48N R04W S20 L1(NWNE)
Total Acres: 0.1

95-17336

KAREN L COOPER
SANDRA DERBY
PO BOX 583
RATHDRUM, ID 83858
Point of Diversion NWNE S30 T52N R04W KOOTENAI County
Source RATHDRUM CREEK Tributary SINKS
Use: IRRIGATION
03/15 to 11/15
0.03 CFS
Total Diversion:
0.03 CFS
Date Filed: 7/11/2017
Place Of Use: IRRIGATION
T52N R04W S30 NWNE
Total Acres: 1

95-17337

MARSHALL MACLEOD
CYNTHIA MACLEOD
1560 EAGLECLIFF RD
BOWEN ISLAND, BC V0N1G1
Point of Diversion SENW S23 T49N R04W KOOTENAI County
Source COEUR D ALENE LAKE Tributary SPOKANE RIVER
Use: DOMESTIC
01/01 to 12/31
0.04 CFS
Total Diversion:
0.04 CFS
Date Filed: 7/11/2017
Place Of Use: DOMESTIC
T49N R04W S23 SENW

95-17338

SANDI LYNN GOGGIN

1515 E RED BARN RD

HARRISON, ID 83833

Point of Diversion L2(NWNE) S6 T48N R03W KOOTENAI County

Source GROUND WATER

Use: DOMESTIC

01/01 to 12/31

0.04 CFS

Use: IRRIGATION

03/15 to 11/15

0.03 CFS

Total Diversion:

0.07 CFS

Date Filed: 7/18/2017

Place Of Use: DOMESTIC, IRRIGATION

T48N R03W S6 L2(NWNE)

Total Acres: 1.5

95-17343

DH HOLDINGS LLC

PO BOX 4186 SPOKANE, WA 99220

Point of Diversion NWSW S9 T53N R03W KOOTENAI County

Source GROUND WATER

Use: DOMESTIC

01/01 to 12/31

0.1 CFS

Total Diversion:

0.1 CFS

Date Filed: 7/26/2017

Place Of Use: DOMESTIC

T53N R03W S9 NWSW

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Northern Region office at (208) 762-2800; or for a full description of the right(s), please see <https://idwr.idaho.gov/apps/ExtSearch/WRApplicationResults/>. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N Mineral Dr., Ste 100, Coeur d'Alene, ID 83815 together with a protest fee of \$25.00 for each application on or before 8/21/2017. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 8/03/2017 and 8/10/2017