

State of Idaho
Department of Water Resources

6/30 Draft Permit to Appropriate Water

NO. 11-07829

Priority: April 24, 2017

Maximum Diversion Rate: 0.43 CFS

This is to certify, that FISH HAVEN PIPELINE CO INC
PO BOX 158
FISH HAVEN ID 83287-0158

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.43 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	L2 (NE1/4SE1/4) Sec. 22, Twp 16S, Rge 43E, B.M.	BEAR LAKE County
GROUND WATER	L2 (NE1/4SE1/4) Sec. 22, Twp 16S, Rge 43E, B.M.	BEAR LAKE County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
16S 43E 14		X L1	X L2		X L1		X	X L2	X L3	X	X L4	X L4		X L3			
16S 43E 15			X	X				X					X	X			
16S 43E 22	X			X L1									X L2			X L3	
16S 43E 23						X L1	X L1										
16S 43E 27	X L1			X L2									X L3	X L3	X L4	X L4	

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **August 01, 2022**.
2. Subject to all prior water rights.
3. Rights 11-4270, 11-7413 and 11-7829 when combined shall not exceed a total annual maximum diversion volume of 240 acre feet.
4. This right is supplemental to water rights 11-4270 and 11-7413. This right shall only be diverted when water rights 11-4270 and 11-7413 are unavailable or not sufficient to supply water to 200 homes.
5. Domestic use is for 200 homes. Rights 11-4270, 11-7413 and 11-7829 when combined for domestic use shall provide water to no more than 200 homes.
6. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.

State of Idaho
Department of Water Resources

6/30 Draft Permit to Appropriate Water

NO. 11-07829

7. The irrigation occurring under this domestic use shall not exceed 1/2 acre per home.
8. Prior to diversion of water under this right, the right holder shall install and maintain a measuring device and lockable controlling works of a type acceptable to the Department as part of the diverting works.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.

Signed this _____ day of _____, 20_____.

JAMES CEFALO
Water Resources Program Manager

Cefalo, James

From: Cefalo, James
Sent: Friday, June 30, 2017 1:27 PM
To: 'Randy Budge'; 'gampas1@yahoo.com'; 'buffi.morris@pacificorp.com'
Cc: 'jmabey@mwjlaw.com'; 'leanneadamson1956@yahoo.com'; 'clark.stock@yahoo.com'; 'claudiaconder25@gmail.com'
Subject: Application 11-7829 - Draft Permit
Attachments: Draft Permit 11-7829.pdf

Dear Parties,

Attached is a draft permit for Application 11-7829 (Fish Haven Pipeline Company). I tried to incorporate the condition language we discussed at the pre-hearing conference. Please take time to review the elements and conditions of the water right. If the conditions satisfy your concerns, you can withdraw your protest contingent on the final permit matching the 6/30 Draft. If you have any comments or revisions, please provide those to me and the other parties by July 21st. Please note, Mr. Payne was concerned about his internet access at his summer residence so I have also mailed him a copy of the draft permit. Also, I did not have an email address for Kathy Izatt. Please forward this email to her if needed.

James Cefalo
Water Resources Program Manager
IDWR Eastern Region
(208) 525-7161