


T 5N
R 1E

63-10892

7.5-MINUTE SE



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: MAULVEEN A. STADLER (SUE) Permit No. 63-10892
Current Address: 8425 Spring Creek Way, BOISE ID 83703 Phone No. 939-7160
2. Accompanied by: SUE EXAM. DATE: 9-26-91
Address: _____ Phone No. 939-7160
Relationship to Permit Holder: SELF
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-02090 ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached


C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NONE


2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).



00

59000m.E.

116°15'



Can Be Obtained
it, Boise Idaho

IAP ACCURACY STANDARDS
MENLO PARK, CALIF. 94025

MICROFILMED

AUG 20 1992

MONTOUR SE, IDAHO
N4345-W11615/7.5
1974
ADVANCE PRINT

N 8000

N 8000

NOTE: BOISE NUMBER GRID USED FOR ADDRESSES
ALONG BOTH SIDES OF HORSESHOE
BEND ROAD.

N 7080
N 17100

24

16595 16609
16575 16601
16565
16561
16335
16302

address
= 8425
LOT 1, BLK 2

SPRING CREEK
ESTATES NO. 2

25

SPRING CREEK
ESTATES

N 16100

FILED
AUG 20 1992

B-24
B-25
2-26




1. ↑ P/D &
blowout ports



←
2. Pressure
tank in
home.

(POU Commercial
Not pictured)

AUG 20 1992



↑ 3. Regulator valves for auto. Sprinkler

↓ 4. POU (Home)



WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
~~Original Application~~	~~63-10892~~	~~Lillian E Stadler~~	~~0.04~~
Partial Assignment	63-10892A	Lillian E Stadler	0.02
Partial Assignment	63-10892B	Sue Stadler	0.02.04 See Conditions

RECEIVED

AUG 20 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10892B

Priority: August 11, 1989

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that SUE STADLER
8425 SPRING CREEK WAY
BOISE ID 83703

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 11, 1989; and has submitted Proof of Beneficial Use on October 23, 1990. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 24, Township 05N, Range 01E
ADA County

PLACE OF USE: DOMESTIC
TWN RGE SEC

05N 01E 24 SESW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The total combined rate of diversion under this right and 63-10892A shall not exceed 0.04 cfs.
6. Domestic use is for 1 home.
7. The place of use is also known as Lot 1, Block 2, Spring Creek Estates No. 2.

MICROFILMED

AUG 20 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10892B

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 18TH
day of AUGUST, 1992.

Acting for R. Keith Higginson, Director

WATER RIGHT LICENSE

AUG 20 1992

State of Idaho
Department of Water Resources

RECEIVED
JUL 21 1992

APPLICATION FOR AMENDMENT
(For Licensing Purposes)

WATER RIGHT NO. 63-10892B

Department of Water Resources

APPROVED

Date of Priority: August 11, 1989

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

Comes now SUE STADLER
8425 SPRING CREEK WAY
BOISE ID 83703

and represents to the Director of the

Idaho Department of Water Resources:

That she is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 63-10892B, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		SESW , Sec. 24, Township 05N, Range 01E ADA County	

PLACE OF USE: DOMESTIC
TWN RGE SEC

05N 01E 24 SESW

(I understand that, if Part A - Lillian Stadler's - is sold, I will still have access to .04 CFS. This was confirmed by Pamela Skaggs in my conversation with her on 7-9-92.) * See letter 7-21-92 in file. 28

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise, Idaho, this 17 day of July, 1992.

Sue (mauer) Stadler
(Signature)

AUG 20 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10892B

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = _____ Received by _____ # _____ Date _____


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-10892B with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
6. The total combined rate of diversion under this right and 63-10892A shall not exceed 0.04 cfs. *(I understand that, if Part A (Lillian's) is sold, I will still have access to .04 CFS.)*
7. Domestic use is for 1 home.
8. The place of use is also known as Lot 1, Block 2, Spring Creek Estates No. 2.

Witness my hand this 10th day of August, 1992.


Acting for R. Keith Higginson, Director

AUG 20 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10892A

Priority: August 11, 1989

Maximum Diversion Rate:
Maximum Diversion Volume:

0.02 CFS
0.1 AF

This is to certify, that LILLIAN E STADLER
RT 1 HWY 55
BOISE ID 83703

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated August 11, 1989; and
has submitted Proof of Beneficial Use on October 23, 1990. An examination indicates
that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.02 CFS	0.1 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 24, Township 05N, Range 01E
ADA County

PLACE OF USE: COMMERCIAL
TWN RGE SEC

05N 01E 25 NENW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The total combined rate of diversion under this right and 63-10892B shall not exceed 0.04 cfs.
6. Commercial use is for toilet facilities on a golf course.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 16TH
day of JULY, 1992.

RECORDED
INDEXED

AUG 20 1992

Acting for R. Keith Higginson, Director

State of Idaho
Department of Water Resources

RECEIVED
JUN 12 1992

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10892A

Department of Water Resources

Date of Priority: August 11, 1989

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.1 AF

Comes now

LILLIAN E STADLER

RT. 1 HWY 55

BOISE ID 83703

and represents to the Director of the

APPROVED

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 63-10892A, and requests that the permit be changed as follows:

Source: **GROUNDWATER**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.02 CFS	0.1 AF

LOCATION OF POINT(S) OF DIVERSION: SESW , Sec. 24, Township 05N, Range 01E
ADA County

PLACE OF USE: COMMERCIAL
TWN RGE SEC

05N 01E 25 NENW

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at BOISE, ID., this 10th day of June, 1992.

Lillian E. Stadler
(Signature)

RECORDED
AUG 20 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10892A

FOR DEPARTMENT USE ONLY

#C024510

Preliminary check by es Fee = \$20.00✓

Received by [Signature] Date 6-12-92

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-10892A with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The total combined rate of diversion under this right and 63-10892B shall not exceed 0.04 cfs.
5. Commercial use is for toilet facilities on a golf course.

Witness my hand this 16th day of July, 1992.

[Signature]
R. Keith Higginson, Director

RECEIVED
AUG 20 1992

State of Idaho
Department of Water Resources
ASSIGNMENT OF PERMIT

OCT 23 1990

I, Lillian Stadler, hereby assign to Sue Stadler
of 8425 Spring Creek Way, Boise, ID 83703
Address

All my right, title, and interest in and to Permit No. _____
to appropriate the public waters of the State of Idaho.

The following described portion of my right, title, and interest in and
to Permit No. 63-10892 to appropriate the public waters of the
State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage
within each 40 acre subdivision, the point of diversion and the amount of
water in cubic feet per second for direct diversion, or acre feet for storage)

One domestic use and one acre of irrigation.

Made this 23rd day of October, 19 90.

X Lillian Stadler
Permit Holder

Spouse of Permit Holder

State of Idaho)
County of Ada) ss

On this 23rd day of October, 19 90, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.

Lyle Glen Saxton

s e a l

Notary Public residing at

Boise, Idaho **MICROFILMED**

My commission expires:
11-25-92

JAN 10 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-10892

Proposed Priority: August 11, 1989

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **LILLIAN E. STADLER**
RT. 1 HWY. 55
BOISE, ID 83703

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.02 CFS
COMMERCIAL	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
Totals		0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

NESENE

Sec. 26, Township 05N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N 01E 26	SENE 1			1

Total number of acres irrigated: 1

PLACE OF USE: COMMERCIAL, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1990.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

7th day of November, 1989.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

NOV 21 1989

Ident. No. 63-10892

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: LILLIAN E. STADLER
Address: RT. 1 HWY. 55
BOISE, ID 83703

208-939-6689

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion: NESENE Sec. 26, Township 05N, Range 01E
ADA County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.020		
COMMERCIAL	01/01	12/31	0.020		
DOMESTIC	01/01	12/31	0.040		

5. Total quantity to be appropriated is:

0.040 CFS (and/or)

AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.

WELL AND PUMP, WELL DRILLED IN 1973

b. Height of storage dam feet; active reservoir capacity

acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is inches; proposed depth of well is
feet.

d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:

I

9. Place of Use: IRRIGATION

TWN RGE SEC
05N 01E 26

ACRES
SENE 1

ACRES

ACRES

TOTAL

Total number of acres irrigated:

1
1

NOV 21 1939

Place of Use: COMMERCIAL

~~TWN RGE SEC~~
~~05N 01E 26~~ ~~SENE~~

> Same as irrigation - Database updated 8/15/89, 82.

Place of Use: DOMESTIC

~~TWN RGE SEC~~
~~05N 01E 26~~ ~~SENE~~

Total number of acres irrigated: 1

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lillian E. Stadler
Applicant

Received by CS Date 8/14/89 Time 11:15am Preliminary check by SL
Fee \$ 30.00 Received by CS # C009477 Date 8-11-89
Publication prepared by GG Date 8-30-89 Published in ID Statesman
Publication approved st Date 9-26-89

WILSON FILMED

NOV 21 1989

32



EGAL ADVERTISING INVOICE

Amount Due

\$466.68

Account Name		Account Number	
Idaho Department of Water Resources (Western)		#47628	
Address		City/State	Zip
2735 Airport Way		Boise, ID	83705
Ordered By	P.O. Number	Rate	Run Dates
Gail Garrett		NT	1989 September 7, 14
Identification		Estimated Inches	
Applications for Water Rights			

1 Number of Affidavits Requested

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10818
Lakewood Homeowners Assn. #4
3100 Lakewood Way
Boise, ID 83706
Source: Groundwater
Diversion Pt: NWNE Sec 26 T 03N R 02E
Diversion Pt: NENW Sec 26 T 03N R 02E
Use: Irrigation (.620 CFS)
Date Filed: 6/22/1989
In: T03N R02E S23 SESW
In: T03N R02E S26 NENW
9.0 ACRES TOTAL

63-10871
Rudd, W. Steven
Rudd, Elizabeth A.
3800 Rock Garden Ln.
Boise, ID 83703
Source: Groundwater
Diversion Pt: SENE Sec 5 T 04N R 02E
Use: Irrigation (.120 CFS)
Use: Domestic (.020 CFS)
Date Filed: 7/31/1989
In: T04N R02E S05 SENE
4.5 ACRES TOTAL

63-10874
Bruno, Sharon L.
Bruno, Albert J.
9837 Prairie Rd.
Boise, ID 83703
Source: Groundwater
Diversion Pt: NENW Sec 11 T 04N R 01E
Use: Irrigation (.020 CFS)
Use: Stockwater (.020 CFS)
Date Filed: 8/03/1989
In: T04N R01E S11 NENW
1.0 ACRES TOTAL

63-10877
Nicolis, Carroll
Nicolis, Valene
8281 Hill Rd.
Boise, ID 83703
Source: Spring
Tributary: Sinks
Diversion Pt: SENWSW Sec 35 T 05N R 01E
Use: Irrigation (.010 CFS)
Use: Stockwater (.020 CFS)
Date Filed: 8/07/1989
In: T05N R01E S11 NWSW
0.3 ACRES TOTAL

63-10879
Pfleger, Nada
Pfleger, Jr., Ludwig
6408 Colonial Dr.
Boise, ID 83709
Source: Groundwater
Diversion Pt: NWNE Sec 11 T 03N R 01E
Use: Irrigation (.120 CFS)
Date Filed: 8/08/1989
In: T03N R01E S11 NWNE
4.0 ACRES TOTAL

63-10880
Knopp, Larry R.
701 Hale St.
Boise, ID 83706
Source: Groundwater
Diversion Pt: Lot 3 (SWNW) Sec 30 T 03N R 03E
Use: Domestic (.040 CFS)
Date Filed: 8/08/1989
In: T03N R03E S30 Lot 3 (SWNW)

63-10888
Hoffer, Vanice J.
Hoffer, Rick J.
707 Hale
Weiser, ID 83672
Source: Groundwater
Diversion Pt: NESE Sec 23 T 03N R 01E
Use: Irrigation (.030 CFS)
Date Filed: 8/09/1989
In: T03N R01E S23 NESE
1.0 ACRES TOTAL

63-10889
Boehm, John E.
Boehm, Patricia A.
8150 Brookside Ln.
Boise, ID 83703
Source: Groundwater
Diversion Pt: SESENE Sec 25 T 05N R 01E
Use: Irrigation (.040 CFS)
Date Filed: 8/10/1989
In: T05N R01E S25 SENW
2.5 ACRES TOTAL

63-10892
Stadler, Lillian E.
Rt. 1 Hwy. 55
Boise, ID 83703
Source: Groundwater
Diversion Pt: NESENE Sec 26 T 05N R 01E
Use: Irrigation (.020 CFS)
Use: Commercial (.020 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/11/1989
In: T05N R01E S26 SENE
1.0 ACRES TOTAL

63-10893
Purvis, Steven C.
Purvis, Lynn
3939 Brookside Ln.
Boise, ID 83703
Source: Groundwater
Diversion Pt: NWSE Sec 34 T 05N R 01E
Use: Irrigation (.120 CFS)
Date Filed: 8/14/1989
In: T05N R01E S34 NWSE
4.0 ACRES TOTAL

63-10896
ABC Corporation
c/o Patricia N. Syme
President
5890 Gary Ln.
Boise, ID 83703
Source: Groundwater
Diversion Pt: SENE Sec 24 T 04N R 01E
Use: Domestic (.150 CFS)
Date Filed: 8/15/1989
In: T04N R01E S24 SENE
63-10903
Herron, Joel E.
Herron, Kathleen S.
113 E. 47th
Boise, ID 83714
Source: Groundwater
Diversion Pt: NWSE Sec 31 T 04N R 02E
Use: Commercial (.020 CFS)
Date Filed: 8/18/1989
In: T04N R02E S31 NWSE

63-10904
Jordan, William L.
Jordan, Ruth A.
7155 Sorenson
Boise, ID 83709
Source: Groundwater
Diversion Pt: Lot 1 (NWNW) Sec 30 T 03N R 02E
Use: Irrigation (.020 CFS)
Use: Domestic (.020 CFS)
Date Filed: 8/18/1989
In: T03N R02E S30 Lot 1 (NWNW)
1.0 ACRES TOTAL

63-10906
Betts, Rex K.
Betts, Beulah M.
10509 Stardust
Boise, ID
Source: Groundwater
Diversion Pt: NWNW Sec 14 T 03N R 01E
Use: Irrigation (.020 CFS)
Date Filed: 8/21/1989
In: T03N R01E S14 NWNW
0.5 ACRES TOTAL

63-10916
Lewis, Barney J.
755 W. Lake Hazel
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NWNWNE Sec 1 T 02N R 01W
Use: Irrigation (.100 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/09/1989
In: T02N R01W S01 NWNE
5.0 ACRES TOTAL

63-10917
Endecott, Keith W.
Rt. 3 Deerflat
Kuna, ID 83634
Source: Groundwater
Diversion Pt: NENWNE Sec T 02N R 01W
Use: Irrigation (.040 CFS)
Use: Stockwater (.020 CFS)
Use: Domestic (.040 CFS)
Date Filed: 7/31/1989
In: T02N R01W S24 NWNE
2.0 ACRES TOTAL

63-10918
D&D Developers
7522 28th St. W.
Tacoma, WA 98466
Source: Groundwater
Diversion Pt: SENW Sec 12 03N R 01E
Use: Irrigation (.120 CFS)
Date Filed: 8/07/1989
In: T03N R01E S12 SENW
6.2 ACRES TOTAL

63-10921
City of Meridian
33 E. Idaho Ave.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NWSE Sec 3 T 04N R 01W
Use: Irrigation (1.000 CFS)
Use: Irrigation Storage (14.00 AF)
Use: Irrigation from Storage (14.00 AF)
Use: Diversion to Storage (1.00 CFS)
Date Filed: 7/17/1989
In: T03N R01W S03 SWN SENW NESW NESE NWSE
66.0 ACRES TOTAL

63-10922
Fridenstine, III, Albert E.
4327 Samara Ct.
Boise, ID 83703
Source: Waste Water
Tributary: Farmers Union Canal
Diversion Pt: SWNE Sec 29 04N R 02E
Use: Heating (.080 CFS)
Use: Domestic (.040 CFS)
Date Filed: 7/20/1989
In: T04N R02E S29 SWNE

63-10923
Everts, William E.
1902 N. 20th
Boise, ID 83702
Source: Groundwater
Diversion Pt: Lot 2 (NWSWNW) Sec 19 T 04N R 02E
Use: Irrigation (.080 CFS)
Date Filed: 8/09/1989
In: T04N R02E S19 Lot (SWNW)
4.0 ACRES TOTAL

63-10924
Brown, Edgar
5505 Saddle St.
Boise, ID 83709
Source: Groundwater
Diversion Pt: NWNESE Sec 36 T 03N R 01E
Use: Irrigation (.015 CFS)
Date Filed: 7/27/1989
In: T03N R01E S36 NESE
0.5 ACRES TOTAL

63-10925
Tozer, Lyn G.
Mayfield Stage
Boise, ID 83706
Source: Groundwater
Diversion Pt: NWSWNW Sec 10 T 02N R 03E
Use: Irrigation (.200 CFS)
Date Filed: 8/04/1989
In: T02N R03E S10 SWNW
10.0 ACRES TOTAL

63-10926
Riggs, Eileen R.
140 W. Hubbard Rd.
Kuna, ID 83634
Source: Groundwater
Diversion Pt: SESENE Sec 12 T 02N R 01W
Use: Irrigation (.030 CFS)
Use: Stockwater (.020 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/04/1989
In: T02N R01W S12 SESE
1.0 ACRES TOTAL

63-10927
Gahley, Robert
9003 Chelan Ave.
Garden City, ID 83714
Source: Groundwater
Diversion Pt: NENE Sec 26 T 04N R 01E
Use: Irrigation (.030 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/07/1989
In: T04N R01E S26 NENE
1.0 ACRES TOTAL

63-10929
State of Idaho
Dept. of Fish & Game
Box 25
Boise, ID 83720
Source: Groundwater
Diversion Pt: Lot 4 (NENW) Sec 14 T 03N R 02E
Use: Aesthetic (3.000 CFS)
Date Filed: 8/09/1989
In: T03N R02E S14 Lot 4 (NENW)

63-10930
Premoe, Billie Jo
Premoe, Gary D.
3045 Wingate Ln.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: Lot 3 (NENENW) Sec 5 T 03N R 01E
Use: Irrigation (.045 CFS)
Date Filed: 8/11/1989
In: T03N R01E S05 Lot 3 (NENW)
1.5 ACRES TOTAL

63-10931
Lawson, Richard
Lawson, Beverly
4027 Sandbar Ln.
Eagle, ID 83616
Source: Groundwater
Diversion Pt: NWSENE Sec 32 T 05N R 01E
Use: Irrigation (.150 CFS)
Date Filed: 8/11/1989
In: T05N R01E S32 SENE
5.0 ACRES TOTAL

63-10935
Whitney Fire District
9500 Overland Rd.
Boise, ID 83709
Source: Groundwater
Diversion Pt: NWNW Sec 32 T 03N R 03E
Use: Domestic (.040 CFS)
Use: Fire Protection (.160 CFS)
Date Filed: 8/16/1989
In: T03N R03E S32 NWNW

63-10936
Whitney Fire District
9500 Overland Rd.
Boise, ID 83709
Source: Groundwater
Diversion Pt: SWSE Sec 14 T 03N R 01E
Use: Domestic (.040 CFS)
Use: Fire Protection (.160 CFS)
Date Filed: 8/16/1989
In: T03N R01E S14 SWSE

63-10938
Clark Family Trust
c/o Neil M. & Elaine M. Clark
Boise, ID 83709
Source: Groundwater
Diversion Pt: NWSE Sec 19 T 04N R 02E
Use: Irrigation (.030 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/08/1989
In: T04N R02E S19 NWSE
1.0 ACRES TOTAL

63-10939
Coats, J. Roy
Coats, Kay A.
4112 Mountain View
Boise, ID 83704
Source: Groundwater
Diversion Pt: NWSE Sec 9 T 03N R 01W
Use: Irrigation (.100 CFS)
Use: Domestic (.040 CFS)
Date Filed: 7/21/1989
In: T03N R01W S09 NWSE
5.0 ACRES TOTAL

63-10940
Diamond Sports Inc.
1109 Main St. #250
Boise, ID 83702
Source: Groundwater
Diversion Pt: Lot 2 (SENE) Sec 25 T 04N R 01E
Use: Irrigation (.150 CFS)
Date Filed: 3/21/1989
In: T04N R01E S25 Lot 2 (SENE)
3.0 ACRES TOTAL

63-10941
Comaford, Dorothy J.
14600 S. Cloverdale Rd.
Kuna, ID 83634
Source: Groundwater
Diversion Pt: NWNW Sec 34 T 02N R 01E
Use: Irrigation
Date Filed: 8/23/1989
In: T02N R01E S34 NWNW
7.0 ACRES TOTAL

63-10942
No. 1 Utter Subdivision Well Users
2117 S. Stephen Ave.
Boise, ID 83706
Source: Groundwater
Diversion Pt: NESENE Sec 23 T 03N R 02E
Use: Irrigation (.020 CFS)
Use: Domestic (.100 CFS)
Date Filed: 8/22/1989
In: T03N R02E S23 SENE
0.8 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Regional, 2735 Airport Way, Boise, Idaho 83705 on or before SEPTEMBER 25,

MICROFILMED

NOV 21 1989

August 13, 1992

SUE STADLER
8425 SPRING CREEK WAY
BOISE ID 83703

RE: WATER RIGHT NO. 63-10892B

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

AUG 20 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 21, 1992

Sue Stadler
8425 Spring Creek Way
Boise, ID 83703

RECEIVED

JUL 31 1992

Department of Water Resources

RE: Amendment Fee/Permit #63-10892B

Dear Mauveen:

Thank you for returning the licensing Amendment, however you did not include the \$20.00 filing fee.

I would also like to clarify our conversation on July 9, 1992 as you noted on the amendment. I have explained that a water right does not grant a right-of-way or easement. A separate easement agreement between parties sharing a well could be created to resolve any questions regarding access to the well.

It would appear that the well is located on your property and an agreement could clarify access to any new property owner of land covered under Part A of this water right. The rate of diversion and annual volume authorized under each part of this water right are separate and independent from one another. That is why the right was split into separate parts at your request.

I will hold the amendment form here for twenty (20) days without further action. Please return the \$20.00 filing fee for the amendment by August 11, 1992.

I hope I have clarified any questions you may have had regarding this matter. If you require further assistance, please contact me directly at 327-7943.

Sincerely,

7-28-92

Pamela Skaggs

PAMELA SKAGGS
Water Resource Agent

AUG 20 1992

*Pamela -
I appreciate your writing.
This is all very confusing to
a lay person. It, essentially,
becomes an exercise in trust
-- trusting that we are not
going to be screwed by signing
the amendment. I've enclosed
my \$20.
Sue Stadler*



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 21, 1992

Sue Stadler
8425 Spring Creek Way
Boise, ID 83703

RE: Amendment Fee/Permit #63-10892B

Dear Mauveen:

Thank you for returning the licensing Amendment, however you did not include the \$20.00 filing fee.

I would also like to clarify our conversation on July 9, 1992 as you noted on the amendment. I have explained that a water right does not grant a right-of-way or easement. A separate easement agreement between parties sharing a well could be created to resolve any questions regarding access to the well.

It would appear that the well is located on your property and an agreement could clarify access to any new property owner of land covered under Part A of this water right. The rate of diversion and annual volume authorized under each part of this water right are separate and independent from one another. That is why the right was split into separate parts at your request.

I will hold the amendment form here for twenty (20) days without further action. Please return the \$20.00 filing fee for the amendment by August 11, 1992.

I hope I have clarified any questions you may have had regarding this matter. If you require further assistance, please contact me directly at 327-7943.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

AUG 20 1992

June 30, 1992

SUE STADLER
8425 SPRING CREEK WAY
BOISE ID 83703

RE: WATER RIGHT NO. 63-10892B

Dear Water Right Holder(s):

We previously forwarded to you an Amendment for Water Permit so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, we have not received the amendment. If we do not receive it within fifteen (15) days, we will assume you no longer have any interest in the permit and cancellation proceedings will begin. Enclosed for your convenience is another amendment form in the event the first one was misplaced.

If you have any questions, please contact us.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

AUG 20 1992

May 27, 1992

SUE STADLER
8425 SPRING CREEK WAY
BOISE ID 83703

RE: WATER RIGHT NO. 63-10892B

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

AUG 20 1992

LICENSE REVIEW CHECKLIST

Permit # 63-10892B (DOM, IRR)

Date 05-12-92
as

	<u>Yes</u>	<u>No</u>	
NAME	<u>—</u>	<u>✓</u>	Address Change? <u>Mauvreen (60e) Stadler</u>
PRIORITY DATE	<u>—</u>	<u>✓</u>	Advance? <u>—</u>
	<u>—</u>	<u>✓</u>	Memo to Advance <u>—</u>
	<u>—</u>	<u>✓</u>	Order to Reinstate Needed? <u>—</u>
TOTAL CFS	<u>—</u>	<u>✓</u>	Incorrect Fee for rate recommended? <u>—</u>
	<u>NA</u>	<u>—</u>	Disagree with Actual Measurement? <u>.04cfs (DOM)</u>
	<u>—</u>	<u>✓</u>	Disagree with Theoretical? <u>—</u>
	<u>—</u>	<u>—</u>	Limited by Capacity? <u>.04cfs</u>
TOTAL VOLUME			Rate/ac <u>—</u> AFA Irr. Season <u>—</u> <u>—</u> Standard Irr. Season <u>—</u> Season Recommended
	<u>—</u>	<u>✓</u>	Disagree with Examiner's Calculations? <u>1.2 AFA (DOM)</u>
	<u>—</u>	<u>✓</u>	Limited by Flow? <u>—</u>
SOURCE	<u>—</u>	<u>✓</u>	Changes? Clarification of <u>Originally</u> <u>Intended</u> source
	<u>—</u>	<u>✓</u>	Notice of Intent to Void.
P/D	<u>✓</u>	<u>—</u>	Verify with Map Amendment Needed? <u>Change to SESW, S24</u>
	<u>✓</u>	<u>—</u>	Is Overlap Analysis a Consideration?
P/U	<u>✓</u>	<u>—</u>	Verify with Map Amendment Needed? <u>Change to SESW, S24</u>
	<u>—</u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u>—</u>	<u>✓</u>	Change(s) in Nature of Use? <u>Drop IRR</u>
	<u>—</u>	<u>✓</u>	Amendment Needed? <u>—</u>
REMARKS	<u>—</u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u>—</u>
	<u>✓</u>	<u>—</u>	Non-Irr. Uses <u>DOM/1 Home</u>
	<u>✓</u>	<u>—</u>	Special Overlap Condition <u>Combined Total Div/63-10892A+B</u>
	<u>✓</u>	<u>—</u>	Other P/U <u>—</u>
CONDITIONS	<u>—</u>	<u>✓</u>	Measuring Device
	<u>—</u>	<u>✓</u>	W/Master Control
	<u>—</u>	<u>✓</u>	Overlap
	<u>—</u>	<u>✓</u>	Water Quality
			DATES/MISC
		<u>✓</u>	Water Dist.
		<u>✓</u>	App Rec'd
		<u>✓</u>	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduce Uses/Drop IRR</u>		
<u>—</u>			
<u>—</u>			
License	<u>—</u>	10-Day	<u>—</u>
	<u>—</u>	15-Day	<u>✓</u>
	<u>—</u>	Special Correspondence	<u>—</u>

DATE: 05/12/92
PAGE: 1

Audit: 05/12/92 SKAGGS

July 21, 1992

LILLIAN E STADLER
RT 1 HWY 55
BOISE ID 83703

RE: WATER RIGHT NO. 63-10892A

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

AUG 20 1992

May 27, 1992

LILLIAN E STADLER
RT 1 HWY 55
BOISE ID 83703

RE: WATER RIGHT NO. 63-10892A

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

AUG 20 1992

Date 05-08-92 38

	<u>Yes</u>	<u>No</u>	
NAME	☒	☐	Address Change? Lillian Stadler
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☒	☐	Disagree with Actual Measurement? .02 cfs (COMM)
	☐	☒	Disagree with Theoretical?
	☐	☒	Limited by Capacity? .04 cfs
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u> Standard Irr. Season Season Recommended
	☐	☒	Disagree with Examiner's Calculations?
	☐	☒	Limited by Flow? $104 \times 25 \text{ people} \times 185 \text{ day (season)} = 46,250 / 325 \times 50 = .14 \text{ AFA (COMM)}$.02 x 365 x 1.9835 = 14.5 > .1
SOURCE	☐	☒	Changes? Clarification of <u>Originally Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D	☒	☐	Verify with Map Amendment Needed? <u>change to SE SW, S24</u>
	☒	☐	Is Overlap Analysis a Consideration?
P/U	☒	☐	Verify with Map Amendment Needed? <u>change to NE NW, S25</u>
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☒	☐	Non-Irr. Uses <u>COMM</u>
	☒	☐	Special Overlap Condition <u>Combined Total Div. / 63-10892 A+B</u>
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	☐	☒	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☐	App Rec'd
		☒	Exam Made
COMMENTS/MEMOS NEEDED:			
License <u> </u> 10-Day <u> </u> 15-Day ☒ Special Correspondence			

WR0749NP
No. L63-10892A

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 05/12/92
PAGE: 7

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	LILLIAN E STADLER RT 1 HWY 55 BOISE ID 83703 (208) 939-6689	08/11/1989	COMMERCIAL	01-01 12-31	0.02 CFS	0.1 AFA
TOTAL DIVERSION:					0.02 CFS	0.1 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T05N R01E S24 SE SW

Place of use Legal Description for: COMMERCIAL

NE				NW				SW				SE											
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:
				Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:
05N 01E 25 :								:	C				:					:					:

Pou County: ADA

Other Water Rights Listing Overlapping Place(s) of use:
63-02090

Remarks: The total combined rate of diversion under this right and
63-10892B shall not exceed 0.04 cfs.
Commercial use is for toilet facilities on a golf course.

Dates: App. Received: 08/11/1989 Priority Date: 08/11/1989
Proof Due Date: 12/01/1990 Proof Made Date: 10/23/1990
Exam Made Date: 09/26/1991 Exam Sent to S.O.: 02/07/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 05/12/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: MAULVEEN A. STADLER (SUE) Permit No. 63-10892
Current Address: 8425 Spring Creek Way, BOISE ID 83703 Phone No. 939-7160
2. Accompanied by: SUE EXAM. DATE: 9-26-91
Address: _____ Phone No. 939-7160
Relationship to Permit Holder: SELF
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-02090 ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NONE

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

An 8" well with a 3/4 HP Pump Supplies water to one domestic use w/ lawn, and one commercial use which is a seasonal toilet on the adjacent golf course. A valve separates the two buried lines. The line to the toilet is closed & emptied in the winter. The household water is delivered to a 50 gal pressure tank operating between 43 & 50 psi, per labeling on the tank.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1.	N/A	3/4	~~Red Jacket~~ N/A	Red Jacket	N/A

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SE	SW	24	5N	1E	Ada	Plat Map, Orthophoto, Inspection

6. Place(s) of Use:

Indicate Method of Determination Above

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5N	1E	24												D					
		25					C												

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

None REQ'D. Labeling on tank stated ^{g4} 15 gpm @ 50 psi
3.17 gpm @ 43 psi (.03 - .04 cfs)

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\frac{.75 \times 8.8 \times .7}{60 + (2.31 \times 45)} = .03 -$$

(est)

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

MICROFILMED

AUG 20 1992

2. Volume Calculations for Other Uses:

Domestic, internal & external .6 x 2 = 1.2 AF -

Commercial, seasonal May 1 - Nov 1 = 185 days, avg 25 uses/day @

10 gal/use x 25 use/day x 185 day = $\frac{46,250 \text{ gal}}{325,850} =$.1 AF -

H. REMARKS AND OVERLAP REVIEW ANALYSIS

63-02090 is from Spring Creek & does not affect this permit

Permit restriction to .04 cfs.

Irrigation not developed past small lawn, less than 1/2 AC.

System Capacity .04 cfs.

Plu also known as LOT 1, BLK 2, Spring Creek Estates #2

See Memo to file regarding a licensing split after permit amendment.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC	1/1	12/31	.04	1.2
COMMERCIAL	1/1	12/31	.02	.1
Totals:			.04	1.3

2. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☒ Other

J. AUTHENTICATION

Field Examiner's Name

G. J. HODGES

Signature


Cynthia Hodges

Certification Date

Field Report Preparation Date

10-21-91

SEE MEMO TO FILE



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

AUG 20 1992

October 21, 1991

MEMORANDUM

TO: File 63-10892

FROM: Cindy Hodges, Sr. Water Resource Agent ✓ *DM*

RE: Licensing split

At the request of the owner(s), I am recommending a licensing split after this permit has been amended. Due to some misinterpretation, the permit was filed using an incorrect legal description, although its intent was to be developed on the parcel which Mauveen Stadler owns.

Lillian Stadler, original permittee, assigned the entire permit to her daughter Mauveen (Sue). However, Lillian still owns the property on which the commercial use, a seasonal toilet on Shadow Valley Golf Course, is situated. After the proper amendments, I recommend the permit be split and licensed in the following manner:

63-10892AB	Mauveen Stadler 8425 Spring Creek Way Boise ID 83703 939-7160	0.04 cfs	1.2 AF	Domestic
63-10892BA	Lillian Stadler RT 1 HWY 55 Boise ID 83703 939-6689	0.02 cfs	0.1 AF	Commercial

Although this is a tedious exercise in light of the fact that both uses, even when lumped, are exempt from permitting requirements, the owners have requested the license be split. I have recommended to them that they create a separate easement agreement to include in their personal files.


AUG 20 1992



59000m.E.

116°15'

00



Can Be Obtained
t, Boise Idaho

J.P. ACCURACY STANDARDS
ENLO PARK, CALIF. 94025

MONTOUR SE, IDAHO
N4345-W11615/7.5
1974

ADVANCE PRINT


116°15' 1974

N 8000 E 2 E 6 N 8000

NOTE: BOISE NUMBER GRID USED FOR ADDRESSES
ALONG BOTH SIDES OF HORSESHOE
BEND ROAD.

N 7080
N 17100

24



address
= 8425
LOT 1, BLK 2

SPRING CREEK
ESTATES NO. 2

25

SPRING CREEK
ESTATES



APPROXIMATE
N 14500
FILMED
AUG 20 1992

B-24
B-25
B-26

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10892

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP SN, Rge 1E, Sec 24, SE 1/4 SE 1/4 or Lot SE 1/4

2. Owner: Sue Stadler

Address _____, City _____, St _____

3. Casing ≥ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Yes ☐ No ☒ Static Water Level: 15'

Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 8

Flowing: Yes ☐ No ☒ Temperature: COLD

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

MICROFILMED

AUG 20 1992

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion of abandonment of the well.

1. WELL OWNER

Name Ben Stadler

Address Highway 55

Owner's Permit No. 63

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

- ☒ Domestic ☐ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

- ☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 6 inches Total depth 69 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☒ Yes ☐ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation 3/8 inches by 3 inches

Perforations 6 Number 5 From 5 feet 64 To 64 feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☒ Yes ☐ No Size of gravel 3/3


Placed from 48 feet to 69 feet

Surface seal? ☒ Yes ☐ No To what depth 30 feet

Material used in seal ☐ Cement grout ☒ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



County Ada

SE 1/4 NE 1/4 Sec. 24 T. 5 N. R. 1 E. M.

7. WATER LEVEL

Static water level 15 feet below land surface

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Temperature _____ F. Quality _____

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

- ☐ Pump ☐ Bailer ☒ Other Air Compressor

Discharge G.P.M.	Draw Down	Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
6	0	2	top soil		X
	2	42	sandy brown clay		X
	42	50	very muddy coarse quartz	X	
			sand and pea gravel	X	
	50	63	clean coarse quartz	X	
			sand and pea gravel	X	
	63	68	light brown clay		X
	68	90	blue clay		X
			8" casing		
			+1 to 62		
			6" Blank Head		
			Pipe 6'-0"		
			6" perforated		
			Pipe 10'-0"		
			6" Blank		
			Head Pipe		
			5'-0"		

10.

Work started 9/27/73 finished 10/2/73

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

V. P. Stevens & Sons 153

Driller's or Firm's Name _____ Number _____

109 Hawthorne Drive Boise


Address _____

Signed By _____ Date 10/7/73

USE ADDITIONAL SHEETS IF NECESSARY. FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT.

although legal is
incorrect, I believe
this is the appropriate
well log. (The legal
matches Shadow Valley
Clubhouse, which gets
domestic H₂O from an
irrigation well) (per
Lillian Stadler, Shadow Valley
owner & original permittee)
Also, construction drawing
on log matches well dimen-
sions on site. Legal probably
not verified by driller.

Cindy Hodges




1. ↑ P/D &
blowout ports



←
2. Pressure
tank in
home.

(Pou Commercial
Not pictured)

AUG 30 1992



↑ 3. Regulator valves for auto. Sprinkler

↓ 4. Pou (Home)



December 18, 1990

Lillian E. Stadler
Rt. 1 Hwy. 55
Boise, ID 83703

Dear Ms. Stadler:

Re: Permit No. 63-10892

This office acknowledges receipt of the assignment conveying the above referenced permit to you. The assignment has been entered into the department's records.

The department received the proof of beneficial use form. The next step is for the department to conduct the field inspection to confirm and determine the extent of beneficial use. I cannot tell just when the representative from our Western Regional office will conduct the exam, but she/he will try to contact you or your representative prior to being in the area.

Also, note that your permit requires the installation of a flow measurement port as one of the conditions of approval. This device must be installed prior to the field inspection. Enclosed is a copy of the specifications for installation.

If you have questions, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

c: W. Region

MICROFILMED
JAN 10 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-10892

Date 12-14-90

GENERAL CONSIDERATIONS

Y Name same as permit?
N Address change? If yes, prepare data entry form.
Y Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
N Drill permit req'd? Copy in file?
 Well log in file?
 Amt paid for drilling permit? Correct?

LICENSE EXAMINATION FEE

N Required?
 Amount submitted?
 Correct amount?

MEASURING DEVICE

N Measuring device or access port required?
 Installed?
 Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

proof acceptable

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	- <u> </u>
No. of days late	<u> </u>	= <u> </u>
Priority date	<u> </u>	+ <u> </u>
NEW PRIORITY DATE	<u> </u>	= <u> </u>

N/A

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-10892 Telephone No. 939-66892. Name(s) of Permit Holder(s): LILLIAN E STADLER3. Post Office Address: Rt. 1, Hwy 55, Boise, ID 837034. Source of Water: g.w.a. If ground water, well driller's name: Wayne Stevens & Sons Date drilled: late 70's

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic 1 (No. of households) Irrigation 1 (No. of acres)Stockwater _____ (No. and type of stock) Other Commercial6. Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes X No Installed? Yes No

OR

Flow Measurement Port: Required? Yes X No Installed? Yes No8. Fee Enclosed: \$ 0 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Lillian or Sue Stadler

Name

939-6689 or 939-7160

Telephone No.

same as above

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

10-23-90
DateLillian E. Stadler
Signature (and title if on behalf of a company or organization)

JAN 10 1991

138470

September 30, 1990

LILLIAN E. STADLER
RT. 1 HWY. 55
BOISE, ID 83703

PROOF DUE NOTICE

RE: PERMIT NO. 63-10892

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JAN 10 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
November 7, 1989

LILLIAN E. STADLER
RT. 1 HWY. 55
BOISE, ID 83703

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-10892

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

NOV 21 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MILWAUKEE

NOV 21 1989

SN 1E S. 26 SEENE
" SENE

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RL DATE: 8/15/89 APPLICATION: 63-10892

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume) Gov't. Lots:
☒ Period of use: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes No* In form to receipt:

ADDITIONAL INFORMATION

YES	NO	
☒	☐	Overlapping place of use: (Describe source & relationship to present application on the back.)
☐	☒	Overlapping point of diversion:
☐	☐	Field check required: Field check by: _____
☐	☐	Field report attached:
☐	☐	Critical groundwater area:
☐	☐	Groundwater management area:
☐	☐	Diversion within interim protected river area
☐	☐	Send dam safety information:
☐	☐	Send power requirement letter:
☐	☐	Send fish farm requirement letter: _____
☐	☐	Power residency affidavit:
☐	☐	Power efficiency form:
☐	☐	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐	☐	Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐	☐	*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

☒ DATE REQUESTED: _____
Additional information on reverse side:

RECEIVED
OCT 03 1989

Department of Water Resources

PROCESSING

APPLICATION NO.

63-10892

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☐
☒ ☐

Publication dates and paper recorded on application:

Protests received. Final date for protest

September 25, 1989

Protest dates, resolution of protest recorded on application:

Recommendations attached: DNR Approve

Measuring device required:

Measuring port required:

Water delivered by water master? District #

63-P05

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority

8/11/1989

Recommended by:

DNR

Date

10/4/1989

STATE OFFICE REVIEW

P05, P23

P110

46

See below for additional information. By

KRW

Date

10/30/89

ADDITIONAL INFORMATION

Groundwater possibly tied to Spring Valley CR. & thus to Boise River system.

Overlap

plan:

63-03429

different well for other irrigation.

63-07004

Spring for other irrigation.

63-10892

STADLER, LILLIAN E.
RT. 1 HWY. 55
BOISE, ID 83703

Source: GROUNDWATER

Diversion Pt: NESENE Sec 26 T 05N R 01E

Use: IRRIGATION	(.020 CFS)
COMMERCIAL	(.020 CFS)
DOMESTIC	(.040 CFS)

Date Filed: 8/11/1989

In: T05N R01E S26 SENE

1.0 ACRES TOTAL

RECEIVED

NOV 21 1989