

2/3/2017

11 Before Split

Priority Date: 4/24/1962
Basis: Deceased
Status: Active

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
IRRIGATION	01/01	12/31	0.020 CFS	5.3 AF
	Total Diversion		0.020 CFS	5.3 AF

GROUND WATER	SESENW	Sec. 34, Twp 06N, Rge 38E,	MADISON County
GROUND WATER	NESESE	Sec. 34, Twp 06N, Rge 38E,	MADISON County
GROUND WATER	NESENW	Sec. 34, Twp 06N, Rge 38E,	MADISON County

IRRIGATION within MADISON County

			NE				NW				SW				SE				
Twp	Rng	Sec	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
06N	38E	34	36.7	24.0	40.0	40.0	12.3		31.6	40.0	38.2	22.4	9.9		39.6	32.5		5.3	372.5

POU Total Acres: 372.5

1.	X27	This right is limited to the irrigation of 1.5 acres within the authorized place of use in a single irrigation season.
2.	X35	Rights 21-13141 and 21-13143 when combined shall not exceed a total diversion rate of 0.03 cfs, a total annual maximum diversion volume of 5.3 af at the field headgate, and the irrigation of 1.5 acres.
3.	R63	This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the place of use.
4.	214	Prior to the diversion and use of water under Transfer approval 77877, the right holder shall install and maintain acceptable measuring device(s) at the authorized point(s) of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
5.	213	Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized point(s) of diversion in

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report


2/3/2017

- accordance with Department specifications.
6. T07 The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
 7. T08 Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
 8. T19 Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

Comments:

State of Idaho
Department of Water Resources
Water Right License
21-13141

Bygone Split



0 0.15 0.3 0.6 Miles

-  Place Of Use Boundary
-  Townships
-  PLS Sections



2/3/2017

13141 After Split

Priority Date: 4/24/1962
Basis: Decreed
Status: Active

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
IRRIGATION	01/01	12/31	0.010 CFS	0.4 AF
	Total Diversion		0.010 CFS	0.4 AF

GROUND WATER	SESENW	Sec. 34, Twp 06N, Rge 38E,	MADISON County
GROUND WATER	NESESE	Sec. 34, Twp 06N, Rge 38E,	MADISON County
GROUND WATER	NESENW	Sec. 34, Twp 06N, Rge 38E,	MADISON County

			NE				NW				SW				SE				
Twp	Rng	Sec	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
06N	38E	34										14.1	9.9						24.0

POU Total Acres: 24.0

1.	X35	This water right shall not exceed a total diversion rate of .001 cfs for irrigation. Rights 21-13141 and 21-13143 when combined shall not exceed a total diversion rate of 0.002 cfs, a total annual maximum diversion volume of 0.4 af at the field headgate, and the irrigation of 0.1 acres.
2.	X27	This right is limited to the irrigation of 0.1 acres within the authorized place of use in a single irrigation season.
3.	R63	This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the place of use.
4.	214	Prior to the diversion and use of water under Transfer approval 77877, the right holder shall install and maintain acceptable measuring device(s) at the authorized point(s) of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
5.	213	Upon specific notification of the Department, the right holder shall install and maintain


2/3/2017

- Comments:**

13.	jburg	2/3/2017	POU
	Updated Shape		

State of Idaho
Department of Water Resources
Water Right License
21-13141

After Split



0 0.05 0.1 0.2 Miles

- Place Of Use Boundary
- Townships
- PLS Sections

