

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 21-13210

Priority: December 05, 2016

Maximum Diversion Rate: 0.25 CFS

This is to certify, that MMH LLC
C/O DANIEL MOLDENHAUER
101 E MAIN STREET
REXBURG ID 83440

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.25 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 24 Twp 14N Rge 43E, B.M. FREMONT County

PLACE OF USE: DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14N	43E	24															X		

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **March 01, 2022**.
2. Subject to all prior water rights.
3. Domestic use is for in-home culinary use for 28 cabins, a pavilion and a clubhouse, and does not include lawn, garden, landscape, or other types of irrigation.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
5. Prior to the diversion and use of water under this approval, the right holder shall comply with applicable water quality monitoring and/or permitting requirements administered by the Department of Environmental Quality or the Department of Agriculture.
6. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.

Signed this 3rd day of February, 2017.



JAMES CEFALO

Water Resources Program Manager