

RECEIVED

NOV 21 2016

RECEIVED

NOV 07 2016

DEPT OF WATER RESOURCES
SOUTHERN REGIONDEPT OF WATER RESOURCES
SOUTHERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

Ident. No.

81354

W.R. # 37-23024

1. Name of applicant(s) Pam Rheinschild

Phone 208-720-5577

Name connector (check one): ☒ and ☐ or ☐ and/or

Mailing address P. O. Box 3050

City Hailey

State ID

ZIP 83333

Email pamrheinschild@gmail.com

2. Name of representative, if any n/a

Phone

Mailing address

City

State

ZIP

Email

a. ☐ Send all correspondence for this application to the representative and not to the applicant OR☒ Send original correspondence to the applicant and copies to the representative.b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.

3. Source of water supply

Ground
Water

which is a tributary of

N/A

4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
03N	18E	32			NW	NE	Blaine	Ground water from a well	D0043076

5. Water will be used for the following purposes:

Amount 0.04 cfs for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per year)Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per year)Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per year)

6. Total quantity to be appropriated is (a) 0.04 cubic feet per second (cfs) and/or (b) acre-feet per year (af).

7. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. residential well, AP #RP00125002002A, Deer Creek Subdivision Am Lot 2A, Block 2, Blaine County, Idaho 83333

b. Height of storage dam feet; active reservoir capacity acre-feet; total reservoir capacity acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No

c. Proposed well diameter is inches; proposed depth of well is feet.

d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No

e. If well is already drilled, when? 8/9/2006; drilling firm Wood River Drilling & Pump, Inc.; well was drilled for (well owner) Bob DeCarufel; Drilling Permit No. D0043076

Received by DM Date 11-7-2016 Time 1:00pm Preliminary check by
Fee \$ 100 - Receipted by DM Receipt No. S035808 Date 11-7-2016

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in kW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; must complete and attach the Municipal Water Right Application Checklist.
- d. Domestic; show number of households One, Parcel Number RP00125002002A
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP 03N RGE 18E, SEC 32

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
			*D																

Total number of acres to be irrigated: 3.7 * Per 11/14/16 Letter & map

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? Domestic purposes for household and landscaping.

11. a. Who owns the property at the point of diversion? Pam Rheinschild

b. Who owns the land to be irrigated or place of use? Pam Rheinschild

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. I would like to file my domestic well in the IDWR records.

13. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).

14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

Pam Rheinschild

Print Name (and title, if applicable)

Signature of Applicant

Print Name (and title, if applicable)

LOTS 1A, 2A, 3A, 4A, BLOCK 2, DEER CREEK SUBDIVISION WHEREIN LOT LINES BETWEEN LOTS 1-5, BLOCK 2, DEER CREEK SUBDIVISION, TL 4755, & TL 4689 ARE SHIFTED

SECTION 32, T.3 N., R.18 E., B.M., BLAINE COUNTY, IDAHO
LOCATED WITHIN
NOVEMBER 2002




THIS MAP IS A PHOTOGRAPHIC REPRODUCTION OF THE ORIGINAL RECORDS OF THE COUNTY CLERK OF BLAINE COUNTY, IDAHO. THE COMPANY ASSURES NO LIABILITY FOR REPRODUCTION, IF ANY, WITH ANOTHER ORIGINAL RECORD.

LEGEND

- Property Boundary Line
- Lot Line
- Adjacent Property Line
- Previous Property Line
- Easement, With as Shown
- Centerline Road
- EDW = Edge of Water Line
- FL = Profile Existing Ditch
- Building Envelope
- Well Location
- Found 9/8" Rebar
- Found 1/2" Rebar
- Found Aluminum Cap
- Set 5/8" Rebar, LS 10181
- Set 1/2" Rebar, LS 10181

NOTES

- A 10 foot public utility easement is centered on all blower and adjacent to all exterior lot lines.
- Rebar reinforcement shall be maintained in its natural state to the greatest extent possible.
- Each property owner shall maintain a yard waste container on his or her own property.
- All fire protection requirements of the Wood River Fire Protection District, The Uniform Fire Code, and the Blaine County Fire Protection Ordinance 93-5 as amended, including but not limited to water supply, access and clear zones shall be complied with prior to the issuance of any building permit for the subdivision.
- Subdivision Walls and Subdivision Sewerage Disposal Systems shall be provided for each lot. The Sewerage Disposal Systems shall be approved by the South Central Health District prior to construction.
- All utilities shall be underground.
- Wells shall be placed as indicated hereon. All domestic wells in this subdivision shall be metered.
- Fencing shall be maintained throughout the subdivision. Fencing fences shall be maintained throughout the subdivision. Fencing fences shall be maintained throughout the subdivision.
- Particular fences shall have a minimum top rail height of 42 inches and a minimum bottom rail height of 18 inches to provide for unobstructed movement of wildlife.
- Pursuant to State Regulations, maintenance and weed control for all lots are the responsibility of the developer until the lot is sold and thereafter the responsibility of the owner of the subdivided lot. The developer shall be responsible for the maintenance of the subdivision until the subdivision is sold.
- The Idaho Roadway Weed List, Mowing and weeding schedules are recommended, although biologic control has been shown to be effective in eradicating invasive species.
- A 10 foot ditch maintenance easement for the use of the ditch owners shall be provided for the existing ditch across lot 4A. This easement shall be centered on the ditch. The ditch shall be maintained and the ditch shall be maintained.
- The ditch shall be maintained and the ditch shall be maintained.
- The easement for the existing ditch shall be abandoned when the ditch is relocated to the new irrigation ditch easement. Interruption of water delivery will not be allowed during ditch relocation.
- There shall be a 25 foot setback from the edge of the pond to any building construction on Lot 4A.
- Setback easements are shown on the regulatory setbacks for this zoning district. Setback easements shall be maintained per above Note No. 11.
- Access to Lot 3A shall be off, north or south, from the access to Lot 3 of Deer Creek Subdivision.
- Access to Lot 2A shall be from Spruce Way.



CURVE	LENGTH	RADIUS	TANGENT	DELTA	CHORD	CHORD DIRECTION
C1	31.91'	20.00'	20.00'	87° 24' 34\"	28.85'	N 46° 37' 0\" E
C2	109.27'	45.00'	109.46'	135° 07' 10\"	83.24'	N 23° 32' 58\" E
C3	43.88'	45.00'	34.40'	81° 03' 00\"	58.36'	N 50° 38' 44\" E
C4	42.58'	45.00'	23.04'	84° 13' 48\"	41.07'	N 16° 36' 27\" W

HEALTH CERTIFICATE: Sanitary restrictions as required by Idaho Code Title 24, Ch. 13, have been satisfied. Sanitary restrictions as required by Idaho Code Title 24, Ch. 13, Sec. 80-1238, by issuance of a Certificate of Disapproval.

11-26-2002
Date

South Central Health Dept., DHS



MICHAEL D. CHAT, L.S. 10181

Job No. 5300

LOTS 1A-4A, BLOCK 2
DEER CREEK SUBDIVISION
GALBRAITH ENGINEERING, INC.
REIDAR, IDAHO

SHEET 1 OF 2

CERTIFICATE OF OWNERSHIP

This is to certify that the undersigned are the owners in fee simple of the following described parcel of land:
A parcel of land located in Section 32, Township 3 North, Range 18 East, Boise Meridian, Blaine County Idaho, more particularly described as follows:
Commencing at an aluminum cap marking the northeast corner of said section 32; thence S 61°25'54" W 1020.38 feet to the TRUE POINT OF BEGINNING;
thence S 88°47'12" E, 222.38 feet;
thence S 109°28' W, 201.82 feet;
thence N 85°52'49" W, 312.02 feet;
thence S 11°30' W, 207.52 feet;
thence N 85°18'24" W, 124.26 feet;
thence N 67°5'28" E, 4.03 feet;
thence 63.68 feet along a curve to the right with a central angle of 81°05'00", a radius of 45.00 feet, a tangent of 38.48 feet, and a long chord of 58.50 feet that bears N 50°39'44" E;
thence N 84°21'15" W, 14.70 feet;
thence N 4°00'33" E, 137.08 feet;
thence N 5°47'37" E, 61.36 feet;
thence N 67°00'46" E, 124.41 feet;
thence, 31.91 feet along a curve to the right with a central angle of 91°24'34", a radius of 20.00 feet, a tangent of 20.50 feet, and a long chord of 28.63 feet that bears N 45°43'10" E;
thence S 80°47'12" E, 154.77 feet to the TRUE POINT OF BEGINNING.
The above description includes lots 1-5, block 2, Deer Creek Subdivision No. 1, Tax Lot 4755 and Tax Lot 4889.

The easements indicated herein are not dedicated to the public, but the right to use said easements is hereby reserved for the public utilities and for any other uses indicated herein and no permanent structures are to be erected within the lines of said easements. We do hereby certify that the individual lots described in this plat will be served by individual wells and not by any water system common to one (1) or more of the lots.

It is the intent of the owner to hereby include said land in this plat.

Patrick A. Bauman
PATRICK A. BAUMAN

ACKNOWLEDGMENT

STATE OF Idaho } as
COUNTY OF Blaine }
On this 21st day of November, 2002, before me, a Notary Public in and for said State, personally appeared Patrick A. Bauman, known or identified to me to be the person whose name is subscribed to the foregoing instrument, and acknowledged to me that he executed the same.
IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year in this certificate first above written.



Patricia H. Bauman
Notary Public in and for said State
Residing in Blaine
My Commission Expires 7/2/04

SURVEYOR'S CERTIFICATION

I, Michael D. Choot, a duly licensed Land Surveyor in the State of Idaho, do hereby certify that the foregoing plat is a true and accurate map of the land surveyed under my direct supervision and that it is in accordance with the Idaho State Code relating to plats and surveys.



BLAINE COUNTY SURVEYOR'S APPROVAL

I, Jim W. Koonce, County Surveyor for Blaine County, Idaho, have checked the foregoing plat and computations for making the same and have determined that they comply with the laws of the State of Idaho relating thereto.

Jim W. Koonce
Blaine County Surveyor

ACCEPTANCE OF DEDICATION BY BLAINE COUNTY

Dedication of the portion of North Aspen Drive as shown on this plat was approved and accepted this 21st day of November, 2002 by Blaine County.

David Wheat
Vice-Chairman, Blaine County Commissioners

BLAINE COUNTY PLANNING AND ZONING APPROVAL

The foregoing plat was approved by Blaine County Planning and Zoning on this 21st day of November, 2002.

Steve Schaefer
Administrator

BLAINE COUNTY COMMISSIONERS APPROVAL

The foregoing plat was approved by the Blaine County Board of Commissioners on this 21st day of November, 2002.

David Wheat
Vice-Chairman

BLAINE COUNTY TREASURER'S APPROVAL

The taxes on the foregoing parcel of land have been paid to this date and this plat is hereby approved this 21st day of November, 2002.

Blaine County Treasurer

BLAINE COUNTY RECORDER'S CERTIFICATE

STATE OF IDAHO } as
COUNTY OF BLAINE }

This is to certify that the foregoing plat was filed in the office of the Recorder of Blaine County, Idaho on this 21st day of November, 2002, at Blaine, and duly recorded under instrument Number _____.

Ex-officio Recorder

Instrument # 47555
Book 17, Page 20
Filed for Record
Blaine County Recorder
November 21, 2002

Lots 1A-1A, Block 2,
Deer Creek Subdivision
Golena Engineering, Inc.
Ketchum, Idaho
Sheet 2 of 2
Job No. 5300

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

App 80720

Office Use Only

Well ID No.

Inspected by

Twp _____ Rge _____ Sec _____

1/4 1/4 1/4

Lat: : : Long: : :

12. WELL TESTS:

☐ Pump

☐ **Bailer**☐ Air☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
60			1 Hour

Water Temp.

Bottom hole temp.

Water Quality test or comments:

Depth first Water Encounter

13. LITHOLOGIC LOG: (Describe repairs or abandonment)

Water

[illegible]

4. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Wood River Drilling & Firm No. 265

Principal Driller Bess Smith Pump, Inc. Date 08-17-06Driller or Operator II Bill McHargue Date 08-17-06

Operator I _____ Date _____

Principal Driller and Rig Operator Required.
Operator I must have signature of Driller/Operator II.

FORWARD WHITE COPY TO WATER RESOURCES

37-23024



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, Idaho 83301-5858

Phone: (208) 736-3033 • Fax: (208) 736-3037 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

December 29, 2016

PAM RHEINSCHILD
PO BOX 3050
HAILEY, ID 83333

RE: Application For Permit No. 37-23024

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the **IDAHO MOUNTAIN EXPRESS** on **1/4/2017** and **1/11/2017**. Protests to this application may be submitted for a period ending ten (10) days after the second publication. Any protest against this application must be filed with the Department of Water Resources, together with a protest fee of \$25.00 for each application, on or before **January 23, 2017**.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in black ink that reads "Denise Maline". The signature is written in a cursive, flowing style.

Denise Maline
Administrative Assistant

Maline, Denise

From: Maline, Denise
Sent: Thursday, December 29, 2016 1:01 PM
To: Idaho Mountain Express
Subject: LEGAL NOTICES
Attachments: Idaho Mtn Express Cover Letter.docx; Idaho Mtn Express Ad.doc; SWC SWID Mit Plan Ad
SWC call Jan 2017.docx; SWC-Coalition of Cities Mit Plan Notice Jan 2017.docx

Attached please find (3) legal notices being submitted for publication on January 4th & 11th, 2017. Please feel free to contact me if you have any questions, or if you are not able to run the ad on the dates requested.

Thank you in advance,

Denise Maline
Administrative Assistant
Idaho Dept of Water Resources, Southern Region
650 Addison Ave W, Ste 500
Twin Falls, ID 83301
(208) 736-3033
denise.maline@idwr.idaho.gov



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, Idaho 83301-5858

Phone: (208) 736-3033 • Fax: (208) 736-3037 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

December 29, 2016

LEGAL NOTICE DEPARTMENT

IDAHO MOUNTAIN EXPRESS

PO BOX 1013

KETCHUM, ID 83340

RE: Application For Permit No.(s): 37-23024

**RE: Notice of Interim Mitigation Plan Submitted by Southwest and Goose Creek Irrigation Districts
and the Surface Water Coalition**

**RE: Notice of Interim Mitigation Plan Submitted by the City of Pocatello, Coalition of Cities, City of
Idaho Falls, and Surface Water Coalition**

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before January 23, 2017. Your cooperation is appreciated.

Sincerely,

Denise Maline
Administrative Assistant

Enclosure(s)

The following application(s) have been filed to appropriate the public waters of the State of Idaho:
37-23024

PAM RHEINSCHILD

PO BOX 3050

HAILEY, ID 83333

Point of Diversion NWNE S32 T03N R18E BLAINE County Source GROUND WATER Tributary

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Total Diversion: 0.04 CFS

Date Filed: 11/21/2016

Place Of Use: DOMESTIC

T03N R18E S32 NWNE

Application for permit proposes to divert 0.04 cfs of ground water for domestic purposes from an existing well located approximately 2.4 miles north and 0.9 miles west of the intersection of Bullion Street and Main Street in Hailey.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Southern Region office at (208) 736-3033; or for a full description of the right(s), please see www.idwr.idaho.gov/WaterManagement/WaterRights/#New_Listings. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Southern Region, 650 Addison Ave W, Ste 500, Twin Falls, ID 83301 together with a protest fee of \$25.00 for each application on or before **January 23, 2017**. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on January 4th & 11th, 2017



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, Idaho 83301-5858

Phone: (208) 736-3033 • Fax: (208) 736-3037 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

November 14, 2016

PAM RHEINSCHILD
PO BOX 3050
HAILEY, ID 83333

RE: Application for Permit

Dear Applicant(s):

The Department of Water Resources has received your water right application. Preliminary review of the application indicates that it is incomplete and cannot be accepted for processing. We are returning your application to allow you to complete the necessary items. The required information is described below.

I have included some information/recommendations in parenthesis under each item below.

Item #1: The Name or Address was not provided correctly.

(Our records indicate (208)788-5477 for a contact number and the phone number provided on the application is (207)720-5577; is this number, and the 207 area code, correct?)

Item #3: The Source was not provided correctly.

(I recommend replacing "Basin 37" with "ground water" since the source is your well and replacing "Big Wood River, ground water" with N/A)

Item #5: The Quantity was not provided correctly.

(The typical flow rate, or cfs, for domestic purposes is 0.04 cfs)

Item #6: The Quantity was not provided correctly.

(In this sentence simply use the same cfs used in Item #5 above)

Item #9: The Place of Use or acres irrigated was not filled out in the table.

(The place of use: TWP 03N, RGE 18E, Sec 32)

NE			
NE	NW	SW	SE

D

Item #13: The Time required for beneficial use of water was not provided correctly.

(The time required for this item is 1-5 years with a minimum of 1 year. The years are 12 month increments of time. It is perfectly acceptable to enter the minimum of 1 year even if the project is completed in just a few months).

Page 2
Rheinchild Return Letter
November 14, 2016

As indicated previously, the enclosed application is considered incomplete and cannot be accepted for processing. If a replacement Application for Permit adequately addressing the items in this letter is not submitted within 30 days, the Department will initiate a refund of the \$100.00 filing fee.

Please feel free to contact me if you have any questions or need my assistance in filling out the application.

Sincerely,

Kent Aasa
Water Resource Agent

Enclosure