

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESIdent. No. 29-14200**AMENDED****APPLICATION FOR PERMIT**

To appropriate the public waters of the State of Idaho

RECEIVED
DEC 12 2016Department of Water Resources
Phone 801-943-59701. Name of applicant(s) Travis ManningName connector (check one) ☐ and ☐ or ☐ and/orMailing address: 12883 South Porcupine Rd.City Lava Hot SpringsState ID Zip 83405Email: tmanning@tpaudit.com & tpmanning99@gmail.com2. Source of water supply Unnamed Streamwhich is a tributary of Dempsey Creek

3. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	%	%	%	County	Source	Local name or tag #
10S	38E	5		SE	NW	SW	Bannock	Unnamed Stream	
10S	38E	5		SW	NE	SW	Bannock	Unnamed Stream	
10S	38E	5		NW	SE	SW	Bannock	Unnamed Stream	(3 PODs in this QQ)

4. Water will be used for the following purposes:

Amount 2.6 AF for Aesthetic Storage purposes from 01/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)Amount 2.6 AF for Wildlife Storage purposes from 01/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)Amount 2.6 AF for Recreation Storage purposes from 01/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per year)5. Total quantity to be appropriated is (a) cubic feet per second (cfs) and/or (b) 2.6 acre-feet per year (af).

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. Unnamed stream surfaces in top pond, there are five ponds with earthen dams. There is a pipeline between each pond connecting the flow.b. Height of storage dam 4 feet; active reservoir capacity 2.6 acre-feet; total reservoir capacity 2.6 acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11.For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☒ Noc. Proposed well diameter is inches; proposed depth of well is feet.d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ Noe. If well is already drilled, when? ; drilling firm ;
Well was drilled for (well owner) ; Drilling Permit No.

7. Description of proposed uses (if irrigation only, go to item 8):

a. Hydropower; show total feet of head and proposed capacity in kW. b. Stockwatering; list number and kind of livestock. c. Municipal; show name of municipality or the applicant's qualifications as a municipal provider. d. Domestic; show number of households e. Other; describe fully. 5 recreational ponds with habitat value - Water that flows in, flows out - there is some spring seepage into ponds as well.

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10S	38E	5									jrw	jrw		jrw					

Total number of acres to be irrigated: 0

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? None

10. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. Applicant desires to obtain a water right for ponds located on a newly purchased property. Ponds are in a wetland area - Ground water and surface water interaction occurs, there is no seepage loss. The ponds are located in the riparian/flood area of the unnamed stream - with the removal of wetland vegetation for pond installation the evapotranspiration is greatly reduced - below the evaporation component of these ponds. There should be no consumptive use from these ponds. Pond 1 = 10', pond 2 = 20', pond 3 = 10' pond 4 = 15', pond 5 = 10', with an average maximum depth of 13'.

12. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).
13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.


The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Travis Manning
Signature of Applicant
Print Name (and title, if applicable)

Signature of Applicant
Print Name (and title, if applicable)

For Department Use:

Received by SC Date 11/4/2016 Time _____ Preliminary check by _____
Fee \$ 200.00 Received by SC Receipt No. E042585 Date 11/7/2016



2015 Aerial Photography

29-14200

Seepage Loss Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total annual seepage losses from a pond.

FILE NUMBER	XX-XXXXX
REVIEWER	Joe Agent
DATE	12/1/2016

User Input
Calculated value
Formula Explanations

INPUTS

Pond Surface Area (AC.)	0.5	AC.
-------------------------	-----	-----

Pond Surface Area (SQ. FT.)	21780	SQ.FT.
-----------------------------	-------	--------

I used the following method to obtain my Soil Classification information:	NRCS Web Soil Survey	
My Soil Classification is	ml	
Suggested Seepage Rate (FT./DAY)	0.0000	FT./DAY

Formula: (Surface Area X Seepage Rate) X 7.48 = Gallons Per Day Loss		
--	--	--

Convert to GPD	0	GPD
----------------	---	-----

Total Seepage Loss (AFA)	0.0	AFA
--------------------------	-----	-----

Though sand and gravel seepage rates may actually be higher, the maximum allowable rate is 0.2 ft/day, pursuant to Administrative Memo "Seepage Loss Standards for Ponds and Reservoirs."

Suggested Seepage Rates for Different Soil Types:

GW, GP, GM, GC, SW, SP and SM (silty sand, sand silt mixtures and gravel mixtures) = 0.2 ft per day
OL and ML (Inorganic silts - very fine sands, silty, or clayey fine sands) = 0.02 ft per day
SC (clayey sands, sand clay mixtures) = 0.007 ft per day
CL (Low to medium plasticity clays) = 0.003 ft per day
MH, OH, PT and CH (high plasticity clays) = 0.0003 ft per day
LINED PONDS (liners can be chemical, fabric, or bentonite) = 0 ft per day
Ponds Intercepting Groundwater (excavated ponds filled by ground water) = 0 ft per day

PLEASE NOTE: The initial basis for the Suggested Seepage Rates in the table above is found on Page 16 of Seepage from Fish Ponds, Bulletin 599, August 1989 Alabama Agricultural Experiment Station, Auburn University, Auburn University Alabama. If you don't know the soil type, please refer to the map provided at the NRCS Web Soil Survey (Tab #1), an ArcMap Soil Classification Map (Tab #1.1), or published NRCS Soil Survey (Tab #1.2). Use "0" if the pond fill relies on the water table.

Evaporation Loss Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the annual evaporation losses from a pond.

FILE NUMBER	00-00000
REVIEWER	kmathews
DATE	12/1/2016

User Input
Calculated value
Formula Explanations

The acronyms used on the Kimberly Research Center website are defined below:
P = Precipitation
ET = Evapotranspiration
P _d = Precipitation deficit
P _e = ET-P

USING THIS SPREADSHEET

Use the link below to access the Kimberly Research Center website. This website provides the Precipitation Deficit for a station most representative of the pond under examination. The Precipitation Deficit is the total amount of free water surface evaporation minus the precipitation for a given area, which gives the total amount of evaporative losses incurred by the pond. There are several weather sites that are used throughout the state. IDWR staff can find the nearest site using Arc Map. The shape file containing the sites can be found at X:\Spatial\Climata\ETidaho\stations.shp.

Instructions:

1. Use the link below to navigate to ET Idaho 2012.
2. Select the station which is most representative to your pond location.
3. Click Submit Query.
4. Under "Land Covers with Evapotranspiration Estimates," select "Open Water - Shallow Systems (ponds, streams)" or "Open Water - small stock ponds" depending on the pond size.
5. Click the link to "Precipitation Deficit."
6. Reference and copy (ctrl + C) the first subheading "Mean" values.
7. Click the "Paste Values from ET Idaho" button. The table will automatically enter a zero (0) for any negative precipitation deficit values.

Found at: <http://data.kimberly.uidaho.edu/ETidaho/>

Precipitation Deficit

Station: Twin Falls 2 NNE (NWS - 189294)

Month	mm/day ¹	Days per month	mm/Month
Jan	0.00	31	0.00
Feb	0.00	28	0.00
March	0.38	31	11.78
April	1.88	30	56.40
May	2.29	31	70.99
June	3.73	30	111.90
July	4.42	31	137.02
August	3.40	31	105.40
September	2.56	30	76.80
October	1.73	31	53.63
November	0.00	30	0.00
December	0.00	31	0.00

PLEASE NOTE: The seasonal average for precipitation deficit should not be used for calculations because precipitation often exceeds evaporation during wetter months of the year. If the pond is kept full, excess precipitation during wetter months does not serve to refill the pond during drier months.

For example, see Sandpoint KSPT (NWS - 108137), the annual precipitation deficit is -106 mm. However, April through September have positive precipitation deficit values. To properly estimate the annual volume of water necessary to refill a pond due to evaporation losses, the table will automatically enter a zero (0) for each month that the precipitation value is reported as a negative value.

As described above, precipitation offsets evaporation in winter months, so the net effect is that wintertime precipitation deficit is usually zero.

Total mm/year = 623.92

$$((623.92) \div 304.8) \times 0.50 = 1.0 \text{ AFA}$$

Total Storage Calculations

FILE NUMBER	201-XXXXXX
REVIEWER	Joe Agent
DATE	12/1/2016

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

User Input
Calculated value
Formula Explanations

Surface Area (AC.)	0.5	Surface Area* is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	5.2	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	2.6	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. <i>Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.</i>
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	0	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a from storage component if the from storage component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). <i>Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.</i>
Estimated Seepage Loss (AF)	0.0	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	1.0	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	3.6	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

Flow Rate Into Pond (CFS)	1.00	The "Flow Rate Into Pond" depicts the actual flow, either measured or estimated, into the pond. For offstream facilities, this will be equivalent to "diversion to storage" rate.
Highest Daily Evaporation Rate From Evaporation Tab. (mm/Day)	4.42	This number is carried over from the "Evaporation Loss" sheet. It is the highest recorded number in the "Precipitation Deficit Table".
Required Daily Maintenance Volume (AF/Day)	0.01	"Required Daily Maintenance Volume" is the maximum volume of water needed on any given day during the year to maintain pond volume. It is calculated by adding the highest daily evaporation loss to the average daily seepage loss in acre feet. The average daily seepage loss is calculated by dividing the "Estimated Seepage Loss" by 365 days. This is acceptable, since the seepage rate shouldn't vary throughout the season unless the pond completely freezes over during the winter months. The highest daily evaporation loss is calculated by dividing the Highest Daily Evaporation Rate by the 304.8 conversion factor and multiplying this number by the pond surface area to attain a combined daily acre feet requirement.
Minimum Maintenance Flow (CFS)	0.00	The "Minimum Maintenance Flow" is the minimum amount of flow required to maintain the level of the pond. This number is determined by dividing the "Maximum Required Daily Maintenance Volume" by 1.9835. This flow can be used to determine if the flow rate into the pond is adequate to maintain the pond level.
Days Required to Fill the Pond	1	The "Days Required to Fill the Pond" is calculated by dividing the "Pond Capacity" by the "Flow Rate" minus "Minimum Maintenance Flow" multiplied by 1.9835. This section will assist you in determining if the flow rate being diverted to the pond is adequate to fill the pond while maintaining the pond level. The length of time to fill the pond will help determine if the flow rate is adequate for the size of pond being proposed. If this number is approximately 6 months (180 days) or more, the reviewer should have a discussion with the applicant to make sure he/she understands that it will take a significant length of time to fill the pond.
Days Required to Fill the Pond at 13,000 Gallons per Day	80	Some water users may want to fill a pond under the 13,000 gallons per day domestic exemption. The "Days Required to Fill the Pond at 13,000 Gallons per Day" is calculated by converting the "Pond Capacity" and the "Required Daily Maintenance Volume" to gallons. The "Pond Capacity" is then divided by 13,000 gallons minus the "Required Daily Maintenance Volume" in gallons to determine the number of days to fill pond. If this number is approximately 6 months (180 days) or more, the reviewer should have a discussion with the applicant to make sure he/she understands that it will take a significant length of time to fill the pond. Negative values indicate that the supply of 13,000 gallons per day is not enough volume to overcome the required daily maintenance volume; the pond will never fill.

RECEIVED

NOV 04 2016

FORM 202 REV. 07/15

Department of Water Resources
Eastern RegionSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Ident. No. _____

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant(s) Travis Manning Phone 801-643-5970
 Name connector (check one): ☐ and ☐ or ☐ and/or
 Mailing address 12883 South Porcupine Rd., Lava Hot Springs, ID 83246 Email tmanning@jtpaudit.com
2. Name of representative, if any Robert L. Harris, HKHC Phone 208-523-0620
 Mailing address P.O. Box 50130, Idaho Falls, ID 83405 Email rharris@holdenlegal.com
- a. ☒ Send all correspondence for this application to the representative and not to the applicant OR
☐ Send original correspondence to the applicant and copies to the representative.
- b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation providing authority to sign for the applicant.
3. Source of water supply Unnamed Stream/Springs which is a tributary of Dempsey Creek
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
10S	38E	5			NW	SW	Bannock	Unnamed Stream/Springs	
10S	38E	5			NE	SW	Bannock	Unnamed Stream/Springs	2 PODs w/in this QQ
10S	38E	5			SE	SW	Bannock	Unnamed Stream/Springs	2 PODs w/in this QQ

5. Water will be used for the following purposes:
- Amount 2.5 AFA for Aesthetic Storage purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for Wildlife Storage purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for Recreation Storage purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) _____ cubic feet per second (cfs) and/or (b) 2.5 acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. No physical diversion--water is present in ponds that existing prior to Applicant's purchase of the property (believed to be from unnamed stream/spring).
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate [Application for Construction or Enlargement of a New or Existing Dam](#). Application required? ☐ Yes ☐ No
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
- e. If well is already drilled, when? _____; drilling firm _____;
 well was drilled for (well owner) _____; Drilling Permit No. _____

Received by sc Date 11/4/16 Time _____ Preliminary check by _____
 Fee \$ 200- Receipted by sc Receipt No. E042589 Date 11/7/16

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in kW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; must complete and attach the Municipal Water Right Application Checklist.
- Domestic; show number of households. _____
- Other; describe fully. Recreation, aesthetic, and wildlife beneficial uses are all non-consumptive.

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10S	38E	5									JRW	JRW		JRW					

Total number of acres to be irrigated: n/a

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? None.

- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. Applicant desires to obtain a water right for his ponds after discovering that there was no water right associated with ponds present on property after Applicant's purchase (Bannock County Parcel Nos. R4261001805 (4.13 acres) RRLR5004600 (5.56 acres)). Ponds are already in wetland area and fill naturally, so there is no consumptive use. Application is nearly identical to WR# 29-8123 (on property immediately east of Applicant).

13. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).

14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

Travis Manning

Print Name (and title, if applicable)

Signature of Applicant


Print Name (and title, if applicable)

TRAVIS MANNING APPLICATION



29-14200

TRAVIS MANNING



Prepared by
Robert L. Harris
ESRI Basemap

0 0.0275 0.055 0.11 Miles

29-14200

TRAVIS MANNING

CALCULATED VOLUME AMOUNTS FOR PONDS

Pond Name	Maximum Depth (ft)	Depth Surface Area (acres)	IDWR Conversion Factor	TOTAL ACRE-FEET
	10	0.086	0.4	0.344
	20	0.07		0.56
	10	0.052		0.208
	15	0.103		0.618
	10	0.139		0.556
	TOTAL	0.45		2.286

Evapotranspiration.

Mathews, Kerrie

From: Travis Manning [tmanning@jtpaudit.com]
Sent: Wednesday, December 07, 2016 4:01 PM
To: Mathews, Kerrie; Rob Harris
Subject: RE: Revised Application
Attachments: Travis Manning Revised Signed Application for Permit.pdf

Kerrie,

Thanks for helping with this and hopefully we can get this out for advertising this month.

Attached is the revised signed application.

On the application it has my mailing address as the one in Lava Hot Springs but I would like notifications or information sent to my address in Salt Lake City where I live.

My home address is:

Travis Manning
1891 East Crandall Circle
Salt Lake City, UT 84106

Please have the IDWR department send me any notices to this address.

Thanks

Travis Manning | President, Business Development | JTP & Associates, Inc. | PO Box 522307 | Salt Lake City, UT 84152-2307
(O) 801-643-5970 | (F) 801-746-5000 | tmanning@jtpaudit.com | www.jtpaudit.com

From: Mathews, Kerrie [<mailto:Kerrie.Mathews@idwr.idaho.gov>]
Sent: Friday, December 2, 2016 1:11 PM
To: Travis Manning <tmanning@jtpaudit.com>; Rob Harris <rharris@holdenlegal.com>
Subject: Revised Application

Travis:

It has been a pleasure talking with you on the telephone the last couple of days.. As we discussed, I prepared a revised application for you to look over. If you have any questions, please let me know.

Thank you,

Kerrie Mathews
Idaho Department of Water Resources
208-525-7161
208-390-6924

"There is only one success -to be able to spend your life in your own way."
-Christopher Morley



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N Skyline Dr., Ste A, Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 FAX: (208) 525-7177 www.idwr.idaho.gov

December 29, 2016

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

Travis Manning
12883 S Porcupine Rd
Lava Hot Springs ID 83246

Application For Permit No. 29-14200

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the IDAHO STATE JOURNAL on January 5 and 12, 2017. Protests to this application may be submitted for a period ending ten (10) days after the second publication (**on January 23, 2017 at 5:00 pm**).

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Sharla Cox', is written over a circular blue ink stamp.

Sharla Cox
Administrative Assistant

cc: Holden Kidwell Hahn & Crapo
Robert Harris
PO Box 50130
Idaho Falls ID 83405-0130



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N Skyline Dr., Ste A, Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 FAX: (208) 525-7177 www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

December 29, 2016

Idaho Department of Environmental Quality
444 Hospital Way #300
Pocatello ID 83201

Application to Permit No. 29-14200

DEQ:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced water right application. A copy of the application is enclosed for your reference.

This office can publish notice of the application as soon as the initial review is completed; therefore, your prompt response to this request is appreciated. If your agency desires to formally protest the approval of this application, you may do so after the notice is published by filing a written protest along with a \$25.00 filing fee within 10 days after final publication.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in blue ink that reads "Sharla Cox".

Sharla Cox
Administrative Assistance

Enclosure(s)



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N Skyline Dr., Ste A, Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 FAX: (208) 525-7177 www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

December 29, 2016

Idaho Department of Fish & Game
1345 Barton Rd
Pocatello ID 83201

Application to Permit No. 29-14200

IDF&G:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced water right application. A copy of the application is enclosed for your reference.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in blue ink, appearing to read "Sharla Cox", written over a circular blue ink stamp.

Sharla Cox
Administrative Assistance

Enclosure(s)

Cox, Sharla

From: Cox, Sharla
Sent: Thursday, December 29, 2016 2:55 PM
To: 'legals@journalnet.com'
Subject: Legal Notice for Idaho State Journal
Attachments: Id State Journal Cover Ltr.RTF

Sharla

*Sharla Cox
Administrative Assistant
Idaho Dept of Water Resources
900 N Skyline Dr. Ste A.
Idaho Falls ID 83402
sharla.cox@idwr.idaho.gov
208-525-7161 phone
208-525-7177 fax*

PLEASE NOTE: CAN CONTAINS 2 OR MORE PAGES

December 29, 2016
Legal Notice Department
IDAHO STATE JOURNAL
PO BOX 431
POCATELLO ID 83204

RE: Legal Ad for your Paper

Dear LEGAL NOTICE DEPARTMENT:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before January 23, 2017. Your cooperation is appreciated.

Sincerely

Sharla Cox
Administrative Assistant
Idaho Department of Water Resources
900 N Skyline Dr Ste A
Idaho Falls ID 83402
208-525-7161
208-525-7177 – Fax

PLEASE PUT IN NORMAL COLUMN AND NO BORDERS. THANK YOU.

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

29-14200

TRAVIS MANNING
1891 EAST CRANDALL CIRCLE
SALT LAKE CITY, UT 84106

Point of Diversion

SENWSW S5 T10S R38E

SWNESW S5 T10S R38E

NWSESW S5 T10S R38E

NWSESW S5 T10S R38E

NWSESW S5 T10S R38E

BANNOCK County

Source UNNAMED STREAM Tributary DEMPSEY CREEK

Use: AESTHETIC STORAGE

01/01 to 12/31 2.6 AF

Use: RECREATION STORAGE

01/01 to 12/31 2.6 AF

Use: WILDLIFE STORAGE

01/01 to 12/31 2.6 AF

Total Diversion: 2.6 AF

Date Filed: 12/12/2016

Place Of Use: AESTHETIC STORAGE, WILDLIFE STORAGE, RECREATION STORAGE

T10S R38E S5 NESW NWSW SESW

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Eastern Region office at (208) 525-7161. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Eastern Region, 900 N Skyline Dr Ste A, Idaho Falls ID 83402 together with a protest fee of \$25.00 for each application on or before January 23, 2017. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on January 5 and 12, 2017

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

29-14200

TRAVIS MANNING

1891 EAST CRANDALL CIRCLE

SALT LAKE CITY, UT 84106

Point of Diversion

SENWSW S5 T10S R38E

SWNESW S5 T10S R38E

NWSESW S5 T10S R38E

NWSESW S5 T10S R38E

NWSESW S5 T10S R38E

BANNOCK County

Source UNNAMED STREAM Tributary DEMPSEY CREEK

Use: AESTHETIC STORAGE

01/01 to 12/31 2.6 AF

Use: RECREATION STORAGE

01/01 to 12/31 2.6 AF

Use: WILDLIFE STORAGE

01/01 to 12/31 2.6 AF

Total Diversion: 2.6 AF

Date Filed: 12/12/2016

Place Of Use: AESTHETIC STORAGE, WILDLIFE STORAGE, RECREATION STORAGE

T10S R38E S5 NESW NWSW SESW

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Eastern Region office at (208) 525-7161. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Eastern Region, 900 N Skyline Dr Ste A, Idaho Falls ID 83402 together with a protest fee of \$25.00 for each application on or before January 23, 2017. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on January 5 and 12, 2017

Cox, Sharla

From: Cox, Sharla
Sent: Thursday, December 29, 2016 3:23 PM
To: Carlos, Rhea
Subject: Partial Refund Please

Please refund the following:

Receipt #E042585
Amount to be Refunded: \$100.00
Payable to:
Holden Kidwell Hahn & Crapo
PO Box 50130
Idaho Falls ID 83405-0130

Reason: Application for Permit 29-14200, overpaid in initial submission.

Thank you.

Sharla

*Sharla Cox
Administrative Assistant
Idaho Dept of Water Resources
900 N Skyline Dr. Ste A.
Idaho Falls ID 83402
sharla.cox@idwr.idaho.gov
208-525-7161 phone
208-525-7177 fax*