

**STARTING
LEFT
SIDE OF
FILE**

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 65-13157 IN THE)
NAME OF REX E. LANHAM) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before July 1, 1991; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on July 11, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 65-13157 be REINSTATED and the priority advanced to February 17, 1990.

Dated this 28th day of August, 1991.


L. GLEN SAXTON, Chief
Water Allocation Bureau

APPROVED

OCT 01 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13157 Telephone No. 344-1971
2. Name(s) of Permit Holder(s): Rex E Lanham
3. Post Office Address: 848 Jackson Ave Emmett IDA 83617
4. Source of Water: waste water;

a. If ground water, well driller's name: _____ Date drilled: _____

b. Pump horsepower: 7.5 HP Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households) Irrigation 40 (No. of acres)

Stockwater 200 (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 0.80 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☒ Yes _____ No _____ Installed? _____ Yes _____ No _____
Lockable OR

Flow Measurement Port: Required? _____ Yes _____ No _____ Installed? _____ Yes _____ No _____

8. Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Rex Lanham 344 1971 - 384 4036
Name Telephone No.

HC 33 Box 1450 Boise IDA 83706
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

July 8/91
Date

[Signature]
Signature (and title if on behalf of a company or organization)

OCT 01 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13157

Proposed Priority: February 7, 1990 Maximum Diversion Rate: 0.80 CFS

This is to certify, that **REX E. LANHAM**
848 JACKSON
EMMETT, ID 83617

has applied for a permit to appropriate water from:

WASTE WATER tributary of **PAYETTE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.80 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: NENE Sec. 11, Township 06N, Range 02W
GEM County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06N 02W 11	NENE 3	NWNE 15	LOT 2 (SWNE) 20	
	LOT 3 (SENE) 2			40

Total number of acres irrigated: 40

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **July 1, 1991**.
2. Subject to all prior water rights.
3. Use of water under this permit is subject to control by the watermaster of State Water District No. 65.
4. A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works prior to diversion of water under this permit.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.


This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

4th day of June, 1990.

MICROFILMED

JUN 06 1990

for


R. Keith Higginson, Director

Ident. No. 65-13157

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: REX E. LANHAM 208-344-1971
Address: 848 JACKSON
EMMETT, ID 83617

2. Source: WASTEWATER Trib. to: PAYETTE RIVER

3. Location of Point of Diversion: NENE Sec. 11, Township 06N, Range 02W
GEM County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.800		

5. Total quantity appropriated is:
0.800 CFS (and/or) AF

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
HEADGATE, PUMP, WHEEL LINES AND HAND LINES
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is inches; proposed depth of well is
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:
IRRIGATION

9. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
06N	02W	11	NENE 3	NWNE 15	SWNE 20	
			SENE 2		4.2	40
			4.3			40

Total number of acres irrigated: 40

10. Describe any other water rights used for the same purposes.
NONE

MICROFILMED
JUN 06 1990


11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

THIS SYSTEM EXISTS & HAS BEEN USED SINCE 1960, APPLICANT THOUGHT
THAT ACREAGE WAS COVERED UNDER DECREE, HOWEVER AFTER RESEARCH
ONLY A SMALL AMOUNT IN THE NENE IS COVERED BY A65-078742B AND IS
SEPARATE LAND FROM THIS APPLICATION.

13. Map of proposed point of diversion and place of use attached? [4]

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.


Applicant

Received by Rdh Date 2/7/90 Time _____ Preliminary check by RW
Fee \$ 45.00 Receipted by Rdh # W008494 Date 2/7/90
Publication prepared by GG Date 3-28-90 Published in Messenger-Index
Publication approved st Date 5-4-90
4/5 & 4/12/90

MICROFILMED

JUN 06 1990



SCALE 1:24 000



65-13157

MICROFILMED


JUN 06 1990

WASTEWATER TRUB TO
PHYCITE R.

40 ACRES

These Maps Can Be Obtained

Pr
D



MICROFILMED
JUN 06 1990



SCALE 1:24 000

65-13157

MICROFILMED

WASTE WATER TRUB TO
PLYMOUTH R.

JUN 06 1990

40 ACRES

PA
RI

DIVERSION
NENE SEC 11 6N 2W

APPLICATION FOR PERMIT

These Maps Can Be Obtained
at the Blue Print, Boise Idaho

U.S. GEOLOGICAL SURVEY, MENLO PARK, CALIF. 94025

RECEIVED

APR 13 1990

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
ss.
COUNTY OF GEM,

Esma Reyes, being first
duly sworn, on ^{her} oath deposes and
says that she is the ^{clerk} printer of Mes-
senger-Index, a legal weekly news-
paper published at Emmett, in Gem
County, Idaho; that said newspaper
is in general circulation in said
county and has been published unin-
terruptedly and continuously for
more than 78 weeks prior to the
first publication of the annexed
document; and that the document
notice, process, or advertisement
hereunto annexed was published in
the regular edition of Messenger-
Index for Two

consecutive weekly issues thereof,
beginning with the issue of
April 4, 1990,
and ending with the issue of
April 11, 1990

Esma Reyes
Subscribed and sworn to before me
this 11th day of
April, 1990
Mary Ann Hanson
Notary Public,
Residing at Emmett, Idaho.

My Commission Expires 3-21-95

MICROFILMED

JUN 06 1990

NOTICE OF APPLIC
FOR WATER RIG.

The Following application(s)
have been filed to appropriate
the public waters of the State of
Idaho:

65-13110
CHURCH OF JESUS CHRIST
OF LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversión Pt: SWSEW Sec 36
T 07N R 03W
Use: IRRIGATION (.090 CFS)
HEATING (.200 CFS)
COOLING (.200 CFS)
Total Diversión: (.200 CFS)
Date Filed: 12/5/1989
In: T06N R03W S01 Lot 3
(NENW)
T07N R03W S36 SESW
3.0 ACRES TOTAL

65-13154
SUTTON, ALLEN L.
P.O. BOX 26
OLA, ID 83657
Source: SQUAW CREEK
Tributary: PAYETTE RIVER
Diversión Pt: NWSW Sec 12 T
10N R 01E
Use: IRRIGATION (.400 CFS)
Total Diversión: (.400 CFS)
Date Filed: 2/5/1990
In: T10N R01E S23 NWNE
SWNE NENW SENW
20.0 ACRES TOTAL

65-13157
LANHAM, REX E.
848 JACKSON
EMMETT, ID 83617
Source: WASTE WATER
Tributary: PAYETTE RIVER
Diversión Pt: NENE Sec 11 T
06N R 02W
Use: IRRIGATION (.800 CFS)
Total Diversión: (.800 CFS)
Date Filed: 2/7/1990
In: T06N R02W S11 NENE
NWNE Lot 2 (SWNE) Lot 3
(SENW)
40.0 ACRES TOTAL

65-13165
WOODIE, RONALD
WOODIE, JUDITH
P.O. BOX 785
EMMETT, ID 83617
Source: SPRING
Tributary: HAW CREEK
Diversión Pt: SWSEW Sec 3
T 07N R 01W
Use: STOCKWATER (.070 CFS)
Total Diversión: (.070 CFS)
Date Filed: 2/9/1990
In: T07N R01W S03 SENW

65-13168
KRAFT, DALLAS G.
KRAFT, SUSAN J.
7191 BILL BURNS RD.
EMMETT, ID 83617
Source: SPRING
Tributary: PAYETTE RIVER
Diversión Pt: NENWNW Sec 18
T 06N R 02W
Use: STOCKWATER (.040 CFS)
Total Diversión: (.040 CFS)
Date Filed: 2/13/1990
In: T06N R02W S18 NWNW

65-13169
CARLOCK, CARROLL
P.O. BOX 60
OLA, ID 83657
Source: SPRINGS
Tributary: SQUAW CREEK
Diversión Pt: SWNESW Sec 3
T 11N R 01E
SESEW Sec 3 T 11N R 01E
SENWSW Sec 26 T 12N R 01E
NENWNE Sec 34 T 12N R 01E
Use: STOCKWATER (.070 CFS)
Total Diversión: (.070 CFS)
Date Filed: 2/13/1990
In: T11N R01E S03 NESW
SESW NWSE
T12N R01E S26 NWSW

S34 NWNE

65-13170
CUNNINGHAM, MARILYN
P.O. BOX 59
OLA, ID 83657
Source: UNNAMED STREAM
Tributary: SQUAW CREEK, SE-
COND FORK
Diversión Pt: SENW Sec 6 T
11N R 02E
Use: STOCKWATER (.020 CFS)
STOCKWATER STORAGE (1.15
AF)
STOCKWATER FROM
STORAGE (1.15 AF)
Total Diversión: (.020 CFS) (1.15
AF)
Date Filed: 2/20/1990
In: T11N R02E S06 SENW

65-13171
CARLOCK, CARROLL
P.O. BOX 60
OLA, ID 83657
Source: SPRING
Tributary: LITTLE SQUAW
CREEK
Source: SPRINGS
Tributary: SQUAW CREEK
Diversión Pt: NENESW Sec 1
T 09N R 01E
NENWNE Sec 34 T 10N R 01E
NESWNE Sec 35 T 10N R 01E
Use: STOCKWATER (.070 CFS)
Total Diversión: (.070 CFS)
Date Filed: 2/13/1990
In: T09N R01E S01 NESW
T10N R01E S34 NWNE
S35 SWNE

65-13172
HILL, EVERRETT D.
5033 HWY. 52
EMMETT, ID 83617
Source: GROUNDWATER
Diversión Pt: NESE Sec 8 T
06N R 02W
Use: DOMESTIC (.040 CFS)
COMMERCIAL (.020 CFS)
STOCKWATER (.020 CFS)
Total Diversión: (.040 CFS)
Date Filed: 2/14/1990
In: T06N R02W S08 NESE

65-13199
MC CAULOU, MURRY RAY
MC CAULOU, ARLEEN
P.O. BOX 53
OLA, ID 83657
Source: SPRING
Tributary: SINKS
Diversión Pt: NWNWSW Sec
10 T 08N R 01E
Use: STOCKWATER (.020 CFS)
DOMESTIC (.020 CFS)
Total Diversión: (.040 CFS)
Date Filed: 2/14/1990
In: T08N R01E S10 SESW

65-13201
HUNTER, R.J.
HUNTER, MAE B.
BOX 98
EMMETT, ID 83617
Source: SPRINGS
Tributary: HAW CREEK
Diversión Pt: NESWNW Sec 16
T 07N R 01W
SESWNW Sec 16 T 07N R 01W
Use: STOCKWATER (.050 CFS)
Total Diversión: (.050 CFS)
Date Filed: 2/12/1990
In: T07N R01W S16 SWNW

65-13203
REINIG, DARRELL R.
9675 N. HWY. 52
HORSESHOE BEND, ID 83629
Source: PAYETTE RIVER
Tributary: SNAKE RIVER
Diversión Pt: SWSE Sec 15 T
07N R 01E
Use: IRRIGATION (.120 CFS)
STOCKWATER (.020 CFS)
Total Diversión: (.140 CFS)
Date Filed: 2/13/1990
In: T07N R01E S15 Lot 2
(SWSE)
6.0 ACRES TOTAL

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources,
Western Region, 2735 Airport
Way, Boise, Idaho, 83705 on or
before APRIL 23, 1990.
R. KEITH HIGGINSON,
Director

Pub.: 4-4,11-90
Legal Notice No. 754
Pub. in the Messenger Index

**STARTING
RIGHT
SIDE OF
FILE**

RECEIVED
OCT 20 1999
DEPARTMENT OF WATER RESOURCES

A. GENERAL INFORMATION

Permit No. 65-13157

1. Owner: Rex Lanham Phone No. 344-1971

Current Address: 848 Jackson, Emmett ID 83617

2. Accompanied by: Rex EXAM DATE : 9/15/1999

Address: same **Phone No.** _____

Relationship to Permit Holder: owner

3. Source: Waste water tributary to Payette River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

[illegible]

2. Place(s) of Use:

Indicate Method of Determination same as above

[illegible]

3. **Delivery System Diagram:** Include all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

SEE ATTACHED SHEET.

Y Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Y Aerial Photo Attached (required for irrigation of 10+ acres).

Y Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1		10		Imperial	2-DEOU
#2		7.5		Berkely	7582412
#3	John Deer	94		Berkely	737748

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure Gage						

2. **Measurements:** The average pressure measured from 20 sprinklers throughout system was 20-25 psi. The sprinkler nozzels were mixed Nelsons with an average rating of 3.5 gpm/nozzles. System consisted of 138 nozzles.

E. NARRATIVE/REMARKS/COMMENTS

A 10 hp and a 7.5 hp electric pumps along with a tractor engine-driven pump supply waste water to the property via wheel and handline sprinklers. Applicant collects waste water from upper fields North of the Payette River and can either use the water for irrigation or direct directly to the River. 50 acres were found at the time of the exam, however permit limits recommendations to 40 acres. The wheel lines used 60 nozzles and the handlines used 78 nozzles. With all three pumps operating, pressure was measured at 20-25 psi throughout the system. Applicant filed application 65-13896 for the remaining 10 acres and system capacity. Payette River irrigation right A65-08742B recommended in SRBA appears to cover

2 acres North of the 5 acres recommended in the NENE. 65-08745 was not claimed in the SRBA. 65-05311 is for irrigation from the Payette River for separate acres. No other rights are used.

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

Measured Method:

____ Additional Computation Sheets Attached

$$138 \text{ nozzles} \times 3.5 = 483 \text{ gpm} = 1.08 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 40 \times 4.5 = 180$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .8 \times 246 \times 1.9835 = 390.4$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 180$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
Irrigation	3/15	11/15	.80	180
Totals:			.80	180

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATION


Field Examiner's Name Loi Graven Date 9/17/99

Reviewer _____ Date _____

SEAL

49.3 acres irrigated per 1999 CFSA
updated photo (rounded up to 50)
40 acres covered on 65-13157 (Permit)
10 acres covered on 65-13896 (Appl)





T859
N


T430

T1083

T1084

T1173

49.3
Per CFSA
1999







Pump 1 10 HP


Pump 2 7.5 HP



Pump 3
Tractor
Driven



waste water
collection
area in
NENE





- Beginning of buried
mainline system

P/u -



REX E. LANHAM
848 JACKSON
EMMETT ID 83617

May 19, 1992

RE: Water Right No. 65-13157

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

September 4, 1991

REX E. LANHAM
848 JACKSON
EMMETT ID 83617

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13157

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a measuring device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the measuring device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Nina Shields
Secretary/Records Manager

c: IDWR - Region

RECEIVED

OCT 01 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 65-13157

Date 8-12-91

GENERAL CONSIDERATIONS

☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☐ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
☒ Drill permit req'd?
☐ Copy in file? Drill permit no. _____
☐ Amt paid for drilling permit? _____ Correct?
☐ Well log in file?

LICENSE EXAMINATION FEE

☒ Required?
100.00 Amount submitted?
☒ Correct amount?

MEASURING DEVICE

Yes Measuring device or access port required?
No Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

needs meas. & probe

PRIORITY CALCULATION

Date proof received

July 11, 1991 192

Date proof due

July 1, 1991 - 182

No. of days late

= 10

Priority date

Feb 7, 1990 + 38

NEW PRIORITY DATE

Feb 17, 1990 = 48

LB
9-9-91

July 5, 1991

REX E. LANHAM
848 JACKSON
EMMETT, ID 83617

LAPSE NOTICE

RE: PERMIT NO. 65-13157

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated April 30, 1991. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

RECEIVED

OCT 01 1991

CERTIFICATION OF MAILING

I hereby certify that on 7-8-91
~~a copy~~/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

[Handwritten signature]

138491

April 30, 1991

REX E. LANHAM
848 JACKSON
EMMETT, ID 83617

PROOF DUE NOTICE

RE: PERMIT NO. 65-13157

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

OCT 01 1991

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 4, 1990

REX E. LANHAM
848 JACKSON
EMMETT, ID 83617

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P65-13157

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device and lockable controlling works that will enable the watermaster to control the rate of diversion.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECORDED

JUN 06 1990

65-13157

LANHAM, REX E.
848 JACKSON
EMMETT, ID 83617

Source: WASTE WATER

Tributary: PAYETTE RIVER

Diversion Pt: NENE Sec 11 T 06N R 02W

Use: IRRIGATION (.800 CFS)
Total Diversion: (.800 CFS)

Date Filed: 2/ 7/ 1990

In: T06N R02W S11 NENE NWNE Lot 2 (SWNE) Lot 3 (SENE)
40.0 ACRES TOTAL

RECORDED
INDEXED

JUN 0 6 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RW DATE: 3/15/90 APPLICATION: 65-13157

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume) Gov't. Lots: N P/D
☒ Period of use: 2,3 P/U
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

- ☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☐ ☒ Overlapping point of diversion:
☐ ☐ Field check required: Field check by: _____
☐ ☐ Field report attached:
☐ ☐ Critical groundwater area:
☐ ☐ Groundwater management area:
☐ ☐ Send dam safety information:
☐ ☐ Send power requirement letter:
☐ ☐ Send fish farm requirement letter:
☐ ☐ Power residency affidavit:
☐ ☐ Power efficiency form:
☐ ☐ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ ☐ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side:

* ☒ ☐ # Unable to read Govt. lot plat Looks like Lots 2 (SUNE) & Lot 3 (SE NW)

MAY 18 1990

Department of Water Resources

PROCESSING

YES NO

X X
X X

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

✓
✓

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest April 23, 1990

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, DNR

Measuring device required:

Measuring port required:

Water delivered by water master? District # 65, Payette R.

Special conditions of approval or cover letter:

016, 05 (65, Payette R.)

See below for additional information

Recommended Date or Priority 2/7/1990

Recommended by: DNR

Date 5/14/1990

STATE OFFICE REVIEW

P08, P16

05(65) 01J

See below for additional information. By kw

Date 5-24-90

ADDITIONAL INFORMATION

p/n overlap water from different source
(wastewater)