

RECEIVED

FORM 202 Rev. 07/14

OCT 05 2016
WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

Ident. No.

63-34300

1. Name of applicant(s) James M. and/or Patricia O. Prochaska Phone 208-861-2341
 Name connector (check one): ☐ and ☐ or ☐ and/or
 Mailing address 2304 Ribier Dr., Meridian, ID 83642 Email jpiam@live.com
2. Name of representative, if any SPF Water Engineering Phone 208-383-4140
 Mailing address 300 E. Mallard Dr., Ste 350, Boise, ID 83706 Email lgraves@spfwater.com
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☒ Send original correspondence to the applicant and copies to the representative.
- b. ☒ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation providing authority to sign for the applicant.
3. Source of water supply Ground Water which is a tributary of _____
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
4N	1W	23		SW	SW	NE	Ada	Ground Water	D0073096

5. Water will be used for the following purposes:
- Amount 0.09 cfs for Irrigation purposes from 3/1 to 11/15 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) 0.09 cubic feet per second (cfs) and/or (b) _____ acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. Existing well, pump, pressurized irrigation
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No
- c. Proposed well diameter is 8 inches; proposed depth of well is 262 feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
- e. If well is already drilled, when? 9/10/2016; drilling firm Nu Acre;
 well was drilled for (well owner) Applicant; Drilling Permit No. 974041-88098

Received by CS Date 10/5/16 Time 11:30 Preliminary check by AS
 Fee \$ 100.00 Received by CS Receipt No. W044608 Date 10/5/16

63-34300

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in kW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; must complete and attach the [Municipal Water Right Application Checklist](#).
- d. Domestic; show number of households _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	1W	23			3														3

Total number of acres to be irrigated: 3

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? Water right 63-18796 for domestic use from the same well and Settlers Irrigation District water, which is unreliable since applicant is located on the end of the Settler's ditch.

11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. The original well has been abandoned and replaced with a new well that is 262 feet deep and constructed with a 222 foot surface seal. Water bearing zone to be appropriated is from 222 to 262 feet. Place of use is also known as Lot 12, Almaden Subdivision.

13. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).

14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.


Signature of Applicant
J. M. Prochaska
Print Name (and title, if applicable)

Signature of Applicant

Print Name (and title, if applicable)



63-34900

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

1. WELL TAG NO. D 0073096

Drilling Permit No. 974041-880098

Water right or injection well #

2. OWNER:

Name James Prochaska

Address 2304 W Ribier

City Meridian State ID Zip 83646

3. WELL LOCATION:

Twp. 4 North ☒ or South ☐ Rge. 1 East ☐ or West ☒
Sec. 23 10 acres 1/4 S/W 40 acres 1/4 N/E 160 acres 1/4

Gov't Lot County Ada

Lat. 43 ° 40.277 (Deg. and Decimal minutes)

Long. 116 ° 25.392 (Deg. and Decimal minutes)

Address of Well Site 2304 W Ribier

City Meridian

(Give at least name of road + Distance to Road or Landmark)

Lot. Blk. Sub. Name

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation ☐ Thermal ☐ Injection
☐ Other

5. TYPE OF WORK:

☒ New well ☐ Replacement well ☐ Modify existing well
☐ Abandonment ☐ Other

6. DRILL METHOD:

☐ Air Rotary ☒ Mud Rotary ☐ Cable ☐ Other

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method/procedure
3/4 bentonite	0	222	11,250lbs	pour from surface

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/Schedule	Material	Casing	Liner	Threaded	Welded
8	+1.5	18	.250	steel	☒	☐	☒	☐
8	18	238	sdr17	pvc	☒	☐	☒	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s)

9. PERFORATIONS/SCREENS:

Perforations ☐ Y ☒ N MethodManufactured screen ☒ Y ☐ N Type 25 slot Johnson V wire

Method of installation direct attach with stainless taper & bottom

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule
241	261	25		6"	stainless	.250

Length of Headpipe N/A Length of Tailpipe 1/4" stainless

Packer ☐ Y ☒ N Type

10. FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method
8/12 Colorado	222	262	2,700LBS	pour from surfac
8/16 Oregon	262	291	3,000ish lbs	pour from surfac

11. FLOWING ARTESIAN:

Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG)

Describe control device

12. STATIC WATER LEVEL and WELL TESTS:

Depth first water encountered (ft) 50 Static water level (ft) 32

Water temp. (°F) 58ish Bottom hole temp. (°F) cold

Describe access port removable well cap

Well test:

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)	Pump	Bailer	Air	Flowing artesian
261	100+	120	☐	☐	☒	☐
			☐	☐	☐	☐

Test method:

Water quality test or comments:

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water	
				Y	N
14.75	0	2	topsoil		X
	2	6	clay		X
	6	30	gravel		X
	30	50	brown sticky clay		X
	50	96	sand with a few thin clay layers	X	
	96	148	brown clay		X
	148	154	sand	X	
	154	162	clay		X
	162	170	sand	X	
	170	191	clay		X
	191	197	sand	X	
	197	200	clay		X
	200	209	sand	X	
	209	213	clay		X
	213	218	sand	X	
	218	226	clay		X
	226	239	sand	X	
14.75	239	243	tan clay		X
12.25	243	246	sand	X	
	246	249	tan clay		X
	249	254	sand	X	
	254	257	sand with a little clay mixed	X	
	257	276	tan clay		X
	276	281	sand had some red color	X	
12.25	281	291	clay with thin sand streaks 8" or less		X

Completed Depth (Measurable): 261

Date Started: Sep 6, 2016

Date Completed: Sep 10, 2016

14. DRILLER'S CERTIFICATION:

I/we certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Nu Acre Drilling LLC

Co. No. 701

*Principal Driller *Paul M. Geron* Date Sep 11, 2016

*Driller Date

*Operator II Date

Operator I Date

* Signature of Principal Driller and rig operator are required.



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

December 8, 2016

JAMES M PROCHASKA
PATRICIA O PROCHASKA
2304 RIBIER DR
MERIDIAN, ID 83642

Application for Permit No. 63-34300

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the IDAHO STATESMAN on 12/15/2016 and 12/22/2016. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Rachel Neely
Administrative Assistant

CC:
SPF WATER ENGINEERING LLC
C/O LORI GRAVES
300 E MALLARD DR STE 350
BOISE, ID 83706

Neely, Rachel

From: Neely, Rachel
Sent: Thursday, December 08, 2016 2:00 PM
To: 'BOI Legals'
Subject: Ada Legal Ads
Attachments: Ada Cover Letter.docx; Ada Legal Ad.docx

PLEASE NOTE THAT 63-34242 ZWJ PROPERTIES HAS ALREADY BEEN ADVERTISED AND DUE TO NEWSPAPER ERROR WILL NEED TO BE RE-ADVERTISED.

PLEASE DO NOT CHARGE THE DEPARTMENT FOR THIS PUBLICATION.

Thank you!

Good Afternoon Legal Clerk,

Please see the attached ads for publication on 12/15/2016 & 12/22/2016.

Please confirm these are okay to publish as shown.

Thank you,

Rachel Neely

Administrative Assistant I
IDWR-Western Region
2735 Airport Way Boise, ID 83705
Rachel.Neely@idwr.idaho.gov

December 8, 2016

LEGAL NOTICE DEPARTMENT
IDAHO STATESMAN
PO BOX 40
BOISE, ID 83707

RE: Application for Permit No. 63-34300
 Application for Permit No. 63-34242
 Application for Transfer No. 80626
 Application for Transfer No. 80941
 Application to Amend Permit No: 63-32680
 Application to Amend Permit No. 63-33207
 Application to Amend Permit No. 63-33296
 Application to Amend Permit No. 63-34038

Dear Legal Notice Department:

Please publish the enclosed legal notices on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notices on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 1/2/2017. Your cooperation is appreciated.

Sincerely,

Rachel Neely
Administrative Assistant

Enclosure(s)

The following applications have been filed to appropriate the public waters of the State of Idaho:

63-34300

JAMES M PROCHASKA
PATRICIA O PROCHASKA
2304 RIBIER DR
MERIDIAN, ID 83642

Point of Diversion SWSWNE S23 T04N R01W ADA County Source GROUND WATER

Use: IRRIGATION 03/01 to 11/15 0.09 CFS

Total Diversion: 0.09 CFS

Date Filed: 10/5/2016

Place of Use: IRRIGATION

T04N R01W S23 SWNE

Total Acres: 3

Water bearing zone to be appropriated is from 222 to 262 feet.

63-34242

ZWJ PROPERTIES LLC
333 ROSSI ST STE 200
BOISE, ID 83706

Point of Diversion NESW S27 T04N R02E ADA County Source GROUND WATER

Use: IRRIGATION 03/01 to 11/15 0.16 CFS

Total Diversion: 0.16 CFS

Date Filed: 6/3/2016

Place of Use: IRRIGATION

T04N R02E S27 NESW SESW

Total Acres: 35

Water bearing zone to be appropriated is from 200 to 600 feet.

Applicant proposes to irrigate 8.0 acres within a 35.0 acre permissible place of use.

NOTICE OF PROPOSED CHANGE OF WATER RIGHT

TRANSFER NO. 80626

CITY OF BOISE, 150 N CAPITAL BLVD PO BOX 500, BOISE, ID 83701; has filed Application No. 80626 for changes to the following water rights within ADA County(s): Right No(s). 63-12461, 63-12470, 63-3013, 63-3014, 63-7005B, 63-7042B, 63-7047, 63-7053, 63-7055A, 63-7055C, 63-7055D, 63-7064A, 63-7064B, 63-7078B, 63-7755B, 63-8130B, 63-8435, 63-9243, 63-9359; to see a full description of these rights and the proposed transfer, please see www.idwr.idaho.gov/apps/wr/QueryNewTransfers/QueryNewTransfers.aspx. The City of Boise proposes to change the place of use of their 19 water rights so that each water right has the same permissible place of use. Each of the 19 water rights share 12 wells as points of diversion. The place of use is at Twenty-Mile South Farm 15 kilometers southeast of Kuna, ID south of Poen Rd between Cloverdale Rd and Cole Rd.

NOTICE OF PROPOSED CHANGE OF WATER RIGHT

TRANSFER NO. 80941

INDEPENDENT SCHOOL DISTRICT OF BOISE CITY, 8169 W VICTORY RD, BOISE, ID 83709; has filed Application No. 80941 for changes to the following water rights within ADA County(s): Right No(s). 63-29435, 63-7195; to see a full description of these rights and the proposed transfer, please see www.idwr.idaho.gov/apps/wr/QueryNewTransfers/QueryNewTransfers.aspx. The transfer application proposes to move 5 acres authorized for irrigation under water rights no. 63-7195 and 63-29435 to a new place of use. The new place of use is the Mountain View Elementary School located near the intersection of N Cole Rd and Ustick Rd Boise, Idaho. This transfer will allow the School District to irrigate at the site when surface water from Nampa Meridian Irrigation District is not available. The proposed point of diversion is a groundwater well owned by the City of Boise used to irrigate Mountain View Park.

PROPOSED AMENDMENT OF WATER PERMIT

CS Property Development LLC of PO BOX 27 Boise ID 83707 filed Application No. 81183 on 08/07/16 to amend water permit no. 63-32680 with a priority date of 05/22/2007 authorizing groundwater use totaling 5.22 cfs for irrigation use. The permit provides irrigation water to property located approximately 20 kilometers south of Boise, ID along S. Cole Rd. The site is south of the Kuna Mora Rd between Pleasant Valley Rd to the east and S. Cloverdale Rd to the west. The applicant proposes to amend the permit changing the place of use. The change to the permit will create an expanded place of use for the irrigation use of water. The same changes have been proposed for all the permits held by CS Property Development LLC that authorize the same use at the project site.

PROPOSED AMENDMENT OF WATER PERMIT

CS Property Development LLC of PO BOX 27 Boise ID 83707 filed Application No. 81186 on 08/07/16 to amend water permit no. 63-33207 with a priority date of 03/24/2010 authorizing groundwater use totaling 3.0 cfs for industrial use. The permit provides industrial water to property located approximately 20 kilometers south of Boise, ID along S. Cole Rd. The site is south of the Kuna Mora Rd between Pleasant Valley Rd to the east and S. Cloverdale Rd to the west. The applicant proposes to amend the permit changing the place of use. The change to the permit will create an expanded place of use for the industrial use of water. The same changes have been proposed for all the permits held by CS Property Development LLC that authorize the same use at the project site.

PROPOSED AMENDMENT OF WATER PERMIT

CS Property Development LLC of PO BOX 27 Boise ID 83707 filed Application No. 81184 on 08/07/16 to amend water permit no. 63-33296 with a priority date of 11/06/2009 authorizing groundwater use totaling 10.46 cfs for irrigation use. The permit provides irrigation water to property located approximately 20 kilometers south of Boise, ID along S. Cole Rd. The site is south of the Kuna Mora Rd between Pleasant Valley Rd to the east and S. Cloverdale Rd to the west. The applicant proposes to amend the permit changing the place of use. The change to the permit will create an expanded place of use for the irrigation use of water. The same changes have been proposed for all the permits held by CS Property Development LLC that authorize the same use at the project site.

PROPOSED AMENDMENT OF WATER PERMIT

CS Property Development LLC of PO BOX 27 Boise ID 83707 filed Application No. 81185 on 08/07/16 to amend water permit no. 63-34038 with a priority date of 06/26/2015 authorizing groundwater use totaling 4.0 cfs for irrigation and industrial use. The permit provides irrigation and industrial water to property located approximately 20 kilometers south of Boise, ID along S. Cole Rd. The site is south of the Kuna Mora Rd between Pleasant Valley Rd to the east and S. Cloverdale Rd to the west. The applicant proposes to amend the permit changing the place of use for both irrigation and industrial uses. The changes to the permit will create an expanded place of use for both irrigation and industrial uses of water. The same changes have been proposed for all the permits held by CS Property Development LLC at the project site.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Western Region office at (208) 334-2190; or for a full description of the right(s), proposed transfer(s), or amendment(s) please see www.idwr.idaho.gov/WaterManagement/WaterRights. Protests may be submitted based on the criteria of Idaho Code §§ 42-203A, 42-222 and 42-211. Any protest against the approval of the application(s) must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, ID 83705 together with a protest fee of \$25.00 for each application on or before 1/2/2017. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 12/15/2016 and 12/22/2016

MEMORANDUM

Date: December 05, 2016
To: Water Right File 63-34300
From: jshearer
Re: Well Upgrade Fee

Well construction fee upgrade received 11/25/16. Payment amount \$125.00. Receipt No. W044805



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region • 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

November 17, 2016

James M. and/or Patricia O. Prochaska
2304 Ribier Dr.,
Meridian, ID 83642

COPY

Re: Water Right Application 63-34300 and Well Drilling Fee Upgrade

Dear Applicant:

Your recent water right application proposes ground water use from a well. All wells drilled in Idaho after June 30, 1987, require well drilling permits. A well might need a water right along with the drilling permit, depending on the intended use of the well.

According to the records of Idaho Department of Water Resources (IDWR), your well was drilled in 2016 under a \$75 domestic well drilling permit. A \$75 drilling permit covers a well that does not require water right approval from IDWR. This is typically a single-family domestic well.

Proposed use from your well does require water right approval, and your water right application seeks that approval. The well drilling fee for a well requiring a water right is \$200 instead of \$75. Per Well Construction Standards Rules (IDAPA 37.03.09.045.05.b), IDWR must collect the unpaid balance of \$125 for a well drilled under those circumstances.

Please remit \$125 to upgrade your well drilling permit within the next thirty days to facilitate processing of your water right application.

IDWR forms and other information are available on the Internet at www.idwr.idaho.gov. Please contact me at 208-334-2190 if you have any questions. Thank you for your attention to this matter.

Sincerely,

Justin Shearer
Idaho Department of Water Resources
Water Resource Agent



SPF WATER
ENGINEERING

October 3, 2016

RECEIVED

OCT 05 2016

WATER RESOURCES
WESTERN REGION

Angie Grimm
IDWR Western Region Office
2735 Airport Way
Boise, ID 83705

Subject: Application for Permit

Dear Angie,

Enclosed on behalf of James and Patricia Prochaska, is an *Application for Permit* seeking to divert ground water from an existing well for irrigation use. This application replaces and incomplete application submitted September 12, 2016 (please see attached letter from your office).

Check No. 010919 for \$100 is enclosed for the filing fee. Thank you very much for your consideration and assistance in this matter. Please call me if you have any questions.

Sincerely,

Lori Graves
Water Rights Specialist

Cc: Jim Prochaska

Enclosures

SPF file number: 1302.0010



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: www.idwr.idaho.gov

September 21, 2016

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

JAMES PROCHASKA
PATRICIA PROCHASKA
2304 W RIBIER DR
MERIDIAN ID 83646

Re: Water Right Application Incomplete – Returned

Dear Applicant:

This office received your application on September 12, 2016. The application cannot be accepted into the records of the Idaho Department of Water Resources (IDWR) until the following items are addressed:

- **Section 5-** The purpose of your water use is not identified. According to Section 9 it looks as if you are proposing Domestic and Irrigation uses. Please fill out Section 4 completely.
- **Section 8D-** If one of your uses is Domestic please indicate how many households you wish to supply.
- **Section 14-** Map does not identify the legal description. You must include an 8½" x 11" map that clearly identifies the proposed point of diversion, **place of use, section #, township, and range.**
- **The fee was not provided correctly.** If you have made any changes to the rate or the total quantity to be appropriated the application processing fee may have changed. See the enclosed fee schedule and submit a check in the appropriate amount. This application requires a processing fee. The processing fee is based on the total quantity to be appropriated (section 6). See the enclosed fee schedule and submit a check in the appropriate amount.

The original incomplete application is enclosed. Please make the necessary amendments to the original form and re-submit together with payment of the fee within the next thirty (30) days. This letter is an attempt to ensure that your application is complete in order to establish a priority date. You may receive future correspondence regarding more specific details of your application. IDWR forms and other information are available on the Internet at www.idwr.idaho.gov. Please consult the IDWR website or contact this office at (208)334-2190 and ask for the "office day person" if you have any questions about the necessary information or fee.

Sincerely,

Western Region Water Rights Staff
Enclosure: Original Application
Fee Schedule

RECEIVED

FORM 202 Rev. 07/16

SEP 12 2016

WATER RESOURCES
WESTERN REGION

COPY

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Ident. No. _____

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant(s) JAMES & PATRICIA PROCHASKA Phone 208-861-2341
 Name connector (check one): ☐ and ☐ or ☐ and/or ☐ Mailing address 2304 W. RIBIER DR., MERIDIAN ID 83646 Email jpiam@live.com
2. Name of representative, if any _____ Phone _____
 Mailing address _____ Email _____
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☐ Send original correspondence to the applicant and copies to the representative.
- b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation providing authority to sign for the applicant.
3. Source of water supply GROUND WATER which is a tributary of _____
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
4N	1W	23			SW	NE	ADA	GROUND WATER	D0073096

5. Water will be used for the following purposes:

Amount .06 for _____ purposes from Mar 1 to Nov 15 (both dates inclusive)
 (cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)

6. Total quantity to be appropriated is (a)
- .06
- cubic feet per second (cfs) and/or (b) _____ acre-feet per year (af).

7. Proposed diverting works:

- a. Describe type and size of devices used to divert water from the source. ground water well
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No
- c. Proposed well diameter is 8" inches; proposed depth of well is over 200 feet. (250 - 300)
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
- e. If well is already drilled, when? _____; drilling firm _____
 well was drilled for (well owner) _____; Drilling Permit No. _____

For Department Use

Received by ds Date 9/12/16 Time 1:10 Preliminary check by _____

Fee \$ _____ Received by _____ Receipt No. _____ Date _____

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in kW. _____
 - Stockwatering; list number and kind of livestock. _____
 - Municipal; must complete and attach the Municipal Water Right Application Checklist.
 - Domestic; show number of households _____
 - Other; describe fully. _____
9. Description of place of use:
- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 - If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	1W	23			X														.06
					D														

Total number of acres to be irrigated: 2

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? None
11. a. Who owns the property at the point of diversion? SAME
b. Who owns the land to be irrigated or place of use? SAME
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: N/A
12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. Well from 1981 "collapsed" 9/1/16 - was 150 Feet Drilling now well 20 feet from old one same size with 2 pumps one for house other for existing landscape
13. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).
14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

[Signature]
Signature of Applicant
J. M. PROCHASKA
Print Name (and title, if applicable)

[Signature]
Signature of Applicant
Patricia O. Prochaska
Print Name (and title, if applicable)

Done

10 of 10 Irrigate inside
"Circle" less
asphalt

