

RECEIVED

OCT 25 2016

81269

Ident. No. 95-17225

IDWR / NORTH

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

1. Name of applicant(s) BRIAN G. JONES KAREN A JONES Phone 208-765-1492
Name connector (check one) ☐ and ☐ or ☒ and/or
Mailing address 3633 N. STEVEN PL. City COEUR D'ALENE
State ID Zip 83815 Email KCELEBRATE JC @ GMAIL.COM
2. Source of water supply Ground water which is a tributary of _____
3. Location of point(s) of diversion:

TWP	RGE	SEC	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
53N	03W	12			SE	NW	Kootenai	Ground water	00061833

4. Water will be used for the following purposes:
Amount .04 for DOMESTIC purposes from 01-01 to 12-31 (both dates inclusive)
(cfs or acre-feet per year)
Amount .02 for STOCK WATER purposes from 01-01 to 12-31 (both dates inclusive)
(cfs or acre-feet per year)
Amount _____ for IRRIGATION purposes from 04-01 to 10-31 (both dates inclusive)
(cfs or acre-feet per year)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
5. Total quantity to be appropriated is (a) .06 cubic feet per second (cfs) and/or (b) _____ acre feet per year (af).
6. Proposed diverting works:
a. Describe type and size of devices used to divert water from the source. DRILLED WELL TAG.# 00061833
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 11. For dams 10 feet or more in height OR reservoirs with a total storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
e. If well is already drilled, when? 2013; drilling firm UNITED DRILLING INC.; well was drilled for (well owner) yes; Drilling Permit No. 870560
7. Description of proposed uses (if irrigation only, go to item 8):
a. Hydropower; show total feet of head and proposed capacity in kW. _____
b. Stockwatering; list number and kind of livestock. 50 HEAD MIXED STOCK
c. Municipal; complete and attach the Municipal Water Right Application Checklist.
d. Domestic; show number of households 1
e. Other; describe fully. _____

8. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
53N	03W	12								D									
53N	03W	12								S									

Total number of acres to be irrigated: _____

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping?

95-94 44 SILVER LEAF RANCH HOMEOWNERS ASSN.
MUNICIPAL PLACE OF USE

10. a. Who owns the property at the point of diversion? APPLICANTS
- b. Who owns the land to be irrigated or place of use? APPLICANTS
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

CONNECT EXISTING WELL TO HOME/SHOP TO BE
COMPLETED 2017

12. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Brian G. Jones
Signature of Applicant

BRIAN G. JONES
Print Name (and title, if applicable)

Karen A. Jones
Signature of Applicant

KAREN A. JONES
Print Name (and title, if applicable)

For Department Use:

Received by [Signature] Date 10/25/16 Time _____ Preliminary check by _____
Fee \$ 100.00 Received by [Signature] Receipt No. NO32261 Date 10/25/16

10/25/16

BSA

KOOTENAI PIN 53N03W124200

BRIAN G + KAREN A JONES

95-XXXXX HUNES REVOCABLE TRUST APPLICATION FOR PERMIT



ATTACHMENT WELL DRILLER'S REPORT

Location Corrected by IDWR To:

T53N R03W Sec. 12 NWSE

By: nstending 2014-06-03

1. WELL TAG NO. D0061833

DRILLING PERMIT N

Other IDWR No

2. OWNER:Name **Hughes Kirk and Genny**

Address 1997 n circle drive

City Hayden

State ID

Zip 83854

3. LOCATION OF WELL by legal description:

N		Twp 00N North ☒ or South ☐	
Rge 00W East ☐ or West ☒		Sec 01 1/4 1/4 1/4	
Gov't Lot		County Kootenai	
Lat 47:57:29		Long 116:38:41	
Address of Well Site: (see next line)			

HOWARD RD

City athol

Lot

Blk

Sub. Name (see next line)

4. USE:☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other**5. TYPE OF WORK check all that apply** (Replacement etc.)☒ New Well ☐ Modify ☐ Abandonment ☐ Other**6. DRILL METHOD**☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other**7. SEALING PROCEDURES**

SEAL/FILTER PACK			Amount	Method
Material	From	To	Sacks/Lbs	
bentonite	0	24	14 sacks	dry pour

Drive Shoe Used? ☐ Y ☒ N Shoe Depth(s)Drive Shoe Seal Tested? ☐ Y ☒ N How?**8. CASING/LINER**

Diam	From	To	Gauge	Material	Casng	Liner	Weld	Thrded
6	+2	420	0.250	steel	☒	☐	☒	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length Headpipe n/a

Length Tailpipe n/a

9. PERFORATIONS/SCREENS☒ Perforations?

Method air/ per

☐ Screens?

Screen Type

From	To	Slot	Nmbr	Diam	Material	Casng	Liner
380	400	1/8	250	3	steel	☒	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL or ARTESIAN PRESSURE

-367 ft. below ground.

Artesian pressure 0 lb.

Depth flow encountered 367 ft. Describe access port or

control devices: cap welded

11. WELL TESTS:☐ Pump ☐ Bailor ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pump Level	Time
18 gpm	100%	415	2hrs

Water Temp.

cold

Bottom hole temp.

cold

Water Quality test or comments: (below) Depth first Water Encountered 367 clear

12. LITHOLOGIC LOG (Describe repairs or abandonment)

Bore Diam	From	To	Remarks: Lithology, Water Quality and Temperature	Water	
				Y	N
10	0	24	sand gravel cobbles	☐	☒
8	24	125	clean sand gravel	☐	☒
8	125	285	cemented gravel boulders	☐	☒
8	285	378	cemented gravel heavy clay	☐	☒
8	378	384	heavy cobbles clay gravel mix	☒	☐
8	384	397	sand gravel mix heavy clay	☒	☐
8	397	410	rock layer	☐	☒
8	410	425	hard pan sand clay mix	☒	☐

RECEIVED

DEC 11 2013

IDWR / NORTH

Completed Dept

420

(Measurable)

Date: Started

10/14/2013

Completed

10/26/2013

13. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm
Name

United Drilling Inc.

Firm No

414

Firm Official
and*Tim R. Volking*

Date 11/27/2013

Supervisor or Operator Timothy R. Volking

Date 11/27/2013

Ball, Dianne

From: Ball, Dianne
Sent: Tuesday, November 01, 2016 10:25 AM
To: 'Fredericks, Holly'
Cc: Frederick, Adam; Maxey, Shaun; Case, Morgan
Subject: Application for Permit No. 95-17219, 95-17223, 95-17225, 95-17227
Attachments: LegalNotice 11-01-16 CDA e-mail 95-17219, 17223, 17225, 17227.doc

Good morning, Holly,

Please publish the enclosed legal notice in the Coeur d'Alene Press on the dates indicated, November 3 and 10, 2015, (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

This should be real close to press ready – for 2-column, 8pt, Century Old Style font. Maybe close enough for copy and paste, with minimal modification.

Please note the area(s) under **USE** containing dates and water amounts that are offset and lined up. Our legal should appear in this format.

Please also send a proof/preview copy for my review before this actually goes to press.

If you have any questions, please contact me as early as possible.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 11/21/2016 9:33:06 AM. Your help in this area is greatly appreciated.

Holly, it is really a pleasure working with you. You are a wonderful help. Thanks.

Dianne Ball

Administrative Assistant
Idaho Department of Water Resources
7600 N Mineral Dr., Ste. 100
Coeur d'Alene, ID 83815
208-762-2800 Fax 208-762-2819

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-17219

DUDLEY H MAYO
1103 W 21ST
SPOKANE, WA 99203
Point of Diversion L2(NWSW) S32 T50N R03W KOOTENAI CO
Source COEUR D ALENE LAKE tributary SPOKANE RIVER
Use: DOMESTIC 01/01 to 12/31 0.04 CFS
Total Diversion: 0.04 CFS
Date Filed: 10/13/2016
Place of Use: DOMESTIC T50N R03W S32 L2(NWSW)
Domestic use is for 1 home with up to 1/2 acre irrigation.

95-17223

VICTOR & LORRAINE GABRIEL REVOCABLE TRUST
C /O VICTOR GABRIEL OR LORRAINE GABRIEL
9323 N GOVERNMENT WAY # 283
HAYDEN, ID 83835
Point of Diversion L2(SWNW) S30 T53N R03W KOOTENAI CO
Source GROUND WATER
Use: DOMESTIC 01/01 to 12/31 0.04 CFS
Total Diversion: 0.04 CFS
Date Filed: 10/20/2016
Place of Use: DOMESTIC T53N R03W S30 L2(SWNW)
Domestic use is for 1 home

95-17225

BRIAN G JONES
KAREN A JONES
3633 N STEVEN PL
COEUR D ALENE, ID 83815
Point of Diversion SENW S12 T53N R03W KOOTENAI CO
Source GROUND WATER
Use: DOMESTIC 01/01 to 12/31 0.04 CFS
Use: STOCKWATER 01/01 to 12/31 0.02 CFS
Total Diversion: 0.06 CFS
Date Filed: 10/25/2016
Place of Use: DOMESTIC T53N R03W S12 SENW
Place of Use: STOCKWATER same as DOMESTIC
Domestic use for 1 home.
Stockwater use for 50 head of mixed stock

95-17227

GEORGE DULEBOHN
JAQUI DULEBOHN
5535 S COTTONTAIL CT
COEUR D ALENE, ID 83814
Point of Diversion SWNW S4 T49N R04W KOOTENAI CO
Source GROUND WATER
Use: DOMESTIC 01/01 to 12/31 0.04 CFS
Use: IRRIGATION 03/15 to 11/15 0.09 CFS
Use: STOCKWATER 01/01 to 12/31 0.02 CFS
Total Diversion: 0.15 CFS
Date Filed: 10/28/2016
Place of Use: DOMESTIC T49N R04W S4 SWNW
Place of Use: IRRIGATION T49N R04W S4 SWNW
Place Of Use: STOCKWATER T49N R04W S4 SWNW
Total Acres: 3
Domestic use is for 1 home

Stockwater use is for 6 head of mixed stock.
Permits will be subject to all prior water rights. For additional information concerning the property location, contact Northern Region office at (208) 762-2800; or for a full description of the right(s), please see:

<http://www.idwr.idaho.gov/apps/ExtSearch/WRApplicationResults/>.

Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 Mineral Drive, Suite 100, Coeur D' Alene ID 83815 together with a protest fee of \$25.00 for each application on or before 11/21/2016. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 11/3/2016 and 11/10/2016



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 FAX: (208) 762-2819 www.idwr.idaho.gov

November 1, 2016

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

BRIAN G JONES
KAREN A JONES
3633 N STEVEN PL
COEUR D ALENE, ID 83815

Application For Permit No. 95-17225

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.


A legal notice of the application has been prepared and is scheduled for publication in the COEUR D ALENE PRESS on 11/3/2016 and 11/10/2016. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,


Shaun M Maxey
Senior Water Resource Agent