

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 25-14343
Exam Date: 10/07/2016

1. Current Owner:
ALLAN E KOLBET AND
MATILDA C KOLBET

1254 S SKYLINE DR
IDAHO FALLS ID 83402
(208)522-4182

2. Accompanied by: Field exam was performed alone, with permission from Allan E Kolbet.

3. SOURCE:
SPRING

TRIBUTARY:
SINKS

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 25-14342 (Lapsed)
2. Other water rights with the same point-of-diversion: 25-14342 (Lapsed)

C. DIVERSION AND DELIVERY SYSTEM**1. LOCATION OF POINT(S) OF DIVERSION:**

SPRING SW¼NW¼SE¼ Sec. 7, Twp 03S, Rge 43E, B.M. BONNEVILLE County

Method of Determination:

2. GPS, Aerial Photography; Longitude: -111.459283, Latitude: 43.168863

PLACE OF USE: STOCKWATER

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03S	43E	7														X			

Method of Determination:

3. GPS, Aerial Photography; Longitude: -111.4583, Latitude: 43.168805

Delivery System Diagram Attached (required). Indicate all major components and distances between components.

☒ Indicate weir size/pipe as applicable.

☒ Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be 1:24,000 or greater.

☒ Aerial Photo Attached (required for irrigation of 10+ acres).

☒ Photo of Diversion and System Attached

4. Spring

Well or Diversion ID No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: No measurement taken, permit rate of diversion is < 0.24CFS

E. FLOW CALCULATIONS

Measured Method: No measurement taken

_____ Additional Computation Sheets Attached

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: NA

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \text{NA}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 = \text{NA}$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = \text{NA}$

3. Volume Calculations for Other Uses:

500 Range Cattle x 12 gal/day x 185 days of irrigation season ÷ 325,850 gallons = 3.4 acre-feet

G. NARRATIVE/REMARKS/COMMENTS

The spring is located on the side of the hill NE of the stock trough. A 2 inch pipe transports the water via gravity down the hill to the trough. A structure constructed of wood and rocks is protecting the spring and the start of the pipe from being damaged by wildlife.

Two water right applications, 25-14343 and 25-14342, were submitted by Allan and Matilda Kolbet on 07/14/2011. Water right 25-14342 had a proof due date of 11/01/2012, which lapsed. Water right 25-14343 had a proof due date of 11/01/2016, and was received 09/08/2016.

After talking with Matilda Kolbet, and performing a site visit, it was concluded that water right 25-14342 was never developed. Water right 25-14343 was developed in the location where lapsed permit 25-14342 was supposed to be developed. After speaking with Matilda on 10/13/2016, an amendment of permit for water right 25-14343 is needed to change the location of the POD from the NWNWSE to the SWNWSE.

Point of Diversion is located at: Longitude: -111.459283, Latitude: 43.168863

Place of Use is located at: Longitude: -111.4583, Latitude: 43.168805

Have conditions of permit approval been met? ☒ Yes ☐ No

H. RECOMMENDATIONS

1. Recommended Amounts

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	05/20 to 11/20	0.05 CFS	3.4 AF
	<u>Totals:</u>	0.050 CFS	3.4 AF

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

I. AUTHENTICATION


Field Examiner's Name Cass Jones Date 10/12/16

Reviewer _____ Date _____

State of Idaho
Department of Water Resources
Water Right License
25-14343



-  Point of Diversion
-  Place Of Use Boundary
-  Townships
-  PLS Sections



RECEIVED

SEP 08 2016

Department of Water Resources
Eastern RegionSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY	
Amt. of Fee \$	50.00
Receipt No.	E042435
Received By	AS
Date Received	09-8-16

The Idaho Department of Water Resources considers this form a statement by the permit holder(s) that development of a water right has been completed and that water has been applied to beneficial use to the extent described below. This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner. Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, contact any Department office or visit the Department's website at dwr.idaho.gov for an Assignment of Permit form. If you wish to relinquish your permit because you have not established the authorized use of the water and are not applying for an extension, please notify the Department in writing.

1. Permit No. 25-14343 Telephone No. (208) 390 4180 & 4182
 2. Name of Permit Holder(s) Allan or Matilda Kolbert
 3. Mailing Address 1254 S Skyline Drive City Idaho Falls
 State IA Zip 83402 Email _____
 4. Source of Water Spring If GROUND WATER (well), Date Drilled mo. ____ / yr. ____
 Well Driller _____ Drilling Permit Number _____

5. Extent of use(s) completed as authorized by the water right permit:

Domestic (No. of households) _____ Stockwater (No. and type of stock) 250 Cow/calf pairs
 Irrigation (No. of acres) _____ Other _____

6. Total rate of diversion or storage volume for which proof is submitted _____ cfs OR _____ acre-feet

7. Compliance with a measuring device requirement, lockable controlling device requirement, and/or other conditions of permit:
 Refer to the approval conditions on your permit and respond accordingly.

The Department will not issue a license if permit conditions are not met.

Measuring Device	Is a measuring device required?	Yes ☐	No ☒
	If yes, has the measuring device been installed?	Yes ☐	No ☐
Lockable Controlling Device	Is a lockable device required to control the diversion?	Yes ☐	No ☒
	If yes, has the lockable device been installed?	Yes ☐	No ☐
Fish Screen	Is a fish screen required?	Yes ☐	No ☒
	If yes, has the fish screen been installed?	Yes ☐	No ☐

Other Conditions of Permit

Do the approval conditions on your permit require you to submit additional information in connection with your proof of beneficial use? If yes, list the conditions below and attach documents with the required information.

Completed? Yes ☐ No ☐

8. Fee Enclosed \$ 50.00 or not applicable ☐. See fee schedule on page 2 of the instructions.
 Proof statements filed without an appropriate fee, will be considered incomplete.

9. Person to contact to accompany the Department representative during field examination of the water system.

Name _____ Telephone Number _____
 Mailing Address _____ City _____
 State _____ Zip _____ Email _____

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to a beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Signature of Permit Holder Allan E Kolbert
 (Include your title, if on behalf of company or organization)

Date 9 7 16

RECEIVED

SEP 13 2016

DEPARTMENT OF
WATER RESOURCES

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 25-14343

Priority: July 14, 2011

Maximum Diversion Rate: 0.05 CFS

This is to certify, that ALLAN E KOLBET And
MATILDA C KOLBET
1254 S SKYLINE DR
IDAHO FALLS ID 83402

has applied for a permit to appropriate water from:

Source: SPRING

Tributary: SINKS

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	05/20 to 11/20	0.05 CFS

LOCATION OF POINT(S) OF DIVERSION:

SPRING NW¼NW¼SE¼ Sec. 7 Twp 03S Rge 43E, B.M. BONNEVILLE County

PLACE OF USE: STOCKWATER

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03S	43E	7														X			

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before November 01, 2016.
2. Subject to all prior water rights.
3. Stockwater use is for 250 cow/calf pairs.
4. The quantity of water under this right for stockwater use shall not exceed 13,000 gallons per day.
5. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 20th day of October, 2011.


for GARY SPACKMAN, Interim Director

Allan and Matilda Kolbet


WR: 25-14343



Legend

- Water Right POD
- Diversion pipe
- Water Right POU
- Township/Range
- Sections
- QQ

0 0.0050.01 0.02 0.03 0.04 Miles



Map Prepared By: Cass Jones
October 12, 2016
2015 Aerial Photography



Looking North in the SWNWSE $\frac{1}{4}$, Section 07, T03S, R43E. Looking at the Place of Use.



Looking South West in the NWSE $\frac{1}{4}$, Section 07, T03S, R43E. Looking at the Place of Use



Looking North in the SWNWSE ¼, Section 07, T03S, R43E. Close up of the Point of Diversion, with the timber and rocks adding protection against wildlife.



Looking North in the SWNWSE ¼, Section 07, T03S, R43E. Extended shot of the point of diversion, showing the piping coming out and running down the hill.