

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

TRANSFER OF WATER RIGHT
TRANSFER NO. 80971

This is to certify that: JACK W FLAMMER JR
PO BOX 3923
HAILEY, ID 83333

has requested a change to the water right(s) listed below. This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code. A summary of the changes is also listed below. The authorized change for each affected water right, including conditions of approval, is shown on the following pages of this document.

Summary of Water Rights Before the Proposed Changes

<u>Water Right</u>	<u>Origin/Basis</u>	<u>Priority Date</u>	<u>Diversion Rate</u>	<u>Diversion Volume</u>	<u>Acre Limit</u>	<u>Total Acres</u>	<u>Source</u>
37-159D	WR/DECREED	7/30/1888	0.100 cfs	15.0 af	N/A	5.0	EAST FORK WOOD RIVER

Purpose of Transfer (Changes Proposed)


<u>Current Number</u>	<u>Split</u>	<u>POD</u>	<u>POU</u>	<u>Add POD</u>	<u>Period of Use</u>	<u>Nature of Use</u>
37-159D	YES	YES	YES	NO	NO	NO

Summary Of Water Rights After the Approved Change

<u>Existing Right</u>	<u>New No. (Changed Portion)</u>	<u>Transfer Rate</u>	<u>Transfer Volume</u>	<u>Acre Limit</u>	<u>Total Acres</u>	<u>New No. (remaining portion)</u>	<u>Remaining Rate</u>	<u>Remaining Volume</u>	<u>Remaining Acre Limit</u>	<u>Remaining Total Acres</u>
37-159D	37-23006	0.040 cfs	6.0 af	2.0	15.0	37-159D	0.060 cfs	9.0 af	N/A	3.0
COMBINED TOTALS		0.040 cfs	6.0 af	2.0	15.0		N/A	N/A	N/A	N/A

This water right(s) is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Detailed Water Right Description(s) attached.

Dated this 7th day of October, 2016


Southern Region Manager

SUPPORT DATA

IN FILE # 37-159D

Transfer No. 80971

WATER RIGHT NO. 37-159D

As Modified by Transfer No. 80971

In accordance with the approval of Transfer No. 80971, Water Right No. 37-159D is now described as follows:

Right Holder: JACK W FLAMMER JR
PO BOX 3923
HAILEY, ID 83333

Priority Date: 7/30/1888

Source: EAST FORK WOOD RIVER **Tributary:** BIG WOOD RIVER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Diversion Volume</u>
IRRIGATION	04/01	to 11/01	0.060 cfs	9.0 af
			0.060 cfs	9.0 af

LOCATION OF POINT(S) OF DIVERSION

EAST FORK WOOD RIVER NESW Sec 8 Twp 03N Rge 18E BLAINE County

PLACE OF USE: IRRIGATION

			NE				NW				SW				SE				Totals
Twp	Rng	Sec	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N	18E	8										3.0							3.0

POU Total Acres: 3.0

CONDITIONS OF APPROVAL

1. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for irrigation of the lands above.
2. Use of water under this water right will be regulated by the watermaster of State Water District No. 37.
3. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as determined by the Snake River Basin Adjudication court in the final unified decree entered 08/26/2014.

WATER RIGHT NO. 37-23006
As Modified by Transfer No. 80971

In accordance with the approval of Transfer No. 80971, Water Right No. 37-23006 is now described as follows:

Right Holder: JACK W FLAMMER JR
 PO BOX 3923
 HAILEY, ID 83333

Priority Date: 7/30/1888

Source: GROUND WATER

Tributary: BIG WOOD RIVER

BENEFICIAL USE
 IRRIGATION

From 04/01 **To** 11/01

Diversion Rate
 0.040 cfs
 0.040 cfs

Diversion Volume
 6.0 af
 6.0 af

LOCATION OF POINT(S) OF DIVERSION

GROUND WATER L4 (NENWNW) Sec 1 Twp 01N Rge 18E BLAINE County

PLACE OF USE: IRRIGATION

			NE				NW				SW				SE				Totals
Twp	Rng	Sec	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01N	18E	1						15.0											15.0
								L4											

Right Acre Limit: 2.0
 POU Total Acres: 15.0

CONDITIONS OF APPROVAL

1. Diversion of groundwater is limited to those times water is available for diversion under this right and priority from the the Big Wood River.
2. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 37.
3. The right holder shall maintain measuring device(s) and lockable controlling works of a type approved by the Department in a manner that will provide the watermaster suitable control of the diversion. Measuring device(s) and lockable controlling works shall be installed and maintained so that irrigation diversions and any domestic uses can be independently measured and regulated.
4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the place of use.
5. Place of use is located within Lots 2 and 3, Scofield Subdivision.

Transfer No. 80971

WATER RIGHT NO. 37-23006
As Modified by Transfer No. 80971

CONDITIONS OF APPROVAL

6. This right is limited to the irrigation of a specific 2.0 acres within the 15.0 acre place of use authorized by this right in a single irrigation season. The specific 2.0 acres to be irrigated by the right holder are shown in the electronic shape file associated with this right in the geographic information system component of the water rights database maintained by the department. Before changing the 2.0 acres to be irrigated within the 15.0 acre place of use, the right holder shall submit a new land list and representative electronic shape file or map to the Department prior to the irrigation season in which the change will occur.
7. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
8. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
9. Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as determined by the Snake River Basin Adjudication court in the final unified decree entered 08/26/2014.

State of Idaho
Department of Water Resources
Attachment to Transfer # 80971
37-23006

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 0.035 0.07 0.14 Miles

- Point of Diversion
- Place Of Use Boundary
- Townships
- PLS Sections





State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, Idaho 83301-5858

Phone: (208) 736-3033 • Fax: (208) 736-3037 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

October 7, 2016

JACK W FLAMMER JR
PO BOX 3923
HAILEY ID 83333

Re: Transfer No: 80971
Water Right No(s): 37-159D

Transfer Approval Notice

Dear Water Right Holder and other Interested Persons:

The Department of Water Resources has issued the enclosed approved Transfer of Water Right(s). Please be sure to thoroughly review the conditions of approval and remarks listed on the approval document.

The Transfer of Water Right(s) is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless the APPLICANT petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.


ANY PERSON aggrieved by any decision, determination, order or action of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Department and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

If the transfer approval includes a condition requiring measuring and recording devices, such devices shall comply with specifications established by the Department. Detailed specifications are available on the Department's home page on the Internet, or you can request a copy by contacting any office of the Department. Please be sure to thoroughly review the specifications to avoid unnecessary costs for reinstallation or modification due to non-conforming or improperly installed devices.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at (208) 736-3033.

Sincerely,

A handwritten signature in black ink, appearing to read "Corey Skinner". The signature is fluid and cursive, with the first name "Corey" written in a larger, more prominent script than the last name "Skinner".

Corey Skinner
Southern Regional Manager

Enclosure

cc:

BROCKWAY ENGINEERING PLLC
C/O ZACH LATHAM
2016 N WASHINGTON ST STE 4
TWIN FALLS ID 83301

KEVIN LAKEY WATER MASTER
WATER DISTRICT 37
107 W 1ST ST
SHOSHONE ID 83352

BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
FRED PRICE
1387 S VINNELL WAY
BOISE ID 83709-1657

CERTIFICATE OF SERVICE

I hereby certify that on October 7, 2016 I mailed a true and correct copy, postage prepaid, of the foregoing TRANSFER APPROVAL to the person(s) listed below:

**Re: Transfer No.: 80971
Water Right No(s): 37-159D**


**JACK W FLAMMER JR
PO BOX 3923
HAILEY ID 83333**

**BROCKWAY ENGINEERING PLLC
C/O ZACH LATHAM
2016 N WASHINGTON ST STE 4
TWIN FALLS ID 83301**

**KEVIN LAKEY WATER MASTER
WATER DISTRICT 37
107 W 1ST ST
SHOSHONE ID 83352**

via e-mail

**BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
FRED PRICE
1387 S VINNELL WAY
BOISE ID 83709-1657**

A handwritten signature in cursive script that reads "Denise Maline". The signature is written in dark ink and is positioned above a solid horizontal line.

**Denise Maline
Administrative Assistant**

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:


- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.



BROCKWAY
ENGINEERING
P.L.L.C.

Hydraulics

Hydrology

Water Resources

RECEIVED

SEP 15 2016

DEPT OF WATER RESOURCES
SOUTHERN REGION

September 12th, 2016

Mr. Corey Skinner
Idaho Department of Water Resources
650 Addison Ave W, Ste 500.
Twin Falls, ID 83301-3380

RE: Water Right Transfer No. 80971- AMENDED Stream Depletion
Analysis.

Dear Corey,

Enclosed is an amended stream depletion analysis and summary memo outlining justification for transfer and proposed diversion of the sale portion of 37-159D from the Lawson Living Trust's existing well. The previous analysis incorrectly identified the distance from the well to the Big Wood River and this analysis seeks to correct the mistake. It is my understanding through a telephone conversation with you that the transfer application won't need to be re-advertised due to the increased distance from the well to a Broadford Slough (minor channel of the Big Wood River).

Please copy our office on all correspondence regarding water right transfer no. 80971. Don't hesitate to give me a call should you have any further questions or comments. Thanks for your time and assistance on this matter.

Regards,

Zach Latham, M.S., Hydrologist.

Enclosures: (1) AMENDED Stream Depletion Analysis Summary Memo
and Associated Calculations Sheets and Plot.

Cc: Jack Flammer
Ed Lawson

CHARLES E.
BROCKWAY,
PH.D., P.E.

CHARLES G.
BROCKWAY,
PH.D., P.E.

2016 NORTH
WASHINGTON
STREET • SUITE 4

TWIN FALLS,
IDAHO 83301

208•736•8543

FAX: 736•8506

SEP 15 2016

DEPT OF WATER RESOURCES
SOUTHERN REGION

Jack W Flammer Jr- AMENDED Stream Depletion Analysis for Application for Water Right Transfer, 2.0 Acres of 37-159D

To: Mr. Corey Skinner- IDWR Southern Regional Manager
From: Zach Latham
Date: September 12th, 2016
Re: Jack W Flammer Jr – AMENDED Stream Depletion Analysis for Application for Water Right Transfer, 2.0 Acres of 37-159D.

This memo serves as an amended stream depletion analysis for the formerly advertised water right transfer no. 80971 filed by Jack W Flammer Jr. (Flammer). Previously, this analysis used a distance from the existing Trust well to the Big Wood River of 125' and that distance was found to be incorrect. The well is 186' from the Broadford Slough, which is considered by IDWR to be a minor channel of the Big Wood River. For this reason and because the distance from the surface water source to the ground water well is increasing, this analysis should be able to be accepted by IDWR without re-advertisement of the transfer application.

As you are aware, transfer application no. 80971 seeks to split 2.0 acres of 37-159D and divert the proportionate flow rate from an existing ground water well on property owned by Edward A. and Julie C. Lawson, trustees of the Lawson Family Living Trust (Trust) near Bellevue, ID. Water right 37-159D is authorized to divert 0.10 cfs for the irrigation of 5.0 acres from the East Fork of the Big Wood River in T.03N R.18E Sec. 8 NE ¼ SW ¼.

The applicant proposes to transfer 2.0 acres of 37-159D to the Trust's property as the two parties have signed a purchase and sale agreement authorizing Flammer to file the attached application. Upon successful transfer of 2.0 acres of this water right, the portion of the right identified in the transfer will change ownership over to the Trust.

The Trust's existing 6" domestic well is located approximately 186' from the Broadford Slough, is 121' deep and is drilled in gravels, sands and clays (alluvium). The local aquifer appears to be deeper than 120' per Lawson's and other surrounding well logs. A stream depletion analysis was performed to determine the portion of water supplied to the Trust's well by the Big Wood River using the Glover and Balmer method¹. This analysis calculated a transmissivity value of 10,871 ft²/day using data from a domestic well drilled for the Lawsons (attached). Additionally, a hydraulic conductivity value of 97.9 ft/day was calculated and both values were derived using data from the Trust well and transmissivity estimation² with effects of a partial penetration method³ (see attached analysis summary sheets and plot). Transmissivity, conductivity and

¹ Glover, R. E. and C. G. Balmer (1954) "River depletion resulting from pumping a well near a river". Am. Geo-phys. Union Trans. v. 35. pt. 3, pp. 468-470.

² Bradbury, K.R., and E.R. Rtothchild, (1985) "A computerized technique for estimating the hydraulic conductivity of aquifers from specific capacity data" Ground Water, v.23, no.2, pp. 240-246.

³ Sternberg, Y.M., (1973) "Efficiency of partially penetrating wells". Groundwater v.11 no.3 pp5-8.

storativity (0.15) values used in the stream depletion analysis are within the range of published values for alluvium in this area.

The resulting analysis estimates approximately 62% of the proposed pumping (18 gpm) from the Trust's well originates from the Broadford Slough within a 24 hour period, exceeding the 50% in 24 hour criteria set forth by IDWR Water Right Transfer Processing Memo No. 24. This same analysis using the methods outlined above has been approved in April of 2014 by IDWR in association with water right transfer 79140 among a number of other approved in the last five years.

Transmissivity Estimation with Partial Penetration

Bradbury and Rothschild (1985) specific capacity method.

Suitable for situations where a single time and drawdown measurement is available.

Includes effects of partial penetration using Sternberg (1973) approach.

Enter data in blue, pay attention to units.

Lawson Well Log, NWNW Section 1 T.01N R.18E.

Well pumping rate	80.00 [gpm]
Drawdown	81.00 [ft]
Time	60 [minutes]
Well radius	3 [inches]
Storativity	0.15 [unitless]
Aquifer thickness	111 [ft]
Open interval	1 [ft]

Calculations:

Specific capacity	0.988 [gpm/ft]
L/b	0.009
G	2.883
sp	353.456

Trial T	10,871.45 [ft ² /d]	<--- Vary Trial T until about equal to Calc T
Calc T	10,871.45 [ft ² /d]	
Calc K	97.94 [ft/d]	

Estimation of Timing of Aquifer-Stream Interaction

PROJECT: Lawson Family Living Trust; Pumping of 2.0 Acre Purchase of Flammer WR
Brockway Engineering, PLLC 9/12/16

AMENDED

Hydraulic conductivity: 97.9 ft/day
Aquifer saturated thickness: 111 feet
Transmissivity: 10,871 ft²/d
Storage coefficient: 0.15
Pumping rate: 18.0 gpm = 3456 ft³/d
Pumping time: 24 hrs

Their assumptions apply.
Method of images used to estimate gw gradient at stream boundary.





IMAGE WELL R = 187			PUMPING WELL R = 185			IMAGE WELL R = 187			RESULTANT using R = 185' (pumping) and R = 187' (image)	Portion of total discharge supplied by the stream (after Glover and Balmer, 1954)	
Time (hrs)	feet u	feet W(u)	feet z (feet)	feet u	feet W(u)	feet z (feet)	feet z (feet)	feet z (feet)	Gradient at river	x'	Qs / Q
0	--	--	0.000	--	--	0.000	0.000	0.0000	0.0000		
0.25	1.2E+01	0.000	0.000	1.1E+01	0.000	0.000	0.000	0.0000	0.0000		
0.5	5.8E+00	0.000	0.000	5.7E+00	0.000	0.000	0.000	0.0000	0.0000		
0.75	3.9E+00	0.004	0.000	3.8E+00	0.005	0.000	0.000	0.0000	0.0000		
1	2.9E+00	0.015	0.000	2.8E+00	0.016	0.000	0.000	0.0000	0.0000	1.701	3.1%
1.5	1.9E+00	0.054	0.001	1.9E+00	0.057	0.001	-0.001	0.0001	0.0001	1.389	3.8%
2	1.4E+00	0.108	0.003	1.4E+00	0.113	0.003	-0.003	0.0001	0.0001	1.203	7.8%
2.5	1.2E+00	0.169	0.004	1.1E+00	0.176	0.004	-0.004	0.0002	0.0002	1.076	12.2%
3	9.6E-01	0.233	0.006	9.4E-01	0.241	0.006	-0.006	0.0002	0.0002	0.982	16.2%
3.5	8.3E-01	0.296	0.007	8.1E-01	0.305	0.008	-0.007	0.0002	0.0002	0.909	19.8%
4	7.2E-01	0.357	0.009	7.1E-01	0.368	0.009	-0.009	0.0003	0.0003	0.851	23.1%
4.5	6.4E-01	0.417	0.011	6.3E-01	0.428	0.011	-0.011	0.0003	0.0003	0.802	25.9%
5	5.8E-01	0.474	0.012	5.7E-01	0.486	0.012	-0.012	0.0003	0.0003	0.761	28.5%
5.5	5.3E-01	0.529	0.013	5.2E-01	0.542	0.014	-0.013	0.0003	0.0003	0.726	30.8%
6	4.8E-01	0.582	0.015	4.7E-01	0.595	0.015	-0.015	0.0003	0.0003	0.695	32.9%
6.5	4.5E-01	0.632	0.016	4.4E-01	0.646	0.016	-0.016	0.0004	0.0004	0.667	34.8%
7	4.1E-01	0.680	0.017	4.0E-01	0.694	0.018	-0.017	0.0004	0.0004	0.643	36.6%
7.5	3.9E-01	0.726	0.018	3.8E-01	0.741	0.019	-0.018	0.0004	0.0004	0.621	38.2%
8	3.6E-01	0.771	0.020	3.5E-01	0.786	0.020	-0.020	0.0004	0.0004	0.602	39.7%
8.5	3.4E-01	0.814	0.021	3.3E-01	0.829	0.021	-0.021	0.0004	0.0004	0.584	41.1%
9	3.2E-01	0.855	0.022	3.1E-01	0.870	0.022	-0.022	0.0004	0.0004	0.567	42.4%
9.5	3.0E-01	0.894	0.023	3.0E-01	0.910	0.023	-0.023	0.0004	0.0004	0.552	43.6%
10	2.9E-01	0.932	0.024	2.8E-01	0.948	0.024	-0.024	0.0004	0.0004	0.538	44.8%
10.5	2.8E-01	0.969	0.025	2.7E-01	0.985	0.025	-0.025	0.0004	0.0004	0.525	45.8%
11	2.6E-01	1.005	0.025	2.6E-01	1.021	0.026	-0.025	0.0004	0.0004	0.513	46.8%
11.5	2.5E-01	1.039	0.026	2.5E-01	1.056	0.027	-0.026	0.0004	0.0004	0.502	47.8%
12	2.4E-01	1.072	0.027	2.4E-01	1.089	0.028	-0.027	0.0004	0.0004	0.491	48.7%
12.5	2.3E-01	1.104	0.028	2.3E-01	1.122	0.028	-0.028	0.0004	0.0004	0.481	49.5%
13	2.2E-01	1.136	0.029	2.2E-01	1.153	0.029	-0.029	0.0004	0.0004	0.472	50.3%
13.5	2.1E-01	1.166	0.029	2.1E-01	1.183	0.030	-0.029	0.0004	0.0004	0.463	51.1%
14	2.1E-01	1.195	0.030	2.0E-01	1.213	0.031	-0.030	0.0004	0.0004	0.455	51.9%
14.5	2.0E-01	1.224	0.031	2.0E-01	1.242	0.031	-0.031	0.0004	0.0004	0.447	52.6%
15	1.9E-01	1.252	0.032	1.9E-01	1.270	0.032	-0.032	0.0004	0.0004	0.439	53.2%
15.5	1.9E-01	1.279	0.032	1.8E-01	1.297	0.033	-0.032	0.0005	0.0005	0.432	53.9%
16	1.8E-01	1.305	0.033	1.8E-01	1.323	0.033	-0.033	0.0005	0.0005	0.425	54.5%
16.5	1.8E-01	1.331	0.034	1.7E-01	1.349	0.034	-0.034	0.0005	0.0005	0.419	55.1%
17	1.7E-01	1.356	0.034	1.7E-01	1.375	0.035	-0.034	0.0005	0.0005	0.413	55.6%
17.5	1.7E-01	1.381	0.035	1.6E-01	1.399	0.035	-0.035	0.0005	0.0005	0.407	56.2%
18	1.6E-01	1.405	0.036	1.6E-01	1.423	0.036	-0.036	0.0005	0.0005	0.401	56.7%
18.5	1.6E-01	1.428	0.036	1.5E-01	1.447	0.037	-0.036	0.0005	0.0005	0.396	57.2%
19	1.5E-01	1.451	0.037	1.5E-01	1.470	0.037	-0.037	0.0005	0.0005	0.390	57.7%
19.5	1.5E-01	1.473	0.037	1.5E-01	1.492	0.038	-0.037	0.0005	0.0005	0.385	58.2%
20	1.4E-01	1.495	0.038	1.4E-01	1.514	0.038	-0.038	0.0005	0.0005	0.380	58.6%
20.5	1.4E-01	1.517	0.038	1.4E-01	1.535	0.039	-0.038	0.0005	0.0005	0.376	59.1%
21	1.4E-01	1.538	0.039	1.3E-01	1.556	0.039	-0.039	0.0005	0.0005	0.371	59.5%
21.5	1.3E-01	1.558	0.039	1.3E-01	1.577	0.040	-0.039	0.0005	0.0005	0.367	59.9%
22	1.3E-01	1.578	0.040	1.3E-01	1.597	0.040	-0.040	0.0005	0.0005	0.363	60.3%
22.5	1.3E-01	1.598	0.040	1.3E-01	1.617	0.041	-0.040	0.0005	0.0005	0.359	60.7%
23	1.3E-01	1.617	0.041	1.2E-01	1.636	0.041	-0.041	0.0005	0.0005	0.355	61.1%
23.5	1.2E-01	1.636	0.041	1.2E-01	1.655	0.042	-0.041	0.0005	0.0005	0.351	61.4%
24	1.2E-01	1.655	0.042	1.2E-01	1.674	0.042	-0.042	0.0005	0.0005	0.347	61.8%

Timing of Influence on Broadford Slough by Lawson Family Living Trust Well Pumping



AFFIDAVIT of PUBLICATION

RECEIVED

COPY OF NOTICE

State of Idaho
County of Blaine

JUN 24 2016

Pam Morris

, being the DEPT OF WATER RESOURCES
SOUTHERN REGION

sworn, deposes and says that she is the printer (publisher) of the Idaho Mountain Express, a newspaper published every week in Ketchum, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first


publication of said advertisement was on the 15 day of

June, 20 16, and the date of the last publication was

on the 22 day of June, 20 16

Subscribed and sworn to before me this 22 day of

June, 20 16.



Connie N. Johnson
NOTARY PUBLIC

RESIDING AT HAILEY, IDAHO
MY COMMISSION EXPIRES ON 7/10/2018

IDAHO MOUNTAIN EXPRESS
P.O. Box 1013
Ketchum, Idaho 83340

COST OF PUBLICATION

Number of Picas per Line 11.5

Number of Lines in Notice 60

Number of Insertions 2

Lines tabular at 9.0 cents/pica

60 Lines straight at 55.20 8.0 cents/pica

60 Subsequent lines at 48.30 7.0 cents/pica

TOTAL COST \$ 103.50

Legal Notice
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

IDWR

BILL TO

NOTICE OF PROPOSED CHANGE
OF WATER RIGHT
TRANSFER NO. 80971

JACK W FLAMMER JR, PO BOX 3923, HAILEY, ID 83333; has filed Application No. 80971 for changes to the following water rights within BLAINE County(s): Right No(s). 37-159D; to see a full description of these rights and the proposed transfer, please see www.idwr.idaho.gov/apps/wr/QueryNewTransfers/QueryNewTransfers.aspx. The purpose of the transfer is to change a portion of the above rights as follows: Application proposes changing the point of diversion and place of use for a 0.04 cfs and 2.0 acre portion of an East Fork Wood River irrigation right. Current point of diversion and place of use are located approximately 5.8 miles north and 1.5 miles west of Hailey. The transfer proposes moving the portion of the right to an existing well within 125ft of the Big Wood River located approximately 11.0 miles downstream. An analysis of hydraulic connectivity between the well and the Big Wood River is provided with the application. Transfer also proposes creating a 15.0 acre permissible place of use at the proposed place of use. Proposed place of use and existing well are located approximately 0.8 miles south and 0.1 miles west of the intersection of Broadford Rd and Hwy 75 in Bellevue.

For additional information concerning the property location, contact Southern Region office at (208) 736-3033. Protests may be submitted based on the criteria of Idaho Code Sec. 42-222. Any protest against the proposed change must be filed with the Department of Water Resources, Southern Region, 650 Addison Ave W Ste 500, Twin Falls ID 83301 together with a protest fee of \$25.00 for each application on or before July 5, 2016. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

PUBLISH
IDAHO MOUNTAIN EXPRESS
JUNE 15 & 22, 2016

✓ OK
DM
6-27-2016

State of Idaho
Department of Water Resources
Transfer of Water Right(s)
RECOMMENDATION FORM

Via E-mail
RECEIVED

JUN 20 2016

DEPT OF WATER RESOURCES
SOUTHERN REGION

Transfer Application No.: 80971

Water Right No(s): 37-159D

Transfer Applicant's Name: JACK W FLAMMER JR
PO BOX 3923
HAILEY, ID 83333

Water master's Recommendation:

a) ☐ I do not oppose approval of this application.

b) ☒ I do not oppose approval of this application if it is conditioned as follows:

As per conversation with Zach Latham from Brockway Engineering, the domestic portion of the well and the new irrigation that will take place in the future will be plumbed separately, so curtailment by priority is possible on water right 37-159D

c) ☐ I oppose approval of this application for the following reasons:

d) ☐ Additional comments:

Dated this 20th day of June, 2016

Water District No. 37



Water master's Signature



Printed Name