

RECEIVED

AUG 26 2016

DEPARTMENT OF
WATER RESOURCESSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY	
Amt. of Fee \$:	<u>2.00</u>
Receipt No.	<u>C102423</u>
Receipt By:	<u>AO</u>
Date Received:	<u>8-26-16</u>

The Idaho Department of Water Resources considers this form a statement by the permit holder(s) that development of a water right has been **completed** and that water has been applied to beneficial use to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner.** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, please contact any Department office or visit the Department's website at: www.idwr.idaho.gov for an Assignment of Permit form. If you wish to relinquish your permit because you have not established the authorized use of the water and are not applying for an extension, please notify the Department in writing.

1. Permit No.: 78-12406 Telephone No.: 208-347-2411
2. Name of Permit Holder(s): Meadows Valley School District #11
3. Mailing Address: P.O. Drawer F City: New Meadows
State: ID Zip: 83654 Email: mihoward@mvsd11.org
4. Source of Water: Ground Water If **GROUND WATER** (well), Date Drilled: mo. June / yr. 2015
Well Driller: Bob Gestrin Well Drilling Drilling Permit Number: 969598-875655

5. Extent of use(s) completed (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 12 Other: _____

6. Total rate of diversion or storage volume for which proof is submitted: 0.24 cfs OR _____ acre-feet.

7. Compliance with a measuring device requirement, lockable controlling device requirement, and/or other conditions of permit: **Refer to the approval conditions on your permit and respond accordingly. The Department will not issue a license if permit conditions are not met.**

Measuring Device: Is a measuring device required?

If yes, has the measuring device been installed?

Yes ☐	No ☒
Yes ☐	No ☐

Conditions Attached #6

Lockable Controlling Device: Is a lockable device required to control the diversion?

If yes, has the lockable device been installed?

Yes ☐	No ☒
Yes ☐	No ☐

Other Conditions of Permit: Do the approval conditions on your permit require you to submit additional information in connection with your proof of beneficial use? If yes, list the conditions below and attach documents with the required information.

Conditions Attached #8

Completed? Yes ☒ No ☐

8. Fee Enclosed: \$ 250.00 See fee schedule on back of the instructions for filing proof of beneficial use. Proofs filed without an appropriate fee, will be considered incomplete.

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Brett Carpenter Telephone Number: 208-347-2411

Mailing Address: P.O. Drawer F City: New Meadows

State: ID Zip: 83654 Email: bcarpenter@mvsd11.org

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to a beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Signature of permit holder: Mike Howard, Suplt. of Schools Date: Aug 23, 2016
(Include your title, if on behalf of company or organization)

Mail to: Idaho Department of Water Resources, PO Box 83720, Boise, ID 83720-0098

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 78-12406

Priority: October 25, 2012

Maximum Diversion Rate: 0.24 CFS

This is to certify, that MEADOWS VALLEY SCHOOL DISTRICT #11
PO DRAWER F
NEW MEADOWS ID 83654

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.24 CFS

LOCATION OF POINT OF DIVERSION:

GROUND WATER NW1/4NW1/4 Sec. 24, Twp 19N, Rge 01E, B.M., ADAMS County

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
19N	01E	24					3.0	9.0											12.0

Total Acres: 12

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **September 01, 2014**.
2. Subject to all prior water rights.
3. This right does not grant any right-of-way or easement across the land of another.
4. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows if needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary, if needed for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
6. **After specific notification by the Department**, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
7. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the place of use.

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 78-12406

8. To prevent injury to prior water rights appropriating water from the Little Salmon River and/or the underlying shallow aquifer tributary to the Little Salmon River, the new well used as a point of diversion for this water right located within the NWNW, Section 24, Township 19N, Range 01E shall be **constructed and maintained with** unperforated casing and sealed into the first significant confining layer.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 6th day of September, 20 13.



JOHN WESTRA

Western Regional Manager

dated

SOURCES

DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT

1. WELL TAG NO. D 0069094
Drilling Permit No. 969598-875655
Water right or injection well # 78-12406

2. OWNER:
Name Meadows Valley School Dist. #11
Address P.O. DRAWER F
City New Meadows State Id. Zip 83654

3. WELL LOCATION:
Twp. 19 North ☒ or South ☐ Rge. 1 East ☒ or West ☐
Sec. 24 SE 1/4 NW 1/4 NW 1/4

Gov't Lot _____ County Adams
Lat. 44 ° 58.503 (Deg. and Decimal minutes)
Long. 116 ° 17.167 (Deg. and Decimal minutes)
Address of Well Site 500 N. Miller
City New Meadows

(Give at least name of road + distance to Road or Landmark)

Lot _____ Blk. _____ Sub. Name _____

4. USE:
☐ Domestic ☐ Municipal ☐ Monitor ☒ Irrigation ☐ Thermal ☐ Injection
☐ Other _____

5. TYPE OF WORK:
☒ New well ☐ Replacement well ☐ Modify existing well
☐ Abandonment ☐ Other _____

6. DRILL METHOD:
☒ Air Rotary ☐ Mud Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES:
Seal material From (ft) To (ft) Quantity (lbs or ft³) Placement method/procedure
3/8 Bentonite chip 0 11 550 LBS. TEMP CASING - Poured
Bentonite 11 39 198 gal TEMP CASING - Pumped
DRIVEN CLAY SEAL

Diameter (nominal)	From (ft)	To (ft)	Gauge/Schedule	Material	Casing Liner	Threaded	Welded
<u>8</u>	<u>+2</u>	<u>303</u>	<u>.250</u>	<u>STEEL</u>	☒	☐	☒
					☐	☐	☐
					☐	☐	☐
					☐	☐	☐

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) under 2" shoe AT 303'

9. PERFORATIONS/SCREENS:
Perforations ☐ Y ☒ N Method _____
Manufactured screen ☐ Y ☒ N Type _____
Method of installation _____

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule

Length of Headpipe _____ Length of Tailpipe _____
Packer ☐ Y ☒ N Type _____

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft³)	Placement method

11. FLOWING ARTESIAN:
Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG) _____
Describe control device _____

12. STATIC WATER LEVEL and WELL TESTS:
Depth first water encountered (ft) 40 Static water level (ft) 17
Water temp. (°F) 50 Bottom hole temp. (°F) _____
Describe access port SANITARY WELL SEAL

Well test:	Test method:	Pump	Bailer	Air	Flowing artesian
Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)			
<u>286</u>	<u>100</u>	<u>120</u>	☐	☐	☒
			☐	☐	☐

Water quality test or comments: good

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water	
				Y	N
<u>12</u>	<u>0</u>	<u>2</u>	<u>TOP SOIL</u>		☒
<u>12</u>	<u>2</u>	<u>5</u>	<u>BROWN SAND + GRAVEL</u>		☒
<u>12</u>	<u>5</u>	<u>7</u>	<u>BLUE GRAY MUDDY SAND</u>		☒
<u>12</u>	<u>7</u>	<u>32</u>	<u>BROWN SANDY CLAY</u>		☒
<u>12</u>	<u>32</u>	<u>39</u>	<u>BASALT SAND + GRAVEL</u>	☒	☒ static 11'
<u>9</u>	<u>39</u>	<u>51</u>	<u>BASALT SAND + GRAVEL</u>	☒	
<u>73/8</u>	<u>51</u>	<u>68</u>	<u>BROWN CLAY</u>		☒
<u>9</u>	<u>68</u>	<u>72</u>	<u>BROWN CLAY + BROKEN BASALT</u>		☒
<u>9</u>	<u>72</u>	<u>86</u>	<u>Reddish BROWN WEATHERED BASALT</u>	<u>49PM</u>	
<u>9</u>	<u>86</u>	<u>105</u>	<u>Reddish BROWN + GRAY FRAC. BASALT</u>		☒
<u>9</u>	<u>105</u>	<u>116</u>	<u>Red cinders</u>	<u>109PM</u>	
<u>9</u>	<u>116</u>	<u>126</u>	<u>Red WEATHERED BASALT</u>		☒
<u>9</u>	<u>126</u>	<u>144</u>	<u>GRAY + BROWN cinders</u>	<u>109PM</u>	
<u>9</u>	<u>144</u>	<u>155</u>	<u>Blue + BROWN WEATHERED BASALT</u>		☒
<u>9</u>	<u>155</u>	<u>160</u>	<u>BROWN cinders</u>	<u>109PM</u>	☒ static 17'
<u>9</u>	<u>160</u>	<u>177</u>	<u>Blue + BROWN WEATHERED BASALT</u>		☒
<u>9</u>	<u>177</u>	<u>183</u>	<u>Reddish BROWN WEATHERED BASALT</u>		☒
<u>9</u>	<u>183</u>	<u>193</u>	<u>Blue + BROWN WEATHERED BASALT</u>		☒
<u>9</u>	<u>193</u>	<u>253</u>	<u>HARDER Blue + BROWN BASALT</u>		☒
<u>9</u>	<u>253</u>	<u>258</u>	<u>Red CLAY + CLAYSTONE</u>		☒
<u>9</u>	<u>258</u>	<u>270</u>	<u>BROWN WEATHERED BASALT</u>	<u>109PM</u>	☒ static 17'
<u>9</u>	<u>270</u>	<u>275</u>	<u>HARDER BROWN BASALT</u>		☒
<u>9</u>	<u>275</u>	<u>304</u>	<u>BROWN WEATHERED BASALT</u>	<u>509PM</u>	
<u>6</u>	<u>304</u>	<u>315</u>	<u>HARDER BROWN BASALT</u>		☒
<u>6</u>	<u>315</u>	<u>320</u>	<u>Blue, BROWN + Red cinders</u>	<u>1009PM</u>	
<u>6</u>	<u>320</u>	<u>325</u>	<u>HARDER BROWN BASALT</u>		☒

Completed Depth (Measurable): 325'
Date Started: 6-16-15 Date Completed: 6-29-15

14. DRILLER'S CERTIFICATION:
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
Company Name Gestrin Well Drilling Co. No. 408
*Principal Driller Robert W. Gestrin Date 7-4-15
*Driller Robert W. Gestrin Date 7-4-15
*Operator II _____ Date _____
Operator I _____ Date _____
* Signature of Principal Driller and rig operator are required.

Meadows Valley School District #11

P.O. Drawer F - 500 N. Miller Ave.

Phone: (208)347-2411

FAX: (208)347-2624

www.mvsd11.org

TO: Idaho Department of Water Resources
FROM: Mike Howard
DATE: August 23, 2016
RE: Permit # 78-12406

I would like to address dates listed:


We did drill the well in June of 2015 –

We did activate the well the first of July, 2016 –

There is quite a bit of time between the two dates. We did not finish the work with the electrician nor did the plumber get the pump apparatus completed. And then winter came along.

A power supply was established but was not utilized until this summer.

Most Sincerely Yours,



“HOME OF THE MOUNTAINEERS”

Mike Howard, Superintendent
Carol Whitney, Business Manager

Patrick Berg, Principal
Claudia Bentz, Secretary/Registrar



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street • P.O. Box 83720 • Boise, Idaho 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

August 31, 2016

MEADOWS VALLEY SCHOOL DISTRICT #11
PO DRAWER F
NEW MEADOWS ID 83654

PROOF ACKNOWLEDGEMENT LETTER

RE: Permit No. 78-12406

Dear Permit Holder(s):

The department acknowledges receipt of the proof of beneficial use form (proof) submitted for the above referenced permit.

A \$250.00 license examination fee was also submitted with the beneficial use form. This permit authorizes a diversion rate of 0.24 cfs (cubic feet per second) requiring a license examination fee of \$100.00. The \$150.00 portion of the submitted fee in excess of the required amount will be returned to you in a separate mailing.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office or at the department's website at www.idwr.idaho.gov.

If you have any questions concerning the field examination, please contact the Western Region Office of the department located in Boise at (208) 334-2190.

Sincerely,

Darla Block
Technical Records Specialist

Enclosure(s)

Block, Darla

From: Block, Darla
Sent: Wednesday, August 31, 2016 10:46 AM
To: Marston, Sascha
Subject: Refund Needing Issued:

August 31, 2016

Re: Issuance of a refund under **water right permit no. 78-12406**

Dear Sascha,

Please issue a refund in the amount of \$150.00 for overpayment from **Receipt ID No. C102423**. Please send the \$150.00 refund to the following:

MEADOWS VALLEY SCHOOL DISTRICT #11
PO DRAWER F
NEW MEADOWS ID 83654

Thank You,
☺ Darla