

MEMORANDUM

Date: August 9, 2016
To: Transfer 81030
From: Blake Jordan
Re: Review & Evaluation of Sufficiency of Information

This transfer proposes to change the point of diversion, add a point of diversion and change the place of use for water right 25-14312. The applicants have entered into a purchase agreement with the owners of water right 25-14312 and seek to move the water right into the Blackhawk and Iron Rim Ranch subdivisions for irrigation purposes. The applicants will utilize two existing wells which are used to provide water to the Blackhawk and Iron Rim Ranch subdivisions. Water right 25-14312 will be limited to 1.1 acres within a 353.9 acre permissible place of use.

Authority to File:

The applicants have entered into a purchase agreement with Shawn and Erika Speirs who are the owners of water right 25-14312. The applicants are the current owners of the property at the proposed points of diversion. Colvin Jergins who is the president of the Blackhawk HOA and Ammon Hartner who is the president of the Iron Rim Ranch HOA signed the application. Once the transfer is approved ownership of water right 25-14312 will be conveyed to the applicants and an ownership change will be filed.

Water Right Validity:

Water right 25-14312 was decreed in 2005. This water right is currently leased to the Idaho Water Supply Bank. Forfeiture is not an issue.

Injury to Other Water Rights:

This water right is not within a water district that regulates ground water. Points of diversion are located within the ESPA model grid boundary. According to the applicants ESPA analysis impacts are less than two acre-feet per trimester at each of the ESPA river reaches. No mitigation is required. This transfer was advertised and there are no protests.

Enlargement of Use:

No issues identified.

Local Public interest:

No issues identified.

Beneficial Use/Conservation of Water Resources:

No issues identified.


Effect on Economy the Local Area:

No issues identified.

Effect on Agricultural Base of the Local Area:

No issues identified.

Review of the application finds there is no clear inconsistency with criteria set forth in Section 42-222 Idaho Code preventing processing of this application.



0 800 1,600 3,200 Feet

1 inch = 1,664 feet

- Permissible Place of Use
- 1.1 acre irrigation place of use 25-14312
- Township/Range
- Sections
- QQ

